

Contents

| | |
|---------------------|--|
| Introduction | |
| | Course Objectives Intro-1 |
| | Audience Intro-2 |
| | Certification and Prerequisites Intro-2 |
| | Further Studies Intro-3 |
| | SUSE Linux Enterprise Desktop 10 Support and Maintenance Intro-4 |
| | Novell Customer Center Intro-4 |
| | SUSE Linux Enterprise Desktop 10 Online Resources Intro-5 |
| | Agenda Intro-6 |
| | Exercises Intro-6 |
| | Exercise Conventions Intro-7 |
| | |
| SECTION 1 | Install SUSE Linux Enterprise Desktop 10 |
| | Objectives 1-1 |
| Objective 1 | Perform a SUSE Linux Enterprise Desktop 10 Installation 1-2 |
| | Boot From the Installation Media 1-2 |
| | Select the System Language 1-4 |
| | Select the Installation Mode 1-6 |
| | Set the Clock and Time Zone 1-7 |
| | Understand and Change the Installation Settings 1-8 |
| | Verify Partitioning 1-9 |
| | Select Software 1-19 |
| | Start the Installation Process 1-21 |
| Objective 2 | Configure the SUSE Linux Enterprise Desktop 10 Installation 1-22 |
| | Set the root Password 1-22 |
| | Set the Hostname 1-23 |
| | Configure the Network 1-24 |
| | Test the Internet Connection 1-25 |
| | Novell Customer Center Configuration and Online Update 1-26 |
| | Manage Users 1-27 |
| | Configure Hardware 1-29 |
| | Finalize the Installation Process 1-30 |
| | Exercise 1-1 Install SUSE Linux Enterprise Desktop 10 1-31 |
| | Summary 1-32 |

SECTION 2 Use the Linux Desktop

Objectives 2-1

Objective 1 Overview of the Linux Desktop..... 2-2

Objective 2 Use the GNOME Desktop Environment 2-4

Log In 2-4

Log Out and Shut Down 2-5

Exercise 2-1 Log In to and Log Out from the GNOME Desktop..... 2-7

Identify GNOME Desktop Components 2-8

Manage Icons in GNOME 2-10

Exercise 2-2 Work with Icons in GNOME..... 2-13

Use the GNOME File Manager (Nautilus) 2-14

Exercise 2-3 Use the GNOME File Manager (Nautilus) 2-16

Objective 3 Access the Command Line Interface From the Desktop..... 2-17

Exercise 2-4 Access the Command Line Interface..... 2-19

Summary 2-20

SECTION 3 Locate and Use Help Resources

Objectives 3-1

Objective 1 Access and Use man Pages 3-2

Exercise 3-1 Access and Use man Pages 3-6

Objective 2 Use info Pages 3-7

Exercise 3-2 Access and Use info Pages 3-9

Objective 3 Access Release Notes and White Papers 3-10

Release Notes 3-10

Manuals 3-10

Help for Installed Packages 3-11

Howtos 3-11

Objective 4 Use GUI-Based Help 3-12

Objective 5 Find Help on the Web 3-13

Exercise 3-3 Access Release Notes and Find Help on the Web..... 3-14

Summary 3-15

SECTION 4 Administer Linux with YaST

Objectives 4-1

| | | |
|---|--|------|
| Objective 1 | YaST Basics | 4-2 |
| Objective 2 | Become Familiar with YaST Modules | 4-5 |
| | YaST Hardware Information Module | 4-5 |
| | YaST Date and Time Module | 4-6 |
| | YaST Language Module | 4-6 |
| | YaST Keyboard Module | 4-8 |
| | Exercise 4-1 Get to Know YaST | 4-9 |
| Objective 3 | Understand the Role of SuSEconfig | 4-10 |
| | Summary | 4-11 |
| SECTION 5 Manage the Network Configuration | | |
| | Objectives | 5-1 |
| Objective 1 | Manage the Network Configuration Information from YaST | 5-2 |
| | Exercise 5-1 Manage the Network Configuration Information from YaST. | 5-10 |
| Objective 2 | Test the Network Connection with Command Line Tools | 5-11 |
| | View and Change the Network Configuration with ip | 5-11 |
| | Test Network Connections with ping | 5-17 |
| | Trace Network Packets with traceroute | 5-18 |
| | Exercise 5-2 Test the Network configuration. | 5-20 |
| Objective 3 | Use SuSEfirewall2 | 5-21 |
| Objective 4 | Use NetworkManager to Configure the Network | 5-24 |
| Objective 5 | Provide Remote Access | 5-26 |
| | Use OpenSSH | 5-26 |
| | Exercise 5-3 Practice Using OpenSSH. | 5-39 |
| | Exercise 5-4 Perform Public Key Authentication. | 5-44 |
| | Configure VPN Connections | 5-45 |
| | Use VNC | 5-47 |
| | Exercise 5-5 Use VNC | 5-49 |
| | Summary | 5-50 |
| SECTION 6 Manage Software | | |
| | Objectives | 6-1 |
| Objective 1 | Install and Uninstall Software Packages | 6-2 |
| | Exercise 6-1 Install and Uninstall Software | 6-5 |
| Objective 2 | Manage Installation Sources | 6-6 |
| | Exercise 6-2 Add an Installation Source. | 6-7 |

| | | |
|------------------|---|------|
| Objective 3 | Configure Novell Customer Center and Online Update | 6-8 |
| | Novell Customer Center Configuration | 6-8 |
| | Online Update | 6-11 |
| Objective 4 | Understand RPM | 6-14 |
| | RPM Components and Features | 6-14 |
| | RPM Basics | 6-15 |
| | Exercise 6-3 Manage Software with RPM | 6-19 |
| | Summary | 6-20 |
| | | |
| SECTION 7 | Manage Directories and Files | |
| | Objectives | 7-1 |
| Objective 1 | Understand the File System Hierarchy Standard (FHS) | 7-2 |
| | The Hierarchical Structure of the File System | 7-3 |
| | FHS (Filesystem Hierarchy Standard) | 7-5 |
| | Root Directory / | 7-5 |
| | Essential Binaries for Use by All Users (/bin) | 7-6 |
| | Boot Directory (/boot) | 7-7 |
| | Other Partitions (/data) | 7-7 |
| | Device Files (/dev) | 7-7 |
| | Configuration Files (/etc) | 7-9 |
| | User Directories (/home) | 7-10 |
| | Libraries (/lib) | 7-11 |
| | Mountpoints for Removable Media (/media/*) | 7-11 |
| | Application Directory (/opt) | 7-11 |
| | Home Directory of the Administrator (/root) | 7-12 |
| | System Binaries (/sbin) | 7-12 |
| | Data Directories for Services (/srv) | 7-12 |
| | Temporary Area (/tmp) | 7-12 |
| | The Hierarchy Below /usr | 7-13 |
| | Variable Files (/var) | 7-13 |
| | Windows Partitions (/windows) | 7-13 |
| | Process Files (/proc) | 7-14 |
| | System Information Directory (/sys) | 7-16 |
| | Mountpoint for Temporarily Mounted File Systems (/mnt) | 7-16 |
| | Directories for Mounting Other File Systems | 7-17 |
| | Exercise 7-1 Explore the SUSE Linux File System Hierarchy | 7-19 |
| Objective 2 | Identify File Types in the Linux System | 7-20 |
| | Normal Files | 7-20 |
| | Directories | 7-20 |
| | Device Files | 7-20 |
| | Links | 7-21 |
| | Sockets | 7-21 |
| | FIFOs | 7-21 |

| | | |
|------------------|--|------|
| Objective 3 | Change Directories and List Directory Contents. | 7-22 |
| | cd | 7-22 |
| | ls | 7-22 |
| | pwd | 7-23 |
| | Exercise 7-2 Change Directories and List Directory Contents. | 7-24 |
| Objective 4 | Create and View Files | 7-25 |
| | Create a New File with touch | 7-25 |
| | View a File with cat | 7-25 |
| | View a File with less | 7-26 |
| | View a File with head and tail | 7-26 |
| | Exercise 7-3 Create and View Files | 7-27 |
| Objective 5 | Work with Files and Directories | 7-28 |
| | Copy, Move and Rename Files and Directories | 7-28 |
| | Create Directories | 7-29 |
| | Delete Files and Directories | 7-30 |
| | Exercise 7-4 Copy, Move, and Delete Files, Create and Delete Directories | 7-31 |
| | Link Files | 7-32 |
| | Exercise 7-5 Link Files | 7-34 |
| Objective 6 | Find Files on Linux | 7-35 |
| | Graphical Search Tools | 7-36 |
| | find | 7-38 |
| | which | 7-40 |
| | type | 7-40 |
| | Exercise 7-6 Find Files on Linux | 7-42 |
| | Summary | 7-43 |
| SECTION 8 | Work with the Linux Shell and Command Line | |
| | Objectives | 8-1 |
| Objective 1 | Get to Know the Bash Shell. | 8-2 |
| | Types of Shells | 8-2 |
| | bash Configuration Files | 8-2 |
| | Completion of Commands and Filenames | 8-4 |
| | History Function | 8-4 |
| Objective 2 | Get to Know Common Command Line Tasks | 8-5 |
| | Variables | 8-5 |
| | Aliases | 8-6 |
| | Exercise 8-1 Execute Commands at the Command Line | 8-8 |
| Objective 3 | Understand Command Syntax and Special Characters. | 8-9 |
| | Select Your Character Encoding | 8-9 |
| | Name Expansion Using Search Patterns | 8-11 |
| | Prevent the Shell from Interpreting Special Characters | 8-12 |

| | | |
|-------------------|---|------|
| | Exercise 8-2 Work with Command Syntax and Special Characters | 8-13 |
| Objective 4 | Get to Know Linux Text Editors | 8-14 |
| | Work with gedit (Graphical Editor) | 8-15 |
| | Work with vi (Command Line Editor) | 8-15 |
| | Start vi | 8-16 |
| | Use the Editor vi | 8-16 |
| | Learn the Working Modes | 8-16 |
| | Exercise 8-3 Use vi to Edit Files in the Linux System | 8-19 |
| | Summary | 8-20 |
| | | |
| SECTION 9 | Manage Users, Groups, and Permissions | |
| | Objectives | 9-1 |
| Objective 1 | Understand the Multiuser Environment. | 9-2 |
| Objective 2 | Manage User and Group Accounts | 9-4 |
| | Basics About Users and Groups | 9-4 |
| | Manage User and Group Accounts with YaST | 9-5 |
| | Manage User and Group Accounts from the Command Line | 9-14 |
| | User and Group Configuration Files | 9-20 |
| | Exercise 9-1 Manage User Accounts with YaST and Get User and Group Information from the Command Line | 9-24 |
| Objective 3 | Manage File Permissions and Ownership | 9-25 |
| | Understand File Permissions | 9-25 |
| | Change File Permissions with chmod | 9-27 |
| | Change File Ownership with chown and chgrp | 9-28 |
| | Exercise 9-2 Manage File Permissions and Ownership | 9-30 |
| | Modify Default Access Permissions | 9-31 |
| | Configure Special File Permissions | 9-32 |
| | Ensure File System Security | 9-33 |
| Objective 4 | Perform Tasks as a Different User. | 9-36 |
| | Perform Administrative Tasks as root | 9-36 |
| | Delegate Administrative Tasks with sudo | 9-38 |
| | Exercise 9-3 Use sudo to Perform Tasks as root | 9-41 |
| Objective 5 | Use Encrypted File Systems | 9-42 |
| | Use YaST to Encrypt a Partition | 9-42 |
| | Create an Encrypted Image as Home Directory for a User | 9-44 |
| | Summary | 9-45 |
| | | |
| SECTION 10 | Monitor the Linux System and Control Processes and Services | |
| | Objectives | 10-1 |

| | | |
|-------------------|---|-------|
| Objective 1 | Gather Information on a SUSE Linux Enterprise Desktop 10 System | 10-2 |
| | Boot Log Information | 10-2 |
| | Hardware Information (/proc/) | 10-4 |
| | Hardware Information (Command Line Utilities) | 10-6 |
| | System and Process Information (Command Line Utilities) | 10-6 |
| | Monitor Hard Drive Space | 10-8 |
| | Exercise 10-1 Gather Information on Your SUSE Linux Enterprise Desktop 10 | 10-9 |
| Objective 2 | Use System Logging Services | 10-10 |
| | The Syslog Daemon syslog-ng | 10-10 |
| | Important Log Files | 10-16 |
| | Archive Log Files (logrotate) | 10-17 |
| | Exercise 10-2 Manage System Logging | 10-20 |
| Objective 3 | Monitor Login Activity | 10-21 |
| Objective 4 | View and Manage Processes | 10-24 |
| | Understand Process Definitions | 10-24 |
| | Learn Jobs and Processes | 10-26 |
| | Manage Foreground and Background Processes | 10-27 |
| | View and Prioritize Processes | 10-29 |
| | End a Process | 10-34 |
| | Understand Services (Daemons) | 10-37 |
| | Manage a Daemon Process | 10-37 |
| | Exercise 10-3 Manage Linux Processes | 10-39 |
| Objective 5 | Schedule Jobs | 10-40 |
| | Schedule a Job (cron) | 10-40 |
| | Run a Job One Time Only (at) | 10-44 |
| | Exercise 10-4 Schedule Jobs with cron and at | 10-45 |
| | Summary | 10-46 |
| SECTION 11 | Manage System Initialization | |
| | Objectives | 11-1 |
| Objective 1 | Describe the Linux Load Procedure | 11-2 |
| Objective 2 | GRUB (Grand Unified Bootloader). | 11-6 |
| | What a Boot Manager Is | 11-6 |
| | Boot Managers in SUSE Linux | 11-7 |
| | Start the GRUB Shell | 11-8 |
| | Modify the GRUB Configuration File | 11-9 |
| | Configure GRUB with YaST | 11-10 |
| | Boot a System Directly into a Shell | 11-14 |
| | Exercise 11-1 Manage the Boot Loader | 11-17 |

| | | |
|-------------------|--|-------|
| Objective 3 | Manage Runlevels | 11-18 |
| | The init Program and Linux Runlevels | 11-18 |
| | init Scripts and Runlevel Directories | 11-21 |
| | Change the Runlevel | 11-29 |
| | Exercise 11-2 Manage Runlevels | 11-31 |
| | Summary | 11-32 |
| | | |
| SECTION 12 | Administer Printing | |
| | Objectives | 12-1 |
| Objective 1 | Understand How CUPS Works | 12-2 |
| | Steps of the Printing Process | 12-2 |
| | Print Queues | 12-3 |
| | Log Files | 12-5 |
| | Configuration File | 12-8 |
| Objective 2 | Configure Printers and Queues | 12-9 |
| | When to Configure a Printer | 12-9 |
| | Required Printing Software | 12-10 |
| | Add a Printer | 12-10 |
| | Manage Print Queues with the Gnome Printer Dialog | 12-23 |
| | Exercise 12-1 Change Your Printer Configuration. | 12-24 |
| Objective 3 | Understand Novell iPrint | 12-25 |
| | Describe the Purpose and Architecture of Novell iPrint | 12-25 |
| | Configure Novell iPrint | 12-31 |
| | Install the Novell iPrint Client | 12-41 |
| | Exercise 12-2 Install the Novell iPrint Client. | 12-45 |
| | Summary | 12-46 |
| | | |
| SECTION 13 | Integrate SUSE Linux Enterprise Desktop 10 into Existing Environments | |
| | Objectives | 13-1 |
| Objective 1 | Integrate SUSE Linux Enterprise Desktop 10 into an OpenLDAP Environment | 13-2 |
| | LDAP Basics | 13-2 |
| | YaST LDAP Client Module | 13-5 |
| | Import File Systems Using NFS | 13-6 |
| | Network File System Basics | 13-6 |
| | How NFS Works | 13-7 |
| | Configure NFS Client Access with YaST | 13-8 |
| | Exercise 13-1 Import Network File System (NFS) | 13-10 |
| | Mount Home Directories Automatically | 13-11 |
| | OpenLDAP and Automounter | 13-13 |
| | Exercise 13-2 Integrate a SUSE Linux Enterprise Desktop 10 into an LDAP Environment | 13-15 |

| | | |
|-------------------|---|-------|
| Objective 2 | Integrate SUSE Linux Enterprise Desktop 10 into an Active Directory Environment | 13-16 |
| | Use Active Directory to Authenticate Users | 13-16 |
| | Background Information for Linux AD Support | 13-17 |
| | Join an Active Directory Domain | 13-18 |
| | Configure a Linux Client for Active Directory | 13-21 |
| | Log In to an AD Domain | 13-23 |
| | Change Passwords | 13-25 |
| | Exercise 13-3 Join an Active Directory Domain | 13-27 |
| | Import File Systems Using Samba | 13-28 |
| | Use Nautilus to Access and Create Samba Shares | 13-29 |
| | Exercise 13-4 Mount Geeko's Share | 13-36 |
| Objective 3 | Integrate SUSE Linux Enterprise Desktop 10 into a Novell eDirectory Environment | 13-37 |
| | Set Up eDirectory Authentication | 13-38 |
| | Turn Off eDirectory Authentication | 13-42 |
| Objective 4 | Understanding the Novell Client for Linux | 13-43 |
| | Understanding the Novell Client for Linux Virtual File System | 13-43 |
| | Using the Novell Client Tray Application | 13-43 |
| | Configuring the Novell Client for Linux | 13-49 |
| | Using Configuration Files to Preconfigure the Novell Client | 13-57 |
| | Exercise 13-5 Install and Configure the Novell Client for Linux | 13-59 |
| Objective 5 | Install and Configure Novell iFolder | 13-60 |
| | Overview of Novell iFolder | 13-60 |
| | Installing the Novell iFolder Client | 13-64 |
| | Starting the Novell iFolder Client | 13-65 |
| | Exiting the Novell iFolder Client | 13-67 |
| | Configuring a Novell iFolder Account | 13-67 |
| | Logging In to a Novell iFolder Account | 13-72 |
| | Logging Out of a Novell iFolder Account | 13-73 |
| | Viewing and Modifying Novell iFolder Account Settings | 13-73 |
| | Deleting a Novell iFolder Account | 13-75 |
| | Configuring Novell iFolder Preferences for the Client | 13-76 |
| | Exercise 13-6 Set Up and Use the Novell iFolder Client on the SLED 10 Workstation | 13-78 |
| | Summary | 13-79 |
| SECTION 14 | Customize the Graphical Interface on SUSE Linux Enterprise Desktop 10 | |
| | Objectives | 14-1 |
| Objective 1 | Configure X, Xgl, and Compiz | 14-2 |
| | Configure X | 14-3 |
| | Activate Compiz | 14-5 |
| | Exercise 14-1 Activate Compiz (Optional, depending on hardware support) | 14-7 |

| | | |
|-------------------|--|-------|
| Objective 2 | Customize the GNOME User Interface | 14-8 |
| | User-Defined Settings | 14-8 |
| | Default Values | 14-10 |
| | Exercise 14-2 Customize the GNOME User Interface | 14-13 |
| Objective 3 | Define Mandatory Settings with GConf and Desktop Profile Editor | 14-14 |
| | Use GConf to Set Mandatory Preference Values | 14-14 |
| | Use the Desktop Profile Editor | 14-16 |
| | Exercise 14-3 Set Mandatory Values for Preferences | 14-19 |
| | Lock Down the Desktop | 14-20 |
| | Exercise 14-4 Disable Access to the Command Line | 14-23 |
| Objective 4 | Customize Applications | 14-24 |
| | OpenOffice.org 2.0 | 14-24 |
| | Firefox | 14-26 |
| Objective 5 | Control Mounting of CD-ROM, DVD, and USB Devices | 14-28 |
| | Use the GNOME Volume Manager | 14-28 |
| | Disable Automatic Mounting of Media | 14-29 |
| | Summary | 14-31 |
| | | |
| SECTION 15 | Deploy SUSE Linux Enterprise Desktop 10 | |
| | Objectives | 15-1 |
| Objective 1 | Installation Options and Deployment Strategies | 15-2 |
| | Installation Options | 15-2 |
| | Deployment Strategies | 15-4 |
| Objective 2 | Autoinstallation Basics | 15-6 |
| Objective 3 | The Configuration File for AutoYaST | 15-7 |
| | Exercise 15-1 Create an AutoYaST Control File | 15-10 |
| Objective 4 | Installation Server: Setup and Use | 15-11 |
| | Set Up an Installation Server | 15-11 |
| | Use the Installation Server | 15-16 |
| | Exercise 15-2 Set up an Installation Server | 15-17 |
| Objective 5 | Automated Installation | 15-18 |
| | Provide the Control File | 15-18 |
| | Boot and Install the System | 15-18 |
| | Exercise 15-3 Perform an Automated Installation of SUSE Linux Enterprise Desktop | 15-20 |
| | Summary | 15-21 |

APPENDIX A Useful Commands

| | |
|---|------|
| Overview of Important Commands | A-1 |
| Work with Files and Directories | A-2 |
| Look for Files and for Content of Files | A-2 |
| Display and Modify the Content of Files | A-2 |
| Restore Data, Compress, and Archive Files | A-3 |
| Administer Users and Groups | A-4 |
| Administer Permissions | A-4 |
| Administer the System | A-5 |
| Administer Processes, Start and Stop the System | A-5 |
| Monitor the System | A-6 |
| Install Software | A-7 |
| Manage Hard Disks and File Systems | A-7 |
| Automate Tasks | A-7 |
| Repair the System | A-8 |
| Use Online Help | A-8 |
| Work with Kernel and Modules | A-8 |
| Printing (CUPS) | A-8 |
| Administer the X Window System | A-9 |
| Work with MS-DOS Floppy Disks | A-9 |
| Use the Network | A-10 |
| Use vi | A-10 |
| Windows—Linux: Comparable Commands | A-11 |
| Command Line Commands | A-11 |
| GUI Programs | A-12 |

APPENDIX B Network Components and Architecture

| | |
|--|------|
| Network Types | B-2 |
| Client/Server and Peer-to-Peer Computing | B-4 |
| Network Topology | B-5 |
| Elements of a Network | B-10 |
| TCP/IP Layer Model | B-14 |

APPENDIX C Use the KDE Desktop Environment

| | | |
|-------------|--|-----|
| Objective 1 | Install the KDE Desktop Environment | C-2 |
| | Install KDE During Installation | C-2 |
| | Install KDE After Installation | C-2 |
| | Exercise C-1 Install the KDE Desktop Environment | C-3 |

- Objective 2 Log In C-4
- Objective 3 Log Out and Shut Down C-6
- Objective 4 Identify KDE Desktop Components C-7
 - The Desktop C-7
 - The KDE Control Panel (Kicker) C-7
 - The KDE Menu C-8
 - Virtual Desktops C-8
- Objective 5 Manage Icons in the KDE Environment C-10
 - Desktop C-10
 - Kicker C-10
 - KDE Menu C-11
- Objective 6 Use the Konqueror File Manager..... C-12
- Summary C-14