

Reference

Novell. ZENworks® 10 Asset Management SP2

10.2

May 27, 2009

www.novell.com



Legal Notices

Novell, Inc., makes no representations or warranties with respect to the contents or use of this documentation, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to revise this publication and to make changes to its content, at any time, without obligation to notify any person or entity of such revisions or changes.

Further, Novell, Inc., makes no representations or warranties with respect to any software, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to make changes to any and all parts of Novell software, at any time, without any obligation to notify any person or entity of such changes.

Any products or technical information provided under this Agreement may be subject to U.S. export controls and the trade laws of other countries. You agree to comply with all export control regulations and to obtain any required licenses or classification to export, re-export or import deliverables. You agree not to export or re-export to entities on the current U.S. export exclusion lists or to any embargoed or terrorist countries as specified in the U.S. export laws. You agree to not use deliverables for prohibited nuclear, missile, or chemical biological weaponry end uses. See the [Novell International Trade Services Web page \(http://www.novell.com/info/exports/\)](http://www.novell.com/info/exports/) for more information on exporting Novell software. Novell assumes no responsibility for your failure to obtain any necessary export approvals.

Copyright © 2007-2009 Novell, Inc. All rights reserved. No part of this publication may be reproduced, photocopied, stored on a retrieval system, or transmitted without the express written consent of the publisher.

Novell, Inc., has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed on the [Novell Legal Patents Web page \(http://www.novell.com/company/legal/patents/\)](http://www.novell.com/company/legal/patents/) and one or more additional patents or pending patent applications in the U.S. and in other countries.

Novell, Inc.
404 Wyman Street, Suite 500
Waltham, MA 02451
U.S.A.
www.novell.com

Online Documentation: To access the latest online documentation for this and other Novell products, see the [Novell Documentation Web page \(http://www.novell.com/documentation/\)](http://www.novell.com/documentation/).

Novell Trademarks

For Novell trademarks, see [the Novell Trademark and Service Mark list \(http://www.novell.com/company/legal/trademarks/tmlist.html\)](http://www.novell.com/company/legal/trademarks/tmlist.html).

Third-Party Materials

All third-party trademarks are the property of their respective owners.

Contents

About This Guide	9
1 Overview	11
1.1 Monitoring License Compliance	11
1.2 Tracking Software Usage	11
1.3 Managing Contracts	12
1.4 Managing Product Licenses	12
2 Creating Purchase Records	13
2.1 Importing Purchase Records	13
2.1.1 Import Files	14
2.2 Manually Creating Purchase Records	19
2.3 Creating Purchase Summary Records	21
3 Working with Catalog Products	23
3.1 Creating Catalog Products from Purchase Records	23
3.2 Creating Catalog Products Manually	23
3.3 Including and Excluding Catalog Products	24
3.4 Adding Catalog Products to a Licensed Product	25
4 Working with Discovered Products	27
4.1 Viewing Discovered Product Details	27
4.2 Including and Excluding Discovered Products	30
4.3 Associating Discovered Products with Licensed Products	30
4.4 Adding Discovered Products to Software Collections	31
4.5 Setting Standards Categories	32
4.6 Refreshing Compliance Status	33
4.6.1 Triggering a Refresh	33
4.6.2 Viewing Refresh Details	33
5 Creating Licensed Products	35
5.1 Viewing Licensed Product Details	35
5.1.1 General	36
5.1.2 License Entitlements	38
5.1.3 Compliance Status	40
5.1.4 License Allocations	41
5.2 Reconciling Licensed Products with Purchase Records	42
5.3 Creating Licensed Products Manually	44
5.3.1 Creating License Entitlements	44
5.4 Defining License Entitlements	47
5.5 Refreshing Compliance Status	51
5.5.1 Triggering a Refresh	51
5.5.2 Viewing Refresh Details	51

6	Using License Management Reports	53
6.1	Using License Management Standard Reports	53
6.1.1	Available Standard Reports	53
6.1.2	Running a Standard Report	54
6.2	Using License Management Custom Reports	58
6.2.1	Sample Custom Reports	58
6.2.2	Running a Custom Report	59
6.2.3	Creating a Custom Report	60
6.2.4	Scheduling a Custom Report and Sending Notifications	61
6.2.5	Configuring E-Mail Addresses for Sending Notifications	63
6.2.6	Editing a Custom Report	64
6.2.7	Moving a Custom Report	66
6.2.8	Deleting a Custom Report or Folder	66
6.2.9	Viewing Scheduled Reports by Date and Title	67
6.2.10	Importing New Report Definitions	68
6.3	Setting ZENworks Asset Management Report Rights	69
6.4	Excluding Software Usage Data from Reports	70
7	Using Reporting Server Reports	71
7.1	Predefined Reports	71
7.1.1	License Allocation Reports	71
7.1.2	Purchases Reports	72
7.1.3	Software Compliance Reports	72
7.1.4	Suites Reports	73
7.2	Viewing a Predefined Report	73
8	Establishing Proof of Ownership	75
8.1	Adding Contracts	75
8.1.1	Creating a New Contract	75
8.1.2	Copying an Existing Contract	77
8.2	Defining the Contract	77
8.2.1	General Tab	78
8.2.2	Vendor Tab	78
8.2.3	Financial Tab	79
8.2.4	SLA Tab	79
8.2.5	Lease Tab	80
8.2.6	Documents Tab	81
8.2.7	Renewals Tab	82
8.2.8	Relationships Tab	84
8.3	Using Date Notification	85
8.3.1	Configuring Date Notification Settings	85
8.3.2	Creating a Folder for Date Notification Records	86
8.3.3	Moving a Date Notification Record	87
8.3.4	Deleting a Date Notification Record	87
8.4	Using Contract Management Standard Reports	87
8.4.1	Available Standard Reports	88
8.4.2	Running and Viewing Reports	88
8.5	Using Contract Management Custom Reports	89
8.5.1	Sample Custom Reports	90
8.5.2	Running a Custom Report	90
8.5.3	Creating a Custom Report	90
8.5.4	Scheduling a Custom Report and Sending Notifications	92
8.5.5	Configuring E-Mail Addresses for Sending Notifications	93
8.5.6	Editing a Custom Report	94

8.5.7	Moving a Custom Report	95
8.5.8	Deleting a Custom Report or Folder	96
8.5.9	Viewing Scheduled Reports by Date and Title	96
8.5.10	Importing New Report Definitions	96
8.6	Setting Report Rights	97
8.7	Adding and Associating Documents	98
8.7.1	Adding Documents	98
8.7.2	Associating Documents	99
9	Using Software Collections	101
9.1	Creating a Software Collection	101
9.2	Deleting a Software Collection	102
9.3	Moving a Software Collection	102
10	Monitoring Software Usage	105
10.1	Using Software Usage Standard Reports	105
10.1.1	Available Standard Reports	105
10.1.2	Running a Standard Report	106
10.2	Using Software Usage Custom Reports	109
10.2.1	Available Custom Reports	109
10.2.2	Running a Custom Report	110
10.2.3	Creating a Custom Report	110
10.2.4	Scheduling a Custom Report and Sending Notifications	111
10.2.5	Configuring E-Mail Addresses for Sending Notifications	112
10.2.6	Editing a Custom Report	113
10.2.7	Moving a Custom Report	114
10.2.8	Deleting a Custom Report or Folder	115
10.2.9	Viewing Scheduled Reports by Date and Title	115
10.2.10	Importing New Report Definitions	115
10.3	Setting Report Rights	116
10.4	Monitoring Web Application Usage	117
10.4.1	Defining a Web Application	117
10.4.2	Editing a Web Application Definition	118
11	Using Administrator-Defined Fields	119
11.1	About Administrator-Defined Fields	119
11.2	Creating an Administrator-Defined Field	119
11.3	Editing an Administrator-Defined Field	120
A	Documentation Updates	123
A.1	January 7, 2010	123

About This Guide

This *Novell ZENworks 10 Asset Management Reference* includes information to help you maintain software compliance. The information in this guide is organized as follows:

- ♦ Chapter 1, “Overview,” on page 11
- ♦ Chapter 2, “Creating Purchase Records,” on page 13
- ♦ Chapter 3, “Working with Catalog Products,” on page 23
- ♦ Chapter 4, “Working with Discovered Products,” on page 27
- ♦ Chapter 5, “Creating Licensed Products,” on page 35
- ♦ Chapter 6, “Using License Management Reports,” on page 53
- ♦ Chapter 7, “Using Reporting Server Reports,” on page 71
- ♦ Chapter 8, “Establishing Proof of Ownership,” on page 75
- ♦ Chapter 9, “Using Software Collections,” on page 101
- ♦ Chapter 10, “Monitoring Software Usage,” on page 105
- ♦ Chapter 11, “Using Administrator-Defined Fields,” on page 119
- ♦ Appendix A, “Documentation Updates,” on page 123

Audience

This guide is intended for Novell® ZENworks® administrators.

Feedback

We want to hear your comments and suggestions about this manual and the other documentation included with this product. Please use the User Comments feature at the bottom of each page of the online documentation, or go to the [Novell Documentation Feedback site \(http://www.novell.com/documentation/feedback.html\)](http://www.novell.com/documentation/feedback.html) and enter your comments there.

Additional Documentation

ZENworks 10 Asset Management is supported by other documentation (in both PDF and HTML formats) that you can use to learn about and implement the product. See the [ZENworks 10 Asset Management documentation \(http://www.novell.com/documentation/zam10/index.html\)](http://www.novell.com/documentation/zam10/index.html).

Documentation Conventions

In Novell documentation, a greater-than symbol (>) is used to separate actions within a step and items in a cross-reference path.

A trademark symbol (®, ™, etc.) denotes a Novell trademark. An asterisk (*) denotes a third-party trademark.

When a single pathname can be written with a backslash for some platforms or a forward slash for other platforms, the pathname is presented with a backslash. Users of platforms that require a forward slash, such as Linux*, should use forward slashes as required by your software.

Overview

1

Novell® ZENworks® 10 Asset Management allows you to monitor software license compliance, track software usage, manage contracts, and manage licenses.

The following sections contain additional information:

- ♦ [Section 1.1, “Monitoring License Compliance,” on page 11](#)
- ♦ [Section 1.2, “Tracking Software Usage,” on page 11](#)
- ♦ [Section 1.3, “Managing Contracts,” on page 12](#)
- ♦ [Section 1.4, “Managing Product Licenses,” on page 12](#)

1.1 Monitoring License Compliance

ZENworks Asset Management automatically compares the number of purchased licenses with the number of consumed licenses to give you a clear picture of license compliance in your Management Zone. It works like this:

- 1** Enter the number of software product licenses by using purchase records, catalog records, or purchase summary records.
You can import this data or enter the data manually. For more information, see [Chapter 2, “Creating Purchase Records,” on page 13](#) and [Chapter 3, “Working with Catalog Products,” on page 23](#).
- 2** Run an inventory scan to discover the number of installed products in your Management Zone.
This information is compared with the number of purchased licenses to determine license compliance.
For more information, see [ZENworks 10 Asset Inventory Reference](#).
- 3** Create licensed products and entitlements for the discovered software products in your Management Zone.
For more information, see [Chapter 5, “Creating Licensed Products,” on page 35](#).
- 4** Add proof of ownership data.
For more information, see [Chapter 8, “Establishing Proof of Ownership,” on page 75](#).

After you complete the steps above, the compliance engine calculates your license compliance for a product by comparing the number of purchased licenses to the number of software installations. You can then run a variety of reports to view the data.

1.2 Tracking Software Usage

ZENworks Asset Management allows you to track usage of software applications (including run time, active time, logged in user, machine, and application used) in your existing inventory. This includes tracking and reporting on software that is run via Terminal Server and Citrix*, as well as Web applications that are run through the browser. To make this data more useful, you can run a full

range of predefined software usage reports, as well as create, save, and run custom reports. This information is useful in helping you make purchase decisions based on your license compliance. For more information, see [Chapter 10, “Monitoring Software Usage,” on page 105](#).

1.3 Managing Contracts

ZENworks Asset Management allows you to define and track IT contract details, including key dates and vendor, financial, SLA, lease, and renewal information; attach related documents; associate contracts with assets, licenses, and demographic data; and create automated e-mail notifications for specified dates. You can also run a full range of predefined contract management reports, as well as create, save, and run custom reports. For more information, see [Chapter 8, “Establishing Proof of Ownership,” on page 75](#).

1.4 Managing Product Licenses

ZENworks Asset Management allows you to create software purchase records, define license entitlements, attach supporting documentation, reconcile discovered software products to entitlements, and track ongoing compliance status. ZENworks Asset Management also allows you to run a full range of predefined license management reports, as well as create, save, and run custom reports. For more information, see [Chapter 5, “Creating Licensed Products,” on page 35](#).

Creating Purchase Records

2

Purchase records and purchase summary records provide the number of product licenses that are used in compliance calculations. The number of purchased licenses is compared to the number of consumed licenses to determine compliance.

- ♦ [Section 2.1, “Importing Purchase Records,” on page 13](#)
- ♦ [Section 2.2, “Manually Creating Purchase Records,” on page 19](#)
- ♦ [Section 2.3, “Creating Purchase Summary Records,” on page 21](#)

2.1 Importing Purchase Records

The easiest way to create purchase records is to import them. ZENworks® Asset Management supports several purchase record formats. For information about supported formats, see [Section 2.1.1, “Import Files,” on page 14](#).

If you are unable to import data from a supported purchase record file, you must manually create purchase records. For information, see [Section 2.2, “Manually Creating Purchase Records,” on page 19](#).


To import purchase records:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Purchase Records*.



PO #	Order Date	Reseller
0000111	7/20/06	Cheap Software.com
1234	2/22/05	Cheap Software.com
13	2/7/05	Cheap Software.com
P1018	11/1/03	Cheap Software.com

- 3 Click *Action* > *Start Import* to display the Import Purchase Records dialog box.



4 In the *File Name* field, click *Browse* to locate and select the import file.

5 Click *OK* to start the import.

During the import, the progress is displayed above the *Purchase Records* list. You can also click the *Import Status* tab to see the progress of the import and a record of previous imports.

When the import is complete, the new purchase records are added to the list.

After you import the purchase records, ZENworks Asset Management creates catalog products with license information to be used for compliance calculations. The next step is to create licensed products and reconcile them with the newly created catalog products. For information on creating licensed products from imported records, see [Chapter 5, “Creating Licensed Products,” on page 35](#).

2.1.1 Import Files

ZENworks Asset Management can import purchase records from a standard Asset Management import file of from any of the following reseller import files:

- ◆  CompuCom* Software Compliance Report
- ◆  Softchoice Product History Report
- ◆  ZENworks Asset Management Reseller Connector Report
- ◆  SHI License Compliance Report
- ◆  KMD Asset Report: Automatic import from SAP* with relevant data for asset management

The following information is provided in case you need to modify a reseller import file or you want to create a standard Asset Management import file:

- ◆ [“Format” on page 14](#)
- ◆ [“Fields” on page 14](#)

Format

Import files are tab-delimited ASCII text files. The first row contains the column headers. Each additional row is a data row that identifies a specific product’s line item (or detail) in a purchase record. The following example includes the first few rows of a file; only the first six column headers are displayed.

PO#	OrderDate	Reseller	Recipient	CompanyName	ShippingAddress1
1234	12/16/2009	CheapSoft	Jen Adams	Novell	1800 S. Novell Pl.
87654	12/18/2009	Soft-R-Us	Nigel Ray	Novell	404 Wyman Street

The order of the columns is not important. For example, you can reverse the PO# and OrderDate columns or remove any columns that contain unwanted information.

Fields

The following table lists the fields used in each reseller import file.

The table’s first column covers standard, Insight, CompuCom, SHI, and KMD import files because they use the same field names. The one exception is that KMD uses PO_NUMBER rather than PO#. The table’s second column covers the Softchoice import file.

Fields 1 - 13 identify the purchase record. Fields 14 - 30 identify a product's line item (or detail) included in the purchase record. For two products to be included in the same purchase record, the information in fields 1 - 13 must match.

When working with an import file, the following rules apply:

- ◆ Use only the fields intended for that import file. For example, when editing a Softchoice import file, include only the fields listed in the SoftChoice Fields column. Any invalid fields cause the import to fail.
- ◆ The following fields are required: (PO# | PO_NUMBER | PURCHASEORDER), (OrderDate | ORDERDATE), (ProductName | ITEMDESC), and (PurchaseQty | QTYORD). Removal of these fields causes the import to fail.
- ◆ The LicensesPerPackage field is also required; however, if it is missing the importer assigns a default value of 1.
- ◆ All non-required fields can be removed if desired. When doing so, remove both the field column header and the field text in each subsequent row.

Table 2-1 *Import File Fields*

Standard, KMD, Insight, CompuCom, and SHI Fields	Softchoice Fields	Description
1 PO# (standard, Insight, CompuCom, SHI) PO_NUMBER (KMD)	PURCHASEORDER	The purchase order number. Either this field or the OrderDate field must be included in the record to define a unique purchase record in the ZENworks database. The maximum field length is 32 characters.
2 OrderDate	ORDERDATE	The date the product was ordered. Either this field or the PO# field must be included in the record to define a unique purchase record in the ZENworks database. For a standard, Insight, CompuCom, or SHI import file, the OrderDate field requires the short date format determined by the ZENworks Control Center's server locale. For example, if the server locale is US-English, the correct date format is m/d/yyyy (12/16/2009 or 5/3/2010). For a KMD import file, the OrderDate field requires the d/M/yy format (for example, 28/1/09). For a Softchoice import file, the ORDERDATE field requires the dd-MMM-yyyy format (for example, 18-JUL-2010).
3 Reseller		The reseller from whom the products in this order were purchased. The maximum field length is 64 characters.

Standard, KMD, Insight, CompuCom, and SHI Fields	Softchoice Fields	Description
4 Recipient	SHIPCONTACTNAME	The individual to whom the products in this order were shipped. The maximum field length is 32 characters.
5 CompanyName	COMPANYNAME	The name of the company or entity that executed the order. The maximum field length is 32 characters.
6 ShippingAddress1	SHIPADDR	The first line of the shipping address. The maximum field length is 64 characters.
7 ShippingAddress2	SHIPCITYSTZIP	The second line of the shipping address. The maximum field length is 64 characters.
8 ShippingAddress3		The third line of the shipping address. The maximum field length is 64 characters.
9 City		The city where the order was shipped. The maximum field length is 32 characters.
10 State		The state where the order was shipped. The maximum field length is 32 characters.
11 Zip		The ZIP code or mail code of the shipping destination. The maximum field length is 16 characters.
12 Country		The country where the order was shipped. The maximum field length is 32 characters.
13 Notes		A text field for general notes about the purchase record. The maximum field length is 255 characters.
14 Manufacturer	PUBLISHER	The manufacturer of the purchased product. The Manufacturer, ProductName, Version, ProductType, and LicensesPerPackage fields are used to determine the existence of a unique product. The maximum field length is 64 characters.
15 ProductName	ITEMDESC	The name or description of the purchased product. This field is required. The Manufacturer, ProductName, Version, ProductType, and LicensesPerPackage fields are used to determine the existence of a unique product. The maximum field length is 255 characters.

Standard, KMD, Insight, CompuCom, and SHI Fields	Softchoice Fields	Description
16 Version		<p>The version of the purchased product.</p> <p>The Manufacturer, ProductName, Version, ProductType, and LicensesPerPackage fields are used to determine the existence of a unique product.</p> <p>The maximum field length is 32 characters.</p>
17 ProductType		<p>The type of purchased product. This field helps establish what the product represents, such as full license, upgrade, or media.</p> <p>The Manufacturer, ProductName, Version, ProductType, and LicensesPerPackage fields are used to determine the existence of a unique product.</p> <p>The maximum field length is 32 characters.</p>
18 LicensesPerPackage		<p>The number of licenses included in each purchased product unit.</p> <p>For example, if the product is a 5-pack, this value is 5. The default is 1. Range values (for example, 1-25) are not supported and cause the line item to be skipped during import.</p> <p>The Manufacturer, ProductName, Version, ProductType, and LicensesPerPackage fields are used to determine the existence of a unique product.</p>
19 ResellerSKU	SKU	<p>The SKU number assigned by the reseller. This value might be important when communicating with a particular reseller.</p> <p>The maximum field length is 32 characters.</p>
20 MfrPart#	MFGSKU	<p>The part number assigned by the manufacturer. If available, this value can often be used to distinguish one product from another.</p> <p>The maximum field length is 32 characters.</p>
21 PurchaseQty	QTYORD	<p>The number of product units purchased in the order.</p> <p>This must be a single value. Range values (for example, 1-25) are not supported and cause the record to be skipped during import.</p> <p>The value must be between -1000000 and 1000000.</p>
22 Serial#		<p>The software serial number associated with the ordered product</p> <p>The maximum field length is 40 characters.</p>

Standard, KMD, Insight, CompuCom, and SHI Fields	Softchoice Fields	Description
23 Site ¹		The Site, Department, and CostCenter fields are used for tracking demographics. You can associate a line item with a value in any or all of these columns so that license quantities can be summarized within a particular demographic. For these values to be meaningful, corresponding demographics must be associated with workstations in the ZENworks Asset Management inventory. The maximum field length is 32 characters.
24 Department ¹		
25 CostCenter ¹		
26 Comment	COMMENTS	A text field for general comments about the purchased product. The maximum field length is 128 characters.
27 Invoice#	INVOICE	The invoice number of the purchased product. Multiple invoices can be associated with the same purchase order number.
28 UnitMSRP		The UnitMSRP is the manufacturers suggested price for one product unit. The UnitPrice is the actual price paid for one product unit. The Extended Price is cost for all the purchased product units. the A numeric field representing the product's extended price. If no value exists in the ExtendedPrice field, a value is calculated based on the values of the PurchaseQty and UnitPrice fields. If a value exists, it is imported and is not checked to see if it matches a calculated value. If currency symbols and thousands separators appear in the fields, they are stripped out when the data is imported. The importer uses the locale of the server to determine what characters are used for thousands and monetary decimal separators. If your values contain a mix of currencies, the imported cost values might be incorrect. Range values (for example, 25.00-39.99) are not supported and cause the record to be skipped during import.
29 UnitPrice		
30 ExtendedPrice		

¹*Cost Center, Department, and Site* values are meaningful for licensed products with demographic allocations enabled. The allocated quantity is updated (along with the license quantity) for licensed products that have the corresponding demographic allocation type (site, department, or cost center) and have enabled *Update license allocations with demographic data from future purchase record imports*.

2.2 Manually Creating Purchase Records

Before you can calculate compliance, you need to create purchase records for all the purchased software in your Management Zone.


The following steps explain how to manually create purchase records. You can also import purchase records. For information, see [Section 2.1, “Importing Purchase Records,”](#) on page 13.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Purchase Records*.



PO #	Order Date	Reseller
0000111	7/20/06	Cheap Software.com
1234	2/22/05	Cheap Software.com
13	2/7/05	Cheap Software.com
P1018	11/1/03	Cheap Software.com

- 3 In the Purchase Record Panel, click *New > Purchase Record* to launch the Create New Purchase Record Wizard.
- 4 On the General Information page, fill in the following fields.
 - PO Number:** The purchase order number. This entry is required.
 - Recipient:** The recipient shown on the purchase order.
 - Company:** The company selling the product.
 - Shipping Address:** The address of the company, including city, state/province, postal code, and country.
 - Order Date:** The date the product was ordered. To select a date, click the calendar icon, select a date from the pop-up calendar, then click *Close*.
 - Reseller:** The name of the reseller.
 - Notes:** Add any notes as necessary.
- 5 Click *Next* to display the New Purchase Record Summary page.
- 6 Select *Define Additional Properties* to further define the purchase record.
- 7 Click *Finish* to create the purchase record and display its details
- 8 In the Purchase Details panel, click *Add*.



Product:* 

Qty:*

Invoice #:

Serial Number:

Expiration Date:  

Cost Center: 

Department: 

Site: 

Comments:

Unit MSRP (\$):*

Unit Price (\$):*

Extended Price (\$):*

NOTE: Designating purchases by Cost Center, Department or Site will not carry through to License Allocation counts. Please use Licensed Product-License Allocations tab to designate allocation details.

9 Fill in the fields in the Add Purchase Detail dialog box.

Product: Click the browse icon to search for a product. These products are created either by importing a purchase record or creating a catalog product. For information on importing a purchase record, see [Section 2.1, “Importing Purchase Records,” on page 13](#). For information on creating a catalog product, see [Chapter 3, “Working with Catalog Products,” on page 23](#).

Qty: Specify the quantity.

Invoice#: Specify the invoice number.

Serial Number: The product’s serial number.

Expiration Date: The expiration date of the purchase. Click the calendar icon to select a date. Click *Close* to finish.

Cost Center: The cost center responsible for the purchase.

Department: The department associated with the purchase.

Site: The department location.

Comments: Specify any comments.

Unit MSRP (\$): The Manufacturer’s Suggested Retail Price (MSRP) of the product. This value is required.

Unit Price (\$): The unit price of the product. This value is required.

Extended Price (\$): The extended price of the product. This value is required.

NOTE: The Site, Department, and Cost Center fields are used for tracking demographics so that license quantities can be summarized within a particular demographic. However, quantities entered here do not carry through to Demographic License Allocations. Use the License Allocations page for a licensed product to specify allocation quantities.

10 Click *OK*.

2.3 Creating Purchase Summary Records

Purchase summary records allow you to manually enter the number of licenses to use for calculation purposes.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Licensed Products*.

Licensed Products						
New Move... Delete Action						
Name	Status	Discovered Products	Catalog Products	License Quantity	Allocated Quantity	
Microsoft FrontPage 2000 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	4	1	
Microsoft Office 2000 Premium 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	4	0	
Microsoft Office 2000 Professional 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	5	0	
Microsoft Project 2000 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2	2	
Microsoft SQL Server 2000 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	4	0	
Microsoft Visio Professional 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3	3	

- 3 In the Licensed Products panel, click the product you want to create a purchase summary record for.
- 4 Click the *License Entitlements* tab.

General		License Entitlements				Compliance Status	
Entitlements (Consumption Data Source: Inventory)							
New Delete							
<input type="checkbox"/>	Description	Type	License Period	Term License Status	License Model	License Quantity	Quantity Available
No items available.							
Entitlements (Consumption Data Source: Manual)							
New Delete							
<input type="checkbox"/>	Description	Type	License Period	Term License Status	License Model	License Quantity	Quantity Available
<input checked="" type="checkbox"/>	ACME Use	Full License	Perpetual	Active	Unrestricted	2	2
Total:						2	2

- 5 Click the entitlement you want to associate with the purchase summary record.
- 6 Click the *Proof of Ownership* tab.

General		Proof of Ownership			
Catalog Products					
Add Remove					
<input type="checkbox"/>	Product	Purchase Quantity	License Quantity		
<input checked="" type="checkbox"/>	ACME Jumble 2 (Full License) (1)	2	2		
Total:		2	2		
Purchase Summary Records					
New Delete					
<input type="checkbox"/>	Description	Date Entered	Entered By	License Quantity	Total Cost
<input checked="" type="checkbox"/>	ACME Purchase	8/9/07	administrator	2	
Total:				2	0.00
Contracts					
Add Remove					
<input type="checkbox"/>	Contract ID	Name	Type	Status	Start Date
No items available.					
Documents					
Add Remove					
<input type="checkbox"/>	Document ID	File Name	Date Attached	File Type	File Size(KB)
No items available.					

- 7 In the Purchase Summary Records panel, click *New* to open the Create New Purchase Summary Record Wizard.

- 8 On the General Information page, fill in the following fields:
 - Description:** Specify a description for the purchase summary record.
 - License Quantity:** Specify the number of licenses to be used in the compliance calculations.
 - Total Cost:** Specify the total cost associated with the entitlement.
 - Notes:** Specify any notes, if any.
- 9 Click Next to display the New Purchase Record Summary page.
- 10 Select *Define Additional Properties* to further define the purchase record.
- 11 Click *Finish* to create the purchase record summary and display its details.
- 12 In the General panel, make any edits as desired.

The screenshot shows a software interface with three main sections:

- General:** A form with the following fields:
 - Description: ACME Purchase
 - Date Entered: 8/9/07
 - Entered By: administrator
 - License Quantity: 2
 - Total Cost: (empty field)
 - Notes: (empty text area)
- Change History:** A table with columns: Date of Change, Changed By, License Quantity Before, License Quantity After, Description Before, Description After. It contains the text "No items available."
- Documents:** A table with columns: Document ID, File Name, Date Attached, File Type, File Size(KB), Description, Attached By. It contains the text "No items available." and has "Add" and "Remove" buttons above it.

At the bottom of the form are "Apply" and "Finish" buttons.

- 13 Associate any documents with the purchase summary record:
 - 13a In the Documents panel, click *Add*.
 - 13b Select a file in the Select Document(s) for Entitlement dialog box.
 - 13c Click *OK*.
- 14 Click *Apply*.

Working with Catalog Products

3

Catalog products are created automatically when you importing a purchase record. If you do not import purchase records, you need to manually create catalog products. The following sections provide more information on creating catalog products:

- ◆ [Section 3.1, “Creating Catalog Products from Purchase Records,”](#) on page 23
- ◆ [Section 3.2, “Creating Catalog Products Manually,”](#) on page 23
- ◆ [Section 3.3, “Including and Excluding Catalog Products,”](#) on page 24
- ◆ [Section 3.4, “Adding Catalog Products to a Licensed Product,”](#) on page 25

3.1 Creating Catalog Products from Purchase Records

ZENworks[®] Asset Management allows you to import purchase records and automatically create catalog products from these purchase records. For more information on importing purchase records and creating catalog products, see [Section 2.1, “Importing Purchase Records,”](#) on page 13.

3.2 Creating Catalog Products Manually

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Catalog Products*.

Name	Licenses Per Pkg	Mfr. Part #	Reseller SKU	Excluded Quantity	Purchase Licensed Product	License Entitlement
Microsoft Office 2004 11.0 (Full License) (1)	1			3	Office 2004	Microsoft Office 2004 11.0
Microsoft Office Premium 2000 (Full License) (1)	1			4	Office 2000 Premium	Microsoft Office 2000 Premium 2000
Microsoft Office Pro XP (Full License) (1)	1			1	Office XP Professional	Microsoft Office XP Professional 10.0
Microsoft Office Professional 2000 (Full License) (1)	1			5	Office 2000 Professional	Microsoft Office 2000 Professional 2000
Microsoft Office Professional 97 (Full License) (1)	1			10	Office 97 Professional	Microsoft Office 97 Professional 97
Microsoft Office XP Pro (Full License) (1)	1			1	Office XP Professional	Microsoft Office XP Professional 10.0
Microsoft Office XP Professional XP (Full License) (1)	1			26	Office XP Professional	Microsoft Office XP Professional 10.0

- 3 Click *New > Catalog Product* to open the Create New Catalog Product Wizard. Complete the wizard by using information from the following table to fill in the fields.

Wizard Page	Details
General Information page	<p>Fill in the following fields:</p> <p>Manufacturer: Specify the manufacturer of the product.</p> <p>Product: Specify the name of the product.</p> <p>Product Type: Select a product type.</p> <p>Version: Specify the product version.</p> <p>Mfr. Part #: Specify the product's part number.</p> <p>Reseller SKU: Specify the reseller's SKU.</p> <p>Licenses Per Pkg: Specify the number of licenses that come in the package.</p> <p>Notes: Add notes, if any.</p> <p>Excluded: Select <i>Excluded</i> to remove the product from compliance calculations.</p>
New Catalog Product Summary page	Review the data.

4 Click *Finish* to create the catalog product.

3.3 Including and Excluding Catalog Products

There might be situations where you want to add a catalog product to a licensed product but don't want the catalog product included in the license compliance calculations. If so, you can exclude the catalog product from these calculations.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Catalog Products*.

Catalog Products							
New Move... Delete Action							
<input type="checkbox"/>	Name	Licenses Per Pkg	Mfr. Part #	Reseller SKU	Excluded	Purchase Quantity	License Entitlement
<input type="checkbox"/>	Microsoft Office 2004 11.0 (Full License) (1)	1				3	Office 2004 Microsoft Office 2004 11.0
<input type="checkbox"/>	Microsoft Office Premium 2000 (Full License) (1)	1				4	Office 2000 Premium Microsoft Office 2000 Premium 2000
<input type="checkbox"/>	Microsoft Office Pro XP (Full License) (1)	1				1	Office XP Professional Microsoft Office XP Professional 10.0
<input type="checkbox"/>	Microsoft Office Professional 2000 (Full License) (1)	1				5	Office 2000 Professional Microsoft Office 2000 Professional 2000
<input type="checkbox"/>	Microsoft Office Professional 97 (Full License) (1)	1				10	Office 97 Professional Microsoft Office 97 Professional 97
<input type="checkbox"/>	Microsoft Office XP Pro (Full License) (1)	1				1	Office XP Professional Microsoft Office XP Professional 10.0
<input type="checkbox"/>	Microsoft Office XP Professional XP (Full License) (1)	1				26	Office XP Professional Microsoft Office XP Professional 10.0

- 3 Select the catalog product that you want to include or exclude.
- 4 Click one of the following:
 - ◆ *Action > Exclude*
 - ◆ *Action > Include*

3.4 Adding Catalog Products to a Licensed Product

When you add a catalog product to a licensed product, any licenses associated with the catalog product are applied to the licensed product.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Catalog Products*.

Catalog Products							
New Move... Delete Action							
Name	Licenses Per Pkg	Mfr. Part #	Reseller SKU	Excluded	Purchase Quantity	Licensed Product	License Entitlement
Microsoft Office 2004 11.0 (Full License) (1)	1				3	Office 2004	Microsoft Office 2004 11.0
Microsoft Office Premium 2000 (Full License) (1)	1				4	Office 2000 Premium	Microsoft Office 2000 Premium 2000
Microsoft Office Pro XP (Full License) (1)	1				1	Office XP Professional	Microsoft Office XP Professional 10.0
Microsoft Office Professional 2000 (Full License) (1)	1				5	Office 2000 Professional	Microsoft Office 2000 Professional 2000
Microsoft Office Professional 97 (Full License) (1)	1				10	Office 97 Professional	Microsoft Office 97 Professional 97
Microsoft Office XP Pro (Full License) (1)	1				1	Office XP Professional	Microsoft Office XP Professional 10.0
Microsoft Office XP Professional XP (Full License) (1)	1				26	Office XP Professional	Microsoft Office XP Professional 10.0

- 3 Select the catalog product that you want to add to a licensed product.
You can select one or more catalog products.
- 4 Click *Action > Add to Licensed Product* to open the Add Catalog Products to Licensed Product Wizard. Complete the wizard by using information from the following table to fill in the fields.

Wizard Page	Details
Licensed Product page	Select a licensed product for the listed catalog products. Catalog Products: Shows the catalog products you selected. Licensed Products: Click the search icon to find the licensed product that you want to associate with the catalog products.
License Entitlement page	Select the license entitlement for the catalog products.
Summary page	Review the data.

- 5 Click *Finish* to complete the wizard.

Working with Discovered Products

4

Discovered products are those products identified by an inventory scan of devices in the Management Zone. For more information on inventory scans, see the *ZENworks 10 Asset Inventory Reference*.

- ◆ Section 4.1, “Viewing Discovered Product Details,” on page 27
- ◆ Section 4.2, “Including and Excluding Discovered Products,” on page 30
- ◆ Section 4.3, “Associating Discovered Products with Licensed Products,” on page 30
- ◆ Section 4.4, “Adding Discovered Products to Software Collections,” on page 31
- ◆ Section 4.5, “Setting Standards Categories,” on page 32
- ◆ Section 4.6, “Refreshing Compliance Status,” on page 33

4.1 Viewing Discovered Product Details

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Discovered Products*.



<input type="checkbox"/>	Name	Excluded	Licensed Product	Installed Quantity	Active Usage Quantity	Standards Category
<input type="checkbox"/>	Microsoft Office 2000 Premium 2000 (Windows)		Office 2000 Premium	3	1	Standard Desktop
<input type="checkbox"/>	Microsoft Office 2000 Professional 2000 (Windows)		Office 2000 Professional	1	1	Standard Desktop
<input type="checkbox"/>	Microsoft Office 2004 11.0 (Mac)		Office 2004	5	0	
<input type="checkbox"/>	Microsoft Office 97 Professional 97 (Windows)		Office 97 Professional	11	4	Standard Desktop
<input type="checkbox"/>	Microsoft Office XP Professional 10.0 (Windows)		Office XP Professional	21	17	Standard Desktop

The Discovered Products panel appears, showing the following details:

Name: The name of the discovered product.

Excluded: Indicates that the discovered product is excluded from compliance calculations.

Licensed Product: The licensed product associated with the discovered product.

Installed Quantity: The number of installations in the Management Zone.

Active Usage Quantity: The number of installed products that are actively being used. Active Usage Quantity is not displayed when the *Do not show usage on License Management pages* option is selected (Configuration > Management Zone Settings > Asset Management > Usage Display).

Standards Category: The category for the product.

- 3 Click the discovered product you want to view the details for.

Microsoft Office Professional 2003 2003 (Windows)

Details Installations/Consumption

General

Manufacturer: Microsoft
 Product: Office Professional 2003
 Version: 2003
 Platform: Windows
 Distribution: Commercial
 License Type: Full
 Current Manufacturer:
 Serial Numbers: 70145-745-3821905-57392
 Standards Category:
 Licensed Product: Microsoft Office Professional 2003 2003
 License Entitlement(s): test
 Installed Quantity: 1
 Notes:

Excluded

Inventory Products

Manufacturer	Product	Version	Platform	Category	Subcategory
Microsoft	Office Professional 2003	11.0 (DK)	Windows	Suite	Office
Microsoft	Office Professional 2003	11.0 (FI)	Windows	Suite	Office
Microsoft	Office Professional 2003	11.0 (HU)	Windows	Suite	Office
Microsoft	Office Professional 2003	11.0 (CN-H)	Windows	Suite	Office

The Details page appears, consisting of two panels: General and Inventory Products.

General Panel: Contains general information about the product, including:

- ◆ **Manufacturer:** The manufacturer of the product.
- ◆ **Product:** The product name.
- ◆ **Version:** The product version.
- ◆ **Platform:** The product platform: Windows or Mac.
- ◆ **Distribution:** The type of license distribution.
- ◆ **License Type:** The type of license.
- ◆ **Current Manufacturer:** The current manufacturer of the product.
- ◆ **Serial Numbers:** The product serial numbers.
- ◆ **Standards Category:** The product category. Select a category, then click *Apply*.
- ◆ **Installed Quantity:** The number of installations in the Management Zone.
- ◆ **Notes:** Add notes, if any, then click *Apply*.
- ◆ **Excluded:** Select *Excluded* if you want the product to be excluded from compliance calculations.

Inventory Products Panel: Displays information about the inventory products that make up the discovered product. Typically, a discovered product is associated with more than one inventory product.

- ◆ **Manufacturer:** The manufacturer of the product.
- ◆ **Product:** The product name.

- ◆ **Version:** The product version.
- ◆ **Platform:** The product platform: Windows* or Mac*.
- ◆ **Category:** The product's category.
- ◆ **Subcategory:** The product's subcategory.

4 Click the *Installations/Consumption* tab.

Microsoft Office Professional 2003 2003 (Windows)

Details Installations/Consumption

Usage Period: Previous 3 months

Installations

Action	Machine Name	Login Name	IP Address	Site	Department	Cost Center	Ignored	Serial Number	Hours Active
<input type="checkbox"/>	ZENDOCWKS2	Administrator	137.65.164.96					70145-745-3821905-57392	0

1 - 1 of 1 items show 5 items

Active Installation Usage Quantity: 0

Consumption

Ignored Installations: 0
 Recognized Installations: 1
 Additional Consumption: 0
 Net Consumption: 1

Apply Reset

The Installations/Consumption page appears, consisting of two panels: Installations and Consumption.

Installations Panel: A list of devices in the Management Zone that have the product installed, along with the following information:

- ◆ **Machine Name:** The machine name. Click the machine name to see details about the device.
- ◆ **Login Name:** The login name for the device.
- ◆ **IP Address:** The IP address of the device.
- ◆ **Site:** The location of the device.
- ◆ **Department:** The department associated with the device.
- ◆ **Cost Center:** The cost center associated with the device.
- ◆ **Ignored:** Shows if the installation is ignored. Select a device, then click *Action > Ignore Installation* to ignore this installation. Click *Action > Recognize Installation* to recognize the installation.
- ◆ **Serial Number:** The product serial number.
- ◆ **Hours Active:** How long the product has been active. For activity that is less than 30 minutes, the column shows 0 (zero).

- ♦ **Active Installation Usage Quantity:** The total number of workstations on which the installed product has seen active usage over the specified usage period.

Consumption Panel: Details about consumption, including the following:

- ♦ **Ignored Installations:** The total number of ignored installations of the discovered product.
- ♦ **Recognized Installations:** The number of recognized installations.
- ♦ **Additional Consumption:** Specify any additional consumption, then click *Apply*.
- ♦ **Net Consumption:** The total consumption.

4.2 Including and Excluding Discovered Products

There might be situations where you want to add a discovered product to a licensed product but don't want the discovered product included in the license compliance calculations. If so, you can exclude the discovered product from these calculations.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Discovered Products*.

Discovered Products					
Action ▾					
<input type="checkbox"/>	Name	Excluded Licensed Product	Installed Quantity	Active Usage Quantity	Standards Category
<input type="checkbox"/>	Microsoft Office 2000 Premium 2000 (Windows)	Office 2000 Premium	3	1	Standard Desktop
<input type="checkbox"/>	Microsoft Office 2000 Professional 2000 (Windows)	Office 2000 Professional	1	1	Standard Desktop
<input type="checkbox"/>	Microsoft Office 2004 11.0 (Mac)	Office 2004	5	0	
<input type="checkbox"/>	Microsoft Office 97 Professional 97 (Windows)	Office 97 Professional	11	4	Standard Desktop
<input type="checkbox"/>	Microsoft Office XP Professional 10.0 (Windows)	Office XP Professional	21	17	Standard Desktop

- 3 Select the product you want to include or exclude.
- 4 Click either of the following:
 - ♦ *Action > Include*
 - ♦ *Action > Exclude*

4.3 Associating Discovered Products with Licensed Products

When you associate a discovered product with a licensed product, the discovered product consumes one of the licenses. This, along with associating catalog products to licensed products, is what determines compliance for the licensed product.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Discovered Products*.

Discovered Products						
Action ▾						
<input type="checkbox"/>	Name ▲	Excluded	Licensed Product	Installed Quantity	Active Usage Quantity	Standards Category
<input type="checkbox"/>	Microsoft Office 2000 Premium 2000 (Windows)		Office 2000 Premium	3	1	Standard Desktop
<input type="checkbox"/>	Microsoft Office 2000 Professional 2000 (Windows)		Office 2000 Professional	1	1	Standard Desktop
<input type="checkbox"/>	Microsoft Office 2004 11.0 (Mac)		Office 2004	5	0	
<input type="checkbox"/>	Microsoft Office 97 Professional 97 (Windows)		Office 97 Professional	11	4	Standard Desktop
<input type="checkbox"/>	Microsoft Office XP Professional 10.0 (Windows)		Office XP Professional	21	17	Standard Desktop

- 3 Select the discovered product you want to associate with a licensed product.
- 4 Click *Action > Add to Licensed Product* to open the Add Discovered Products to Licensed Products Wizard. Complete the wizard by using information in the table below to fill in the fields.

Wizard Page	Details
Licensed Product page	Select a licensed product to associate with the discovered product.
License Entitlement page	Select a license entitlement for the licensed product.
Summary page	Review the data.

- 5 Click *Finish* to complete the wizard.

4.4 Adding Discovered Products to Software Collections

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Discovered Products*.

Discovered Products						
Action ▾						
<input type="checkbox"/>	Name ▲	Excluded	Licensed Product	Installed Quantity	Active Usage Quantity	Standards Category
<input type="checkbox"/>	Microsoft Office 2000 Premium 2000 (Windows)		Office 2000 Premium	3	1	Standard Desktop
<input type="checkbox"/>	Microsoft Office 2000 Professional 2000 (Windows)		Office 2000 Professional	1	1	Standard Desktop
<input type="checkbox"/>	Microsoft Office 2004 11.0 (Mac)		Office 2004	5	0	
<input type="checkbox"/>	Microsoft Office 97 Professional 97 (Windows)		Office 97 Professional	11	4	Standard Desktop
<input type="checkbox"/>	Microsoft Office XP Professional 10.0 (Windows)		Office XP Professional	21	17	Standard Desktop

- 3 Select the discovered products that you want to add to a software collection.
- 4 Click *Action > Add to Software Collection*.

For information on creating a software collection, see [Section 9.1, “Creating a Software Collection,”](#) on page 101.

4.5 Setting Standards Categories

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Discovered Products*.

Discovered Products						
Action ▾						
<input type="checkbox"/>	Name	Excluded	Licensed Product	Installed Quantity	Active Usage Quantity	Standards Category
<input type="checkbox"/>	Microsoft Office 2000 Premium 2000 (Windows)		Office 2000 Premium	3	1	Standard Desktop
<input type="checkbox"/>	Microsoft Office 2000 Professional 2000 (Windows)		Office 2000 Professional	1	1	Standard Desktop
<input type="checkbox"/>	Microsoft Office 2004 11.0 (Mac)		Office 2004	5	0	
<input type="checkbox"/>	Microsoft Office 97 Professional 97 (Windows)		Office 97 Professional	11	4	Standard Desktop
<input type="checkbox"/>	Microsoft Office XP Professional 10.0 (Windows)		Office XP Professional	21	17	Standard Desktop

1 - 5 of 5 show 25 items

- 3 Click the discovered product that you want to set the standards category for.

Microsoft Office Professional 2003 2003 (Windows)

Details | **Installations/Consumption**

General ⌵

Manufacturer: Microsoft
Product: Office Professional 2003
Version: 2003
Platform: Windows
Distribution: Commercial
License Type: Full
Current Manufacturer:
Serial Numbers: 70145-745-3821905-57392
Standards Category:
Licensed Product: Microsoft Office Professional 2003 2003
License Entitlement(s): test
Installed Quantity: 1
Notes:
 Excluded

Inventory Products ⌵

Manufacturer	Product	Version	Platform	Category	Subcategory
Microsoft	Office Professional 2003	11.0 (DK)	Windows	Suite	Office
Microsoft	Office Professional 2003	11.0 (FI)	Windows	Suite	Office
Microsoft	Office Professional 2003	11.0 (HU)	Windows	Suite	Office
Microsoft	Office Professional 2003	11.0 (CN-H)	Windows	Suite	Office

- 4 In the *Standards Category* field, specify a category.
- 5 Click *Apply*.

4.6 Refreshing Compliance Status

Refreshing compliance data recalculates all discovered product installation counts and recalculates compliance status for all licenses.

- ◆ [Section 4.6.1, “Triggering a Refresh,” on page 33](#)
- ◆ [Section 4.6.2, “Viewing Refresh Details,” on page 33](#)

4.6.1 Triggering a Refresh

Compliance data is refreshed under various circumstances. To manually trigger a refresh, you can click *Action > Refresh Compliance Status* on either the Licensed Products page or the Discovered Product page. A refresh is triggered automatically when you import purchase records; however, performing an auto-reconcile of licensed products won't trigger an automatic refresh.

A refresh of a single license is triggered automatically under the following circumstances:

- ◆ Creating or deleting an entitlement
- ◆ Adding a purchase summary to an entitlement
- ◆ Adding a catalog product to a license
- ◆ Modifying a catalog product that is associated with a license
- ◆ Adding a discovered product to a license
- ◆ Modifying a discovered product that is associated with a license
- ◆ Marking a discovered product installation (associated with a license) as ignored
- ◆ Deleting a purchase record associated with a license
- ◆ Deleting a software collection associated with a license

4.6.2 Viewing Refresh Details

You can see information about the latest refresh above the menu bar of both the Licensed Products page and the Discovered Products page. This information includes the following:

- ◆ The last time a compliance refresh was started and ended
- ◆ What initiated the refresh
- ◆ Whether it was a refresh of all products or a single product

The *Compliance Status* tab of the Licensed Products page also shows the time the license was last refreshed. In addition, clicking *License Management Reports > Software Compliance > Compliance Report* displays a column called *More Recent Recalc* that indicates if a license has been refreshed more recently than the last full refresh of all licenses.

Creating Licensed Products

5

Licensed products are used to determine compliance

- ◆ Section 5.1, “Viewing Licensed Product Details,” on page 35
- ◆ Section 5.2, “Reconciling Licensed Products with Purchase Records,” on page 42
- ◆ Section 5.3, “Creating Licensed Products Manually,” on page 44
- ◆ Section 5.4, “Defining License Entitlements,” on page 47
- ◆ Section 5.5, “Refreshing Compliance Status,” on page 51

5.1 Viewing Licensed Product Details

You can view the details for a licensed product to see general information such as license compliance and entitlements. You can also perform tasks such as adding entitlements and allocating licenses based on demographics or device.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management tab, click *Licensed Products*.



Licensed Products						
New Move... Delete Action						
Name	Status	Discovered Products	Catalog Products	License Quantity	Allocated Quantity	
Microsoft FrontPage 2000 2000				4	1	
Microsoft Office 2000 Premium 2000				4	0	
Microsoft Office 2000 Professional 2000				5	0	
Microsoft Project 2000 2000				2	2	
Microsoft SQL Server 2000 2000				4	0	
Microsoft Visio Professional 2000				3	3	

A list of licensed products appears, along with the following details:

Name: The name of the licensed product.

Status: Indicates the product’s license compliance status:

- ◆ Properly licensed: The number of licenses match the number of installations.
- ◆ Over licensed: There are more licenses than installations.
- ◆ Under licensed: There are more installations than licenses.

Discovered Products: Indicates that the licensed product is associated with a discovered product.

Catalog Products: Indicates that the licensed product is associated with a catalog product.

License Quantity: Shows the number of licenses for the product.

Allocated Quantity: Shows the total allocated quantity. Click the number to show the License Allocations page, which lists the license allocations by demographic and by device.

3 Click a licensed product.

The screenshot displays the 'Microsoft Windows Server 2003 5.2' interface with four tabs: 'General', 'License Entitlements', 'Compliance Status', and 'License Allocations'. The 'General' tab is active, showing fields for 'Manufacturer' (Microsoft), 'Licensed Product' (Microsoft), and 'Version' (Windows Server 2003). A 'Notes' field contains the text: 'Created by Auto-reconcile: March 18, 2009 1:06:46 PM'. Below this is the 'License Allocation Settings' section, which includes a checkbox for 'Enable demographic allocations', radio buttons for 'Demographic allocation type' (Site, Department, Cost Center), and a checkbox for 'Update license allocations with demographic data from future purchase record imports'. The 'Allocated Quantity' is set to 0. A note at the bottom states: 'Note: Use 'Initialize Allocations' from the Licensed Product list Action menu to create license allocations based on current inventory or Purchase Record data. To manage demographic and device allocations, go to the 'License Allocations' tab.' At the bottom are 'Apply' and 'Reset' buttons.

Each of the pages (General, License Entitlements, Compliance Status, and License Allocations) are described in the following sections:

- ◆ [Section 5.1.1, “General,” on page 36](#)
- ◆ [Section 5.1.2, “License Entitlements,” on page 38](#)
- ◆ [Section 5.1.3, “Compliance Status,” on page 40](#)
- ◆ [Section 5.1.4, “License Allocations,” on page 41](#)

5.1.1 General

The General page lets you view general information about the licensed product and configure whether or not the license supports demographic allocations.

Microsoft Windows Server 2003 5.2

General License Entitlements Compliance Status License Allocations

General

Manufacturer: Microsoft

Licensed Product: Microsoft

Version: Windows Server 2003

Notes: Created by Auto-reconcile: March 18, 2009 1:06:46 PM

License Allocation Settings

Enable demographic allocations

Demographic allocation type:

Site

Department

Cost Center

Update license allocations with demographic data from future purchase record imports

Allocated Quantity: 0

Note: Use 'Initialize Allocations' from the Licensed Product list Action menu to create license allocations based on current inventory or Purchase Record data. To manage demographic and device allocations, go to the 'License Allocations' tab.

Apply Reset

The tab includes the following panels:

- ◆ “General Panel” on page 37
- ◆ “License Allocation Panel” on page 38

General Panel

The General panel provides the following data:

- ◆ **Manufacturer:** The manufacturer of the product. To change the manufacturer, specify a new value, then click *Apply*.
- ◆ **Licensed Product:** The name of the product. To change the name, specify a new value, then click *Apply*.
- ◆ **Version:** The version number of the product. To change the version, specify a new value, then click *Apply*.
- ◆ **Notes:** Notes, if any. Add any notes, then click *Apply*.
- ◆ **Administrator-defined Field:** Any administrator-defined field for a license appears here. To edit the field, specify a new value, then click *Apply*. For more information, see [Chapter 11, “Using Administrator-Defined Fields,”](#) on page 119.

License Allocation Panel

The License Allocation Settings panel provides the following data:

- ◆ **Enable Demographic Allocations:** Select this option to enable licenses to be allocated by site, department, or cost center.
- ◆ **Demographic Allocation Type:** Select the demographic type (Site, Department, or Cost Center) you want to use for allocation of this license.
- ◆ **Update License Allocations:** Select this option to have the license allocation updated whenever a new purchase record is added. For example, if the license is using a Site allocation and you add a purchase record with 20 new licenses for SiteA, that allocation is added to the allocation list on the License Allocations page.
- ◆ **Allocated Quantity:** The total number of licenses that are allocated. This number summarizes the allocations listed on the License Allocations page.

5.1.2 License Entitlements

The License Entitlements page consists of two panels: Entitlements (Consumption Data Source: Inventory) and Entitlements (Consumption Data Source: Manual)

License Management > Licensed Products > Hewlett GroupWise

Hewlett GroupWise

General License Entitlements Compliance Status License Allocations

Entitlements (Consumption Data Source: Inventory)

Description	Type	License Period	Term License Status	License Model	License Quantity	Quantity Available	Versions Covered	Upgrade From
<input type="checkbox"/> Per-Named User	Full License	Perpetual	Active	Per-Named User	30	3	6.5 (Basic), 6.5 (Workflows)	
<input type="checkbox"/> Per-Named User Upgrade	Version Upgrade	Perpetual	Active	Per-Named User	2	2	6.5 (Basic), 6.5 (Workflows)	Per-Named User
<input type="checkbox"/> Per-User	Full License	Perpetual	Active	Per-User	25	25	6.5 (Basic), 6.5 (Workflows)	
Total:					42	35		

Entitlements (Consumption Data Source: Manual)

Description	Type	License Period	Term License Status	License Model	License Quantity	Quantity Available	Upgrade From
<input type="checkbox"/> Unrestricted	Full License	Perpetual	Active	Unrestricted	2	2	
Total:					2	2	

These panels display the following details:

- ◆ **Description:** The description of the entitlement.
- ◆ **Type:** The license type.
- ◆ **License Period:** Indicates if the license period is perpetual or term.
- ◆ **Term License Status:** Indicates if the license period has expired.
- ◆ **License Model:** The type of license model. License models are grouped according to how license consumption is determined, either by an inventory scan or by manually specifying the license quantity.
- ◆ **License Quantity:** The number of licenses
- ◆ **Quantity Available:** The number of available licenses. This is calculated by subtracting licenses consumed from the total number of licenses.
- ◆ **Versions Covered:** The versions covered by this license entitlement.
- ◆ **Upgrade From:** If the entitlement type is *Version Upgrade*, this column displays the version it is upgraded from.

1 Click an entitlement to display information about that entitlement:

- ◆ “General” on page 39

- ◆ “Proof of Ownership” on page 39
- ◆ “Coverage” on page 40

General

The General page displays general information about the entitlement.

The screenshot shows a software interface with three tabs: "General", "Proof of Ownership", and "Coverage". The "General" tab is selected. The form contains the following fields:

- Description:** Accounting Full License Purchase (1)
- Entitlement Type:** Full License
- Platform:** Windows
- License Period:** Perpetual (selected), Term
- Start Date:** 3/30/09
- End Date:** 3/30/09
- License Model:** Per-Installation
- License Quantity:** 1
- Quantity Available:** 1
- Virtual Machine Use Rights:** (empty)
- Notes:** Created by Auto-reconcile: March 18, 2009 1:06:46 PM

Fields marked with an asterisk are required.

Buttons: Apply, Reset

- ◆ **Description:** Displays the description or name of the entitlement.
- ◆ **Entitlement Type:** Displays the entitlement type you chose when you created the entitlement.
- ◆ **Platform:** Displays the product’s platform.
- ◆ **License Period:** Displays the license period you selected when you created the entitlement.
- ◆ **License Model:** Displays the license model. The available options depend on whether it is an inventory or a manual model.
- ◆ **License Quantity:** Displays the number of licenses.
- ◆ **Quantity Consumed (Manual Consumption Only):** Displays the quantity of licenses consumed.
- ◆ **Virtual Machine Use Rights:** Specify any conditions associated with the entitlement related to installation and licensing on virtual machines.
- ◆ **Notes:** Displays any notes.
- ◆ **Change History (Manual Consumption Only):** Displays the entitlement’s change history, including information about when a change occurred, who made the change, and what modifications were made to the consumed quantity and description.

Proof of Ownership

The Proof of Ownership page shows the ownership information associated with the entitlement.

General		Proof of Ownership		
Catalog Products				
Add Remove				
<input type="checkbox"/>	Product	Purchase Quantity	License Quantity	
<input type="checkbox"/>	ACME Jumble 2 (Full License) (1)	2	2	
Total:		2	2	
Purchase Summary Records				
New Delete				
<input type="checkbox"/>	Description	Date Entered	Entered By	License Quantity
<input type="checkbox"/>	ACME Purchase	8/9/07	administrator	2
Total:		2	0.00	
Contracts				
Add Remove				
<input type="checkbox"/>	Contract ID	Name	Type	Status
No items available.				
Documents				
Add Remove				
<input type="checkbox"/>	Document ID	File Name	Date Attached	File Type
No items available.				

The Proof of Ownership page includes the following panels:

- ◆ **Catalog Products:** Lists the catalog products associated with this license and entitlement. Click *Add* to associate additional catalog products.
- ◆ **Purchase Summary Records:** Lists the summary records associated with this license and entitlement. Click *New* to create a new record.
- ◆ **Contracts:** Lists the contracts associated with this license and entitlement. Click *Add* to associate additional contracts.
- ◆ **Documents:** Lists the documents associated with this license and entitlement. Click *Add* to associate additional documents.

Coverage

General		Proof of Ownership		Coverage			
Discovered Product Versions Covered							
Add Remove							
<input type="checkbox"/>	Manufacturer	Product	Version	Platform	Distribution	License Type	Serial Numbers
<input type="checkbox"/>	Microsoft	Windows Server 2003	5.2	Windows			69712-347-8481644-42264
1 - 1 of 1							show 5 items
Covered Machines							
Add Remove							
<input type="checkbox"/>	Machine Name	Serial Number	Deleted from Inventory	Retired	Product Installed	License Consumed	
<input type="checkbox"/>	ZENDOC2A				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
1 - 1 of 1							show 5 items

5.1.3 Compliance Status

The Compliance Status page lets you view the number of licenses associated with the product and the number of licenses consumed by devices. The result is a view of whether or not your usage is in compliance with the license agreement.

The Compliance Status page includes the following panels:

- ◆ **License Consumption (Consumption Data Source: Inventory):** Displays the license consumption information for discovered products associated with this licensed product. The list includes only the discovered products that are covered by an entitlement whose license consumption is calculated from inventory data.
- ◆ **Compliance Status (Consumption Data Source: Inventory):** Displays the compliance status for all entitlements whose license consumption is calculated from inventory data.
- ◆ **Compliance Status (Consumption Data Source: Manual):** Displays the compliance status for all entitlements whose license consumption is determined from data that was manually added to the entitlement.

NOTE: Compliance status is refreshed daily. To refresh compliance status manually, open the Licensed Products page and click *Action > Refresh Compliance Status*.

5.1.4 License Allocations

The License Allocations page displays how the product's licenses are allocated.

Adobe Acrobat 5

General License Entitlements Compliance Status License Allocations

Demographic Allocations

Add Remove

Site	Device Count	Allocated Quantity	Installed Quantity	Variance
Waltham	9	2	2	0
Total:	9	2	2	

1 - 1 of 1 show 5 items

Device Allocations

Remove Add

Machine Name	Login Name	IP Address	Site	Department	Cost Center	Installed Quantity	Duplicate Allocation
ARHEATH02076	aeath	164.99.114.108	Bangalore	Engineering	1001	1	
DAMAVILL03032	Damaville	192.168.2.134	Provo	North American Sales	1004	1	
DDJOHNS002096	ddjohnson	164.99.114.33	Bangalore	Engineering	1001	1	
KJTOHMS03018	SLDUSCHEID	192.168.2.184	Waltham	Marketing Services Group	1007	1	<input checked="" type="checkbox"/>
MJLIBUDA02079	SYSTEM	164.99.114.19	Lebanon	Quality Assurance	1003	1	

1 - 5 of 5 show 5 items

Installations with no allocations: [1](#)

The page includes the following panels:

- ◆ **Demographic Allocations:** Shows the number of licenses allocated by demographic type (site, department, or cost center) along with device count and installed quantity per demographic value. This panel is displayed only when demographic allocations are enabled (*General tab > License Allocation Settings panel*).
- ◆ **Device Allocations:** Shows a list of devices to which the license has been allocated, along with details about the device, machine name, login name, and so on. It also shows the number of installations of the product that have no allocations. Click the number to display the *Devices: Installations with no Allocations panel*. The *Duplicate Allocation* column shows if a device is allocated to a demographic type.

5.2 Reconciling Licensed Products with Purchase Records

Before you can run compliance reports, you need to create licensed products to monitor and report on license compliance. After the licensed products are created, they can be reconciled with discovered products in your Management Zone and used to calculate compliance.

To create licensed products and reconcile them with discovered products:

- 1 Run an inventory scan of the Management Zone, using default settings.

For information on running an inventory scan, see the [Asset Inventory Reference \(http://www.novell.com/documentation/zcm10/\)](http://www.novell.com/documentation/zcm10/).

- 2 In ZENworks Control Center, click the *Asset Management* tab.
- 3 In the License Management panel, click *Licensed Products*.



Name	Status	Discovered Products	Catalog Products	License Quantity	Allocated Quantity
Microsoft FrontPage 2000 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	4	1
Microsoft Office 2000 Premium 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	4	0
Microsoft Office 2000 Professional 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	5	0
Microsoft Project 2000 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2	2
Microsoft SQL Server 2000 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	4	0
Microsoft Visio Professional 2000		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3	3

- 4 In the Licensed Products panel, click *Action > Auto-Reconcile: Create Licensed Products* to launch the Auto-reconcile Wizard. Complete the wizard by using information from the following table to fill in the fields.

Wizard Page	Details
Discovered Product Filter page	Select the discovered products to reconcile. Select <i>Any</i> to reconcile with all discovered products, or select <i>Products Specified Below</i> and provide a manufacturer and product name to reconcile a specific product.
Select Licensed Products to Create page	Select the licensed products to create and the discovered products to be included. If catalog products are listed, select the catalog products to be included.
Destination Folder page	Lets you specify where in the Licensed Products folder hierarchy you want to place the new licensed products. The field defaults to the current folder (the folder from which you launched the Auto-Reconcile wizard). To specify another folder, click  to browse for and select the folder. The folder must already exist; you cannot use the selection dialog box to create a new folder.
License Entitlements page	Add a description for the license entitlement. Select one of the following license models: <ul style="list-style-type: none"> ◆ Per-Installation: Each installation of the entitlement's discovered products consumes a license. ◆ OEM: You specify the devices covered by the entitlement. For each covered device, a license is consumed whether or not any of the entitlement's discovered products are installed on the device. If you use an OEM license model for the entitlement, you should associate only one discovered product with the entitlement. If multiple discovered products are assigned to an OEM entitlement, consumption is limited to the total number of covered devices. Remaining installations overflow to any Per-Installation entitlements or become unresolved installations. In addition to limiting an OEM entitlement to one discovered product, we recommend that you organize all OEM entitlements for different products into different licenses, so that each license product includes only the OEM entitlements for that product. ◆ Machine: You specify the devices covered by the entitlement. For each covered device, a license is consumed only if one of the entitlement's discovered products is installed on the device. We recommend the you follow the best practices discussed for OEM entitlements when using Machine entitlements.
Auto-reconcile Create Summary page	Review your data.

- 5 Click *Finish* to create the licensed product and reconcile it with the associated discovered products and catalog products.

You can now check license compliance. For more information, see [Chapter 6, "Using License Management Reports," on page 53](#).

5.3 Creating Licensed Products Manually

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Licensed Products*.

Name	Status	Discovered Products	Catalog Products	License Quantity	Allocated Quantity
Microsoft FrontPage 2000 2000	🟢	☑	☑	4	1
Microsoft Office 2000 Premium 2000	🟡	☑	☑	4	0
Microsoft Office 2000 Professional 2000	🟡	☑	☑	5	0
Microsoft Project 2000 2000	🔴	☑	☑	2	2
Microsoft SQL Server 2000 2000	🟡	☑	☑	4	0
Microsoft Visio Professional 2000	🟡	☑	☑	3	3

- 3 Click *New > Licensed Product* to open the Create New Licensed Product Wizard. Complete the wizard by using information in the following table to fill in the fields.

Wizard Page	Details
General Information page	Fill in the fields: Manufacturer: The manufacturer of the licensed product. Licensed Product: The name of the product. Version: The product version. Notes: Specify any notes. Administrator-Defined Field: Specify a value for the administrator-defined field, if any.
New License Product Summary page	Review the data.

- 4 (Optional) Select *Define Additional Properties* to further define the license.
- 5 Click *Finish*.

If you selected *Define Additional Properties*, continue with [Section 5.3.1, “Creating License Entitlements,”](#) on page 44.

5.3.1 Creating License Entitlements

- 1 If you are continuing from [Step 5 on page 44](#), and you selected *Define Additional Properties*, skip to [Step 6](#) in this procedure.
- 2 In ZENworks Control Center, click the *Asset Management* tab.
- 3 In the License Management panel, click *Licensed Products*.

Name	Status	Discovered Products	Catalog Products	License Quantity	Allocated Quantity
Microsoft FrontPage 2000 2000	🟢	☑	☑	4	1
Microsoft Office 2000 Premium 2000	🟡	☑	☑	4	0
Microsoft Office 2000 Professional 2000	🟡	☑	☑	5	0
Microsoft Project 2000 2000	🔴	☑	☑	2	2
Microsoft SQL Server 2000 2000	🟡	☑	☑	4	0
Microsoft Visio Professional 2000	🟡	☑	☑	3	3

- 4 Click the product you want to create an entitlement for.

5 Click the *License Entitlements* tab.

General		License Entitlements					Compliance Status	
Entitlements (Consumption Data Source: Inventory)								
New Delete								
<input type="checkbox"/>	Description	Type	License Period	Term License Status	License Model	License Quantity	Quantity Available	Upgrade From
No items available.								
Entitlements (Consumption Data Source: Manual)								
New Delete								
<input type="checkbox"/>	Description	Type	License Period	Term License Status	License Model	License Quantity	Quantity Available	Upgrade From
<input type="checkbox"/>	ACME Use	Full License	Perpetual	Active	Unrestricted	2	2	
Total:						2	2	

6 Click *New* in the appropriate Entitlements panel (Inventory or Manual) to launch the Create New Entitlement Wizard. Complete the wizard by using the information in the following table to fill in the fields.

Wizard Page	Details
License Model page	<p>Select a license model.</p> <p>Consumption Data Source: Inventory: These license models use data gathered from Inventory scans to calculate the number of consumed licenses associated with the entitlement.</p> <ul style="list-style-type: none"> ◆ Per-Installation: Each installation of the entitlement's discovered products consumes a license. ◆ OEM: You specify the devices covered by the entitlement. For each covered device, a license is consumed whether or not any of the entitlement's discovered products are installed on the device. <p>If you use an OEM license model for the entitlement, you should associate only one discovered product with the entitlement. If multiple discovered products are assigned to an OEM entitlement, consumption is limited to the total number of covered devices. Remaining installations overflow to any Per-Installation entitlements or become unresolved installations.</p> <p>In addition to limiting an OEM entitlement to one discovered product, we recommend that you organize all OEM entitlements for different products into different licenses, so that each license product includes only the OEM entitlements for that product.</p> <ul style="list-style-type: none"> ◆ Machine: You specify the devices covered by the entitlement. For each covered device, a license is consumed only if one of the entitlement's discovered products is installed on the device. <p>We recommend the you follow the best practices discussed for OEM entitlements when using Machine entitlements.</p> <p>Consumption Data Source: Manual: All of the manual license models require you to manually enter the number of consumed licenses (based on installations) for the entitlement. Select the license model that represents the license model for the products you plan to include in the entitlement.</p>
Entitlement Type page	<p>Select an entitlement type:</p> <ul style="list-style-type: none"> ◆ Full License ◆ Version Upgrade (If you select Version Upgrade, you will need to identify the entitlement that it is upgraded from.) ◆ License/Maintenance

Wizard Page**Details**

General Information Page

Fill in the following fields:

Description: A description of the entitlement.**Platform:** Select a platform from the list.**License Period:** Select a license period: *Perpetual* or *Term*. If you select *Term*, use the calendar icons to select start and end dates.**Quantity Consumed:** Specify the number of licenses consumed. (Available only for entitlements whose consumption data source is manual.)**Virtual Machine Use Rights:** Specify any virtual machine use rights.**Notes:** Specify any notes.

New Entitlement Summary page

Review the data.

7 (Optional) Select *Define Additional Properties* to further define the entitlement.

8 Click *Finish*.

If you selected *Define Additional Properties*, continue with [Section 5.4, “Defining License Entitlements,”](#) on page 47.

5.4 Defining License Entitlements

- 1 If you are continuing from [Step 8 on page 47](#), and you selected *Define Additional Properties*, skip to [Step 7](#) in this procedure.
- 2 In ZENworks Control Center, click the *Asset Management* tab.
- 3 In the License Management panel, click *Licensed Products*.

Name	Status	Discovered Products	Catalog Products	License Quantity	Allocated Quantity
Microsoft FrontPage 2000 2000	🟢	☑	☑	4	1
Microsoft Office 2000 Premium 2000	🟡	☑	☑	4	0
Microsoft Office 2000 Professional 2000	🟡	☑	☑	5	0
Microsoft Project 2000 2000	🔴	☑	☑	2	2
Microsoft SQL Server 2000 2000	🟡	☑	☑	4	0
Microsoft Visio Professional 2000	🟡	☑	☑	3	3

- 4 Click the product whose entitlement you want to modify.

General	License Entitlements	Compliance Status
General		
Manufacturer:	ACME	
Licensed Product:	Jumble	
Version:	2	
Notes:		
Cost Center:		
Apply Reset		

5 Click the *License Entitlements* tab.

General		License Entitlements					Compliance Status	
Entitlements (Consumption Data Source: Inventory)								
New Delete								
<input type="checkbox"/>	Description	Type	License Period	Term License Status	License Model	License Quantity	Quantity Available	Upgrade From
No items available.								
Entitlements (Consumption Data Source: Manual)								
New Delete								
<input type="checkbox"/>	Description	Type	License Period	Term License Status	License Model	License Quantity	Quantity Available	Upgrade From
<input type="checkbox"/>	ACME Use	Full License	Perpetual	Active	Unrestricted	2	2	
Totals:						2	2	

6 Click the entitlement you want to define.


General		Proof of Ownership		Coverage	
General					
Description:	Entitlement 1				
Entitlement Type:	Full License				
Platform:	Windows				
License Period:	<input checked="" type="radio"/> Perpetual <input type="radio"/> Term				
	Start Date:	8/12/07			
	End Date:	8/12/07			
License Model:	Per-Installation				
License Quantity:	2				
Quantity Available:	2				
Virtual Machine Use Rights:					
Notes:	Created by auto-reconcile: August 4, 2007 8:45:16 PM				
<input type="button" value="Apply"/> <input type="button" value="Reset"/>					

7 Click the *Proof of Ownership* tab.

General		Proof of Ownership				
Catalog Products						
Add Remove						
<input type="checkbox"/>	Product	Purchase Quantity	License Quantity			
<input type="checkbox"/>	ACME Jumble 2 (Full License) (1)	2	2			
Totals:		2	2			
Purchase Summary Records						
New Delete						
<input type="checkbox"/>	Description	Date Entered	Entered By	License Quantity	Total Cost	
<input type="checkbox"/>	ACME Purchase	8/9/07	administrator	2		
Totals:				2	0.00	
Contracts						
Add Remove						
<input type="checkbox"/>	Contract ID	Name	Type	Status	Start Date	End Date
No items available.						
Documents						
Add Remove						
<input type="checkbox"/>	Document ID	File Name	Date Attached	File Type	File Size(KB)	Description
No items available.						

8 Add any catalog products:


8a In the Catalog Products panel, click *Add*.



- 8b In the Select Product(s) for License Entitlement dialog box, select a catalog product.
- 8c Click *OK*.
- 9 Add any purchase summary records:
 - 9a Click *New* to open the Create Purchase Summary Record Wizard. Complete the wizard by using the information in the following table to fill in the fields.

Wizard Page	Details
General Information page	Fill in the following fields: <p>Description: A description of the summary record.</p> <p>License Quantity: The number of licenses.</p> <p>Total Cost: The cost of the product licenses.</p> <p>Notes: Specify any notes.</p>
New Purchase Summary Record page	Review the data. Select <i>Define additional Properties</i> to edit the summary record, see a change history, or add documents to the purchase summary record after you click <i>Finish</i> .


- 9b Add any documents to the summary record by clicking *Add*, selecting the document, then clicking *OK*.
- 10 Navigate back to the Proof of Ownership page, following **Step 2** through **Step 7** on page 48.
- 11 Add any contracts:
 - 11a In the Contracts panel, click *Add*.



11b In the Select Document(s) for Entitlement dialog box, specify a contract, then click *OK*.

12 Add any documents:

12a In the Documents panel, click *Add*.



12b In the Select Document(s) for Entitlement dialog box, specify a document, then click *OK*.

13 Click the *Coverage* tab.



14 Add any discovered product versions covered by this entitlement:

14a Click one of the following:

- ◆ *Add > Installed Discovered Product.*
- ◆ *Add > Any Discovered Product.*

14b Choose the products covered by the license entitlement.

14c Click *OK*.

5.5 Refreshing Compliance Status

Refreshing compliance data recalculates all discovered product installation counts and recalculates compliance status for all licenses.

- ◆ [Section 5.5.1, “Triggering a Refresh,” on page 51](#)
- ◆ [Section 5.5.2, “Viewing Refresh Details,” on page 51](#)

5.5.1 Triggering a Refresh

Compliance data is refreshed under various circumstances. To manually trigger a refresh, you can click *Action > Refresh Compliance Status* on either the Licensed Products page or the Discovered Products page. A refresh is triggered automatically when you import purchase records; however, performing an auto-reconcile of licensed products won't trigger an automatic refresh.

A refresh of a single license is triggered automatically under the following circumstances:

- ◆ Creating or deleting an entitlement
- ◆ Adding a purchase summary to an entitlement
- ◆ Adding a catalog product to a license
- ◆ Modifying a catalog product that is associated with a license
- ◆ Adding a discovered product to a license
- ◆ Modifying a discovered product that is associated with a license
- ◆ Marking a discovered product installation (associated with a license) as ignored
- ◆ Deleting a purchase record associated with a license
- ◆ Deleting a software collection associated with a license

5.5.2 Viewing Refresh Details

You can see information about the latest refresh above the menu bar of both the Licensed Products page and Discovered Products page. This information includes the following:

- ◆ The last time a compliance refresh was started and ended
- ◆ What initiated the refresh
- ◆ Whether it was a refresh of all products or a single product

The *Compliance Status* tab of the Licensed Product page also shows the time the license was last refreshed. In addition, clicking *License Management Reports > Software Compliance > Compliance Report* displays a column called *More Recent Recalc* that indicates if a license has been refreshed more recently than the last full refresh of all licenses.

Using License Management Reports

6

ZENworks® Control Center includes a variety of reports to help you manage the assets in your Management Zone. The License Management Reports page allows you to monitor compliance and compliance-related data through a variety of standard and custom reports.

- ♦ [Section 6.1, “Using License Management Standard Reports,” on page 53](#)
- ♦ [Section 6.2, “Using License Management Custom Reports,” on page 58](#)
- ♦ [Section 6.3, “Setting ZENworks Asset Management Report Rights,” on page 69](#)
- ♦ [Section 6.4, “Excluding Software Usage Data from Reports,” on page 70](#)

If you have installed the ZENworks Reporting Server, you have access to additional Asset Management reports. For information, see [Chapter 7, “Using Reporting Server Reports,” on page 71](#).

6.1 Using License Management Standard Reports

Standard (predefined) reports scan your software usage data and arrange the data according to the report configuration.

- ♦ [Section 6.1.1, “Available Standard Reports,” on page 53](#)
- ♦ [Section 6.1.2, “Running a Standard Report,” on page 54](#)

6.1.1 Available Standard Reports

ZENworks Control Center includes several predefined reports you can use to analyze software compliance in your Management Zone. These reports are grouped according to their function. The available reports are as follows:

- ♦ **Software Compliance:** Reports focusing on software compliance.
 - ♦ **Compliance Report:** Shows the Management Zone’s compliance status grouped by license.
 - ♦ **Status Summary:** Shows a summary of the compliance status of the Management Zone.
- ♦ **Unreconciled Products:** Reports focusing on unreconciled products.
 - ♦ **Catalog Products:** Shows the unreconciled catalog products in the Management Zone.
 - ♦ **Discovered Products:** Shows the unreconciled discovered products in the Management Zone.
- ♦ **Purchases:** Reports focusing on software purchases.
 - ♦ **Purchase Summary:** Shows a summary list of purchase records.
 - ♦ **Purchase Detail:** Lists purchase records and details.

- ◆ **Suites:** Reports focusing on suites and components.
 - ◆ **Suites/Components:** Shows discovered suites and their components.
 - ◆ **Standalone Components:** Shows a list of discovered standalone (suite) components.
- ◆ **Other Reports:** Reports focusing on inventory comparison and software standards.
 - ◆ **Inventory Comparison:** Shows a comparison of inventoried products to discovered products.
 - ◆ **Software Standards:** Shows discovered products along with their standards category.

6.1.2 Running a Standard Report


You run a standard report by clicking it. ZENworks Asset Management allows you to export data to another format, view the data as a graph, change the time period of the report, and change the filter criteria. The following sections provide more information:

- ◆ [“Running a Report” on page 54](#)
- ◆ [“Exporting a Report to a Different Format” on page 55](#)
- ◆ [“Viewing the Report as a Graph” on page 55](#)
- ◆ [“Changing the Time Period” on page 56](#)
- ◆ [“Changing the Filter Criteria” on page 57](#)

Running a Report

Many of the License Management standard reports include usage data associated with the software product. If you are not interested in this data, you can exclude the data to make the reports generate more quickly. For information, see [Section 6.4, “Excluding Software Usage Data from Reports,” on page 70](#).

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



- 3 Click the folder containing the report you want to run.

Reports	
Name	Description
Compliance Report	Compliance Status by License
Status Summary	Summary of License Compliance Status


Reports are listed by name and description. For a list of reports and descriptions, see [Section 6.1.1, “Available Standard Reports,” on page 53.](#)

- 4 Click the report to run it.
- 5 (Optional) Filter the data by selecting filtering criteria from the left panel and clicking *Search*.
- 6 Click the links for more detailed information.

Exporting a Report to a Different Format

ZENworks Asset Management allows you to export report data to three formats: Excel*, CSV, and PDF.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



- 3 Click the folder containing the report you want to run.

Reports	
Name	Description
Compliance Report	Compliance Status by License
Status Summary	Summary of License Compliance Status

- 4 Click the report to run it.
- 5 Export the report to by clicking one of the three formats on the bottom of the report.


Symantec	Symantec AntiVirus Corporate Edition	8.1		Inventory
VMware	VMware Tools	-		Inventory
Yahoo!	Yahoo! Companion Toolbar	-		Inventory

[Excel](#) [CSV](#) [PDF](#) [Graph](#) [Change Time Period](#)

Viewing the Report as a Graph

Many reports can be viewed as a graph. Three graphical formats are available: bar graph, pie chart, and line graph. (If this feature is available, *Graph* appears at the bottom of the report.)

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



- 3 Click the folder containing the report you want to run.
- 4 Click the report to run it.
- 5 Click *Graph* on the bottom of the report.

Symantec	Symantec AntiVirus Corporate Edition	8.1		Inventory
VMware	VMware Tools	-		Inventory
Yahoo!	Yahoo! Companion Toolbar	-		Inventory

[Excel](#) [CSV](#) [PDF](#) [Graph](#) [Change Time Period](#)

A new window appears with the available graphs.


Changing the Time Period

For greater flexibility, you can change the time period of some reports. (If this feature is available, *Change Time Period* appears at the bottom of the report.) You can select from the following time periods:


- ◆ Previous Month
- ◆ Previous 3 Months
- ◆ Previous 6 Months
- ◆ Previous 12 Months
- ◆ All History in Database

To change the time period:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



- 3 Click the folder containing the report you want to run.
- 4 Click the report to run it.
- 5 Click *Change Time Period*.




- 6 Select an interval in the *New Time Period* field.
- 7 Click *Apply*.

The report is run again and the new time period is shown on the top left of the report.

Changing the Filter Criteria

Many reports allow you to change the report filter criteria. (If this feature is available, *Change Filter* appears at the bottom of the report.)

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



- 3 Click the folder containing the report you want to run.

- 4 Click the report to run it.
- 5 Click *Change Filter* on the bottom of the report.
- 6 Select one of the following filters:
 - ♦ Used applications only
 - ♦ Unused applications only
 - ♦ All applications
- 7 Click *Apply*.

6.2 Using License Management Custom Reports

ZENworks Control Center allows you to create and run custom reports that you can use to analyze software compliance in your Management Zone. These sections provide more information:

- ♦ [Section 6.2.1, “Sample Custom Reports,” on page 58](#)
- ♦ [Section 6.2.2, “Running a Custom Report,” on page 59](#)
- ♦ [Section 6.2.3, “Creating a Custom Report,” on page 60](#)
- ♦ [Section 6.2.4, “Scheduling a Custom Report and Sending Notifications,” on page 61](#)
- ♦ [Section 6.2.5, “Configuring E-Mail Addresses for Sending Notifications,” on page 63](#)
- ♦ [Section 6.2.6, “Editing a Custom Report,” on page 64](#)
- ♦ [Section 6.2.7, “Moving a Custom Report,” on page 66](#)
- ♦ [Section 6.2.8, “Deleting a Custom Report or Folder,” on page 66](#)
- ♦ [Section 6.2.9, “Viewing Scheduled Reports by Date and Title,” on page 67](#)
- ♦ [Section 6.2.10, “Importing New Report Definitions,” on page 68](#)

6.2.1 Sample Custom Reports

ZENworks Asset Management provides four sample custom reports that demonstrate the different types of reports you can create.

- ♦ **Excluded catalog products:** Shows the catalog products that are excluded from license compliance calculations.
- ♦ **Excluded discovered products:** Shows the discovered products that are excluded from license compliance calculations.
- ♦ **Non-Compliant license records:** Shows license records that are non-compliant.
- ♦ **Unreconciled discovered products:** Shows the discovered products that are not reconciled with a licensed product.


For information about running one of the sample custom reports, see [Section 6.2.2, “Running a Custom Report,” on page 59](#).

For information about creating your own custom reports, see [Section 6.2.3, “Creating a Custom Report,” on page 60](#).

6.2.2 Running a Custom Report

If a custom reports include usage data associated with software products, and you are not interested in the usage data, you can exclude the data to make the reports generate more quickly. For information, see [Section 6.4, “Excluding Software Usage Data from Reports,”](#) on page 70.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



- 3 In the License Management Custom Reports panel, click the folder containing the report you want to run.

The number of reports in each folder is shown in the *Report Count* column.

- 4 Click a report.

Custom Report Definition Summary: Excluded catalog products

Description	Lists catalog products that have been excluded from compliance calculations
Type	ProductCatalog
Columns	Catalog Manufacturer Catalog Product Catalog Version Catalog Type Catalog Mfg Part Number Catalog License Quantity
Criteria	Catalog Excluded = Yes
Creator	
Creation Date	8/4/07
Last Run Date	8/12/07

[Run](#) [Schedule/Notification](#) [Edit](#) [Copy](#) [Export](#)


The report definition appears. For information on editing the report definition, see [Section 6.2.6, “Editing a Custom Report,”](#) on page 64.

- 5 Click *Run* in the lower left corner.


On the report page, click the various links on the report for additional information. You can also export the report to an Excel, CSV, or PDF format by clicking the corresponding link.

6.2.3 Creating a Custom Report

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



- 3 In the License Management Custom Reports panel, click the folder where you want to save the report, or create a new folder by clicking *New*, specifying a folder name, then clicking *OK*.



- 4 In the Custom Reports panel, click *New*.

Custom Report Definition - Step 1 of 2: Choose Focus

Name

Type License Management

Focus

- Purchase Records
- Catalog Products
- License Records
- Discovered Products
- Compliance Status
- Software Standards
- Licenses - Associated Contracts

- 5 Specify a name in the *Name* field.
- 6 Select the focus of the report. The options are:
 - ♦ Purchase Records
 - ♦ Catalog Products
 - ♦ License Records
 - ♦ Discovered Products
 - ♦ Compliance Status

- ◆ Software Standards
- ◆ Licenses - Associated Contracts

7 Click *Continue*.

Custom Report Definition - Step 2 of 2: Choose columns, column order, and criteria

Name: Custom Report Description: [Empty]

Folder: Software Compliance

Type: Purchase Records

Columns:

Available	Column Order
Catalog Associated	Purchase PO Number
Catalog Description	Purchase Invoice Number
Catalog Excluded	Purchase Reseller
Catalog License Quantity	Purchase Order Date
Catalog Matched	Catalog Manufacturer
Catalog Mfg Part Number	Catalog Product
Catalog Reseller SKU	Catalog Version
Catalog Upgrade	Catalog Type
Purchase Comments	Purchase Quantity
Purchase Company	Purchase Unit MSRP (\$)

Criteria:

Field	Operator	Value
Summary Field	Operator	Value

Buttons: Back, Save, Cancel

8 Fill in the following fields:

Name: The name you entered in **Step 5** is displayed. You can change it if necessary.

Folder: The folder you selected in **Step 3** is displayed. You can change it if necessary.

Description: Specify a description for your report.

Type: Displays the report type you selected.

Columns: From the list on the left, select the data you want to include in your report. Use the arrow icons to move the selected data to the list on the right. Use Ctrl+click to select more than one option at a time. Use the up and down icons to arrange how you want the data displayed.

Criteria: Select your filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters or click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators.

Summary Criteria: Select your summary filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters; click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators

9 Click *Save*.


The next time you open the Custom Reports page, the report appears in the Custom Reports panel.

6.2.4 Scheduling a Custom Report and Sending Notifications

You can schedule a report to run automatically and send out notifications to specified people when the report is ready.

You must have already defined an SMTP e-mail server if you want to send e-mail notifications. This is done through the SMTP Settings option (Configuration tab > Management Zone Settings panel > Event and Messaging > SMTP Settings).

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



- 3 In the License Management Custom Reports panel, click the folder containing the report you want to schedule.
- 4 Click the report you want to schedule.

Custom Report Definition Summary: Excluded catalog products

Description	Lists catalog products that have been excluded from compliance calculations
Type	ProductCatalog
Columns	Catalog Manufacturer Catalog Product Catalog Version Catalog Type Catalog Mfg Part Number Catalog License Quantity
Criteria	Catalog Excluded = Yes
Creator	
Creation Date	8/4/07
Last Run Date	8/12/07

[Run](#) [Schedule/Notification](#) [Edit](#) [Copy](#) [Export](#)

- 5 Click *Schedule/Notification*.

Schedule Report/Notification: Unreconciled discovered products

Start Date 

Frequency

Output

Stored Report Results

Send a Notification (E-mail)

Both

Send notification / Store results, only when matching records are found

Maximum Records

6 Fill in the following fields:

Start Date: Click the calendar icon to specify a date.

Frequency: Select how often you want to send the notification: yearly, monthly, weekly, daily, once, or never.

Output: Select whether you want to store the report, send an e-mail notification that the report is ready, or both. You can also choose to store the results or send a notification only when matching records are found. For information on configuring e-mail addresses, see [Section 6.2.5, “Configuring E-Mail Addresses for Sending Notifications,” on page 63.](#)

Maximum Records: Specify the maximum number of records to store.

7 Click *Submit*.

The report runs at the scheduled times.

6.2.5 Configuring E-Mail Addresses for Sending Notifications

You can send notifications to selected people when a custom report is run. To do this, you need to import the e-mail addresses of those you want to notify into ZENworks Control Center. For information on sending notifications, see [Section 6.2.4, “Scheduling a Custom Report and Sending Notifications,” on page 61.](#)

The E-mail Addresses panel on the Asset Inventory page allows you to import e-mail addresses that can be used to send notifications when a custom report is ready, as configured in the report definition. Previously imported e-mail addresses are listed in the panel, along with the user’s first, last, and middle name.

To import e-mail addresses:

- 1 In ZENworks Control Center, click the *Configuration* tab.
- 2 Click the *Asset Inventory* tab.
- 3 In the E-mail Addresses Panel, click *Action > Manage E-mail Addresses*.

Manage E-mail Addresses

Import From

4 In the *Import From* field, select either *Inventory Data* or *Comma Separated File*.

If you select *Inventory Data*, the e-mail addresses found in an inventory scan are imported.

If you select *Comma Separated File*, specify the file location in the *E-mail Address File* field.

- 5 Click *Import*.
- 6 Click *Close*.

To delete all e-mail information:


- 1 In ZENworks Control Center, click *Configuration*.
- 2 Click the *Asset Inventory* tab.
- 3 In the E-mail Addresses Panel, click *Action > Manage E-mail Addresses*.



- 4 Click *Delete*.
 - 5 Click *OK*.
- All e-mail information is deleted.

6.2.6 Editing a Custom Report

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.




- 3 In the License Management Custom Reports panel, click the folder containing the report you want to edit.
- 4 Click the report.

Custom Report Definition Summary: Excluded catalog products

Description	Lists catalog products that have been excluded from compliance calculations
Type	ProductCatalog
Columns	Catalog Manufacturer Catalog Product Catalog Version Catalog Type Catalog Mfg Part Number Catalog License Quantity
Criteria	Catalog Excluded = Yes
Creator	
Creation Date	8/4/07
Last Run Date	8/12/07

[Run](#) [Schedule/Notification](#) [Edit](#) [Copy](#) [Export](#)

5 Click *Edit* in the lower left corner.



6 Edit the following fields:

Name: The name of the report.

Folder: The folder where you want to save the report.

Description: The description for your report.

Columns: From the list on the left, select the data you want to include in your report. Use the arrow icons to move the selected data to the list on the right. Use Ctrl+click to select more than one option at a time. Use the up and down icons to arrange how you want the data displayed.


Criteria: Select your filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters or click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators.

Summary Criteria: Select your summary filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters or click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators.


7 Click *Save*.

6.2.7 Moving a Custom Report

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



- 3 In the License Management Custom Reports panel, click the folder containing the report or reports you want to move.
- 4 Select the report or reports you want to move.
- 5 Click *Edit > Move*.




- 6 Select a new folder location.
- 7 Click *OK*.

6.2.8 Deleting a Custom Report or Folder

To delete a custom report:


- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



- 3 In the License Management Custom Reports panel, click the folder containing the report you want to delete.
- 4 Select the report you want to delete.
- 5 Click *Delete*.

To delete a folder (and all the reports in it):

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.




- 3 In the License Management Custom Reports panel, select the folder you want to delete.
- 4 Click *Delete*.

6.2.9 Viewing Scheduled Reports by Date and Title

Reports that are run on a schedule are stored in a database. You can view these reports either by title or date. For information on scheduling reports, see [Section 6.2.4, “Scheduling a Custom Report and Sending Notifications,”](#) on page 61.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



3 In the License Management Custom Reports panel, click one of the following:

- ◆ *Action > View Scheduled Report Results by Date*
- ◆ *Action > View Scheduled Report Results by Title*




The Scheduled Reports by Grouping page opens and shows the saved scheduled custom reports grouped by date or title and a report count. Click the date or title to open the *Scheduled Reports* page, where you can select a report and view it. To delete a group of reports, select the group and click *Delete*.

6.2.10 Importing New Report Definitions

If you have defined reports in ZENworks Asset Management 7.5, you can import them into ZENworks Control Center. You can also re-import reports that have been exported by ZENworks Control Center. A predefined XML format is needed for import.

To import report definitions:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *License Management Reports*.



3 In the License Management Custom Reports panel, click *Action > Import New Report Definition*.

Import Custom Report Definition

Query import file:

- 4 Specify the file in the *Query import file* field, or click *Browse* to search for and select the file.
- 5 Click *Import*.

6.3 Setting ZENworks Asset Management Report Rights

ZENworks Asset Management report rights allow you to manage each administrator's rights for each folder and its reports. Each report folder has rights associated with it, governing all the reports within that folder. For example, if you have full rights, you can edit a report; but with view/execute rights, you can only see the report and run it. With ZENworks Asset Management report rights, you can limit who has access to certain reports and who can edit them. The report folder type, custom or standard, and the report name are listed along with the rights associated with the folder. The choices are:

- ♦ **Remove all rights:** Removes all rights to the folder, so the specified administrator cannot see it.
- ♦ **Assign view/execute rights:** Allows the specified administrator to view and execute a report in the specified folder, but not to edit, move, or delete a report in the folder.
- ♦ **Assign full rights:** Gives the specified administrator full rights to create, edit, move, and delete reports. For standard reports, this setting is the same as *View/Execute*, because you cannot alter a standard report.

To change inventory report rights:

- 1 In ZENworks Control Center, click *Configuration*.
- 2 In the Administrators panel, click an administrator.
- 3 In the Administrator Tasks panel, click *Asset Management Report Rights*.

Asset Management Report Rights				
Edit				
<input type="checkbox"/>	Folder Type	Folder Name	Source	Rights
<input type="checkbox"/>	Custom Reports	Software Application Usage	Usage	View/Execute Rights
<input type="checkbox"/>	Custom Reports	Test Usage	Usage	View/Execute Rights
<input type="checkbox"/>	Custom Reports	Software Compliance	License Management	View/Execute Rights
<input type="checkbox"/>	Custom Reports	Contract Management	Contract Management	View/Execute Rights
<input type="checkbox"/>	Custom Reports	Temp Contracts	Contract Management	View/Execute Rights
<input type="checkbox"/>	Standard Reports	All Usage	Usage	View/Execute Rights
<input type="checkbox"/>	Standard Reports	Application Usage	Usage	View/Execute Rights
<input type="checkbox"/>	Standard Reports	Contract Management	Contract Management	View/Execute Rights
<input type="checkbox"/>	Standard Reports	Network Software Usage	Usage	View/Execute Rights
<input type="checkbox"/>	Standard Reports	Other Reports	License Management	View/Execute Rights
<input type="checkbox"/>	Standard Reports	Purchases	License Management	View/Execute Rights
<input type="checkbox"/>	Standard Reports	Software Compliance	License Management	View/Execute Rights
<input type="checkbox"/>	Standard Reports	Software File Usage	Usage	View/Execute Rights
<input type="checkbox"/>	Standard Reports	Suites	License Management	View/Execute Rights
<input type="checkbox"/>	Standard Reports	Unreconciled Products	License Management	View/Execute Rights
<input type="checkbox"/>	Standard Reports	Web Application Usage	Usage	View/Execute Rights

4 Select the folders you want to change the rights to.

5 Click one of the following:

- ◆ *Edit > Remove All Rights*
- ◆ *Edit > Assign View/Execute Rights*
- ◆ *Edit > Assign Full Rights*


The change is reflected in the *Rights* column.

6.4 Excluding Software Usage Data from Reports

Many of the License Management reports include usage data associated with the software product. If you are not interested in this data, you can exclude the data to make the reports generate more quickly.

1 In ZENworks Control Center, click *Configuration*.

2 In the Management Zone Settings panel, click *Asset Management*, then click *Reports*.



3 Select the *Do not show usage on License Management reports* option.

4 Click *OK* to save the setting.

Using Reporting Server Reports

7

In addition to the software usage, license management, and contract management reports you can create and generate from the Asset Management tab in ZENworks Control Center, you can use the ZENworks Reporting Server to generate additional reports.

The ZENworks Reporting Server is a powerful, flexible, and customizable reporting tool that is installed and configured separately from the ZENworks system (see the *ZENworks 10 Asset Management Reporting Server Installation Guide*).

Using the Reporting Server, you can view predefined Asset Management reports and create custom reports. The following sections describe the predefined reports and how to view them.

- ◆ [Section 7.1, “Predefined Reports,” on page 71](#)
- ◆ [Section 7.2, “Viewing a Predefined Report,” on page 73](#)

For information about creating custom reports, see the *ZENworks 10 Asset Management System Reporting Reference*.

7.1 Predefined Reports

The predefined Asset Management reports are organized into four categories:

- ◆ [Section 7.1.1, “License Allocation Reports,” on page 71](#)
- ◆ [Section 7.1.2, “Purchases Reports,” on page 72](#)
- ◆ [Section 7.1.3, “Software Compliance Reports,” on page 72](#)
- ◆ [Section 7.1.4, “Suites Reports,” on page 73](#)

7.1.1 License Allocation Reports

Report Title	Description
Allocation Status by Cost Center	Groups licensed products by cost center and shows if a licensed product is over-allocated (more licenses than installations) or under-allocated (more installations than licenses).
Allocation Status by Department	Groups licensed products by department and shows if a licensed product is over-allocated (more licenses than installations) or under-allocated (more installations than licenses).
Allocation Status by Site	Groups licensed products by site and shows if a licensed product is over-allocated (more licenses than installations) or under-allocated (more installations than licenses).
Allocations vs. Installations	For each licensed product, shows the variance between allocated licenses and the total number of installations. The result is the number of over-allocated licenses or under-allocated licenses.
Current Allocations	For each licensed product, shows the total number of licenses and how many are allocated and unallocated.

Report Title	Description
Demographic Over-Allocation	Lists all licensed products whose number of demographically-allocated licenses is more than the number of installations associated with the demographic.
Demographic Under-Allocation	Lists all licensed products whose number of demographically-allocated licenses is less than the number of installations associated with the demographic.
Device Over-Allocation	Lists all licensed products whose number of device-allocated licenses is less than the number of installations associated with devices.
Duplicate Allocations	Lists all licensed products with device allocations that duplicate demographic allocations.
Installations with no Allocations	Lists all licensed products with installed licenses that are not covered by demographic or device allocations.

7.1.2 Purchases Reports

Report Title	Description
Purchase Record Detail	Lists all purchase records with complete details such as PO number, reseller, manufacturer, and price.
Purchase Record Summary	Compiles the purchase records by catalog product. For each catalog product, lists the product type, purchase quantity, average unit price, and total price.

7.1.3 Software Compliance Reports

Report Title	Description
Software Compliance by Cost Center	Groups licensed products by cost center and shows if a licensed product is over-licensed (more licenses than installations) or under-licensed (more installations than licenses).
Software Compliance by Department	Groups licensed products by department and shows if a licensed product is over-licensed (more licenses than installations) or under-licensed (more installations than licenses).
Software Compliance by Site	Groups licensed products by site and shows if a licensed product is over-licensed (more licenses than installations) or under-licensed (more installations than licenses).

7.1.4 Suites Reports

Report Title	Description
Discovered Standalone Components	Lists the individual components of a suite that have been discovered through an inventory scan of devices. For each component, lists the number of installations and how many are being used.

7.2 Viewing a Predefined Report

The ZENworks Reporting Server must be installed and configured before you can use the predefined reports. For information, see the *ZENworks 10 Asset Management Reporting Server Installation Guide*.

- 1 In the ZENworks Control Center, click the *Reports* tab.
- 2 In the ZENworks Reporting Server panel, click ZENworks Reporting Server InfoView.
The InfoView is the main interface for working with the ZENworks Reporting Server reports.
- 3 Click Document List.
- 4 Navigate to the All > Public Folders > Novell ZENworks Reports > Predefined Reports > Asset Management > License Management folder.
The Asset Management reports are organized in four subfolders: License Allocation, Purchases, Software Compliance, and Suites. For a brief description of each report, see [Section 7.1, “Predefined Reports,” on page 71](#).
- 5 Open the folder that contains a report you want to view.
- 6 Double-click the report to view it.

Establishing Proof of Ownership

8

The following sections provide information on how to provide proof of ownership through contracts and documents and how to use contract reports:

- ♦ [Section 8.1, “Adding Contracts,” on page 75](#)
- ♦ [Section 8.2, “Defining the Contract,” on page 77](#)
- ♦ [Section 8.3, “Using Date Notification,” on page 85](#)
- ♦ [Section 8.4, “Using Contract Management Standard Reports,” on page 87](#)
- ♦ [Section 8.5, “Using Contract Management Custom Reports,” on page 89](#)
- ♦ [Section 8.6, “Setting Report Rights,” on page 97](#)
- ♦ [Section 8.7, “Adding and Associating Documents,” on page 98](#)

8.1 Adding Contracts

Contracts, along with documents, are used to establish proof of ownership. You can add contracts by creating a new contract or copying an existing contract.

- ♦ [Section 8.1.1, “Creating a New Contract,” on page 75](#)
- ♦ [Section 8.1.2, “Copying an Existing Contract,” on page 77](#)

8.1.1 Creating a New Contract

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.

Contract Management	
Name	Type
Contracts [Details]	Folder
Date Notifications [Details]	Folder
Contract Management Reports [Details]	Folder

- 3 Click *Contracts*.
- 4 In the Contracts panel, click *New > Contract* to open the Create New Contract Wizard. Complete the wizard by using information from the following table to fill in the fields:

Wizard Page	Details
General Contract Information page	<p>Fill in the following fields:</p> <p>Contract ID: The identifier of the contract. Required.</p> <p>Name: The name of the contract. Required.</p> <p>Description: A description of the contract.</p> <p>Total Cost: The total cost of the transaction.</p> <p>Parent Contract: If there is a parent contract, click the <i>Browse</i> button to find and select it, then click <i>OK</i>.</p> <p>Terms and Conditions: Specify any terms and conditions.</p> <p>Contract Type: Select one of the fourteen contract types or type a custom one of your own.</p> <p>Status: Select <i>Pending</i>, <i>Active</i>, or <i>Expired</i>. You can also type a custom status of your own.</p> <p>Original Start Date: Click the calendar icon to select a date. Click the X icon to clear it.</p> <p>Current End Date: Click the calendar icon to select a date. Click the X icon to clear it.</p> <p>Evergreen: Select <i>Evergreen</i> if the contract specifies it.</p> <p>Renewal Option: Select <i>Yes</i> or <i>No</i>.</p> <p>Renewal Provision: Specify any renewal provision.</p> <p>Notice Date: Click the calendar icon to select a date. Click the X icon to clear it.</p> <p>Notice Description: Specify a description for the notice.</p>
Vendor Information page	Specify the vendor information in the fields. If the contract type is Lease, there are additional fields to fill in.
New Contract Summary page	Review the information you entered. Use the Back button to go back.

5 (Optional) Select *Define Additional Properties* to further define the contract.

6 Click *Finish*.

The contract is created. If you selected *Define Additional Properties* in **Step 5**, continue with **Section 8.2, “Defining the Contract,” on page 77**.

8.1.2 Copying an Existing Contract

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.

Software Usage	License Management	Contract Management	Documents
Contract Management			
Name		Type	
📁 Contracts [Details]		Folder	
📁 Date Notifications [Details]		Folder	
📁 Contract Management Reports [Details]		Folder	

- 3 Click *Contracts*.
- 4 In the *Contracts* panel, select the check box next to the contract you want to copy, then click *Copy* to display the *Copy Contract* dialog box.



The image shows a 'Copy Contract' dialog box with the following fields and options:

- Contract ID:** Contract12(1)
- Name:** Software Supplier Contract(1)
- Parent Contract:** No parent, Source contract (adasdfasd)
- Buttons:** OK, Cancel

- 5 Fill in the following fields:
 - Contract ID:** Specify a new identifier for the contract. The contract ID cannot be the same as any other contract ID in the folder.
 - Name:** Specify a new name for the contract
 - Parent Contract:** If you want to designate the source contract as this contract's parent, select *Source contract*. If you want to designate the source contract's parent as this contract's parent, select *Same parent as source*. Otherwise, select *No parent*.
If you need to designate some other contract as the parent, you can create the contract and then edit it (see [“Defining the Contract” on page 77](#)). At that point, you can select any existing contract.
- 6 Click *OK* to create the new contract and add it to the *Contracts* list.
- 7 If you need to edit the contract to change information, click the contract, then continue with the next section, [“Defining the Contract” on page 77](#).

8.2 Defining the Contract

There are eight areas where you can further define a contract. These are shown as tabs on the Contracts page.

- ◆ Section 8.2.1, “General Tab,” on page 78
- ◆ Section 8.2.2, “Vendor Tab,” on page 78
- ◆ Section 8.2.3, “Financial Tab,” on page 79
- ◆ Section 8.2.4, “SLA Tab,” on page 79
- ◆ Section 8.2.5, “Lease Tab,” on page 80
- ◆ Section 8.2.6, “Documents Tab,” on page 81
- ◆ Section 8.2.7, “Renewals Tab,” on page 82
- ◆ Section 8.2.8, “Relationships Tab,” on page 84

8.2.1 General Tab

The *General* tab is the contract’s general information, which was created with the Create New Contract Wizard. You can edit these fields directly.

Figure 8-1 Contract General Tab

The screenshot displays the 'General' tab of a contract management interface. At the top, there are eight tabs: General, Vendor, Financial, SLA, Lease, Documents, Renewals, and Relationships. The 'General' tab is active, showing a form with the following fields and values:

- Contract ID:** 102
- Name:** First Contract
- Description:** (empty text area)
- Total Cost:** 100.00
- Parent Contract:** (empty field with a 'Clear' button)
- Terms and Conditions:** (empty text area)
- Assistant Sales Person:** (empty field)
- Internal ID:** 861
- Contract Type:** Software Maintenance
- Status:** Active
- Original Start Date:** 8/6/07 (with a calendar icon and a close icon)
- Date Notification:** Date Notification
- Current End Date:** (empty field with a calendar icon and a close icon)
- Evergreen:** Evergreen
- Date Notification:** Date Notification
- Time Remaining:** (empty field)
- Renewal Option:** Yes
- Renewal Provision:** (empty text area)
- Notice Date:** 8/29/07 (with a calendar icon and a close icon)
- Date Notification:** Date Notification
- Notice Description:** (empty text area)

At the bottom of the form, there are two buttons: 'Apply' and 'Reset'.

8.2.2 Vendor Tab

The *Vendor* tab contains information about the vendor, which was created with the Create New Contract Wizard. You can edit these fields directly.

Figure 8-2 *Contract Vendor Tab*

8.2.3 Financial Tab

The *Financial* tab shows costs associated with the contract. This information is calculated from data in the contract.

Figure 8-3 *Contract Financial Tab*

General	Vendor	Financial	SLA	Lease	Documents	Renewals	Relationships
Financial							
Total Cost:		100.00	Annualized Cost:		0.00		
Per Asset:			Per Asset:				
Per User:			Per User:				
Per Department:			Per Department:				
Per Cost Center:			Per Cost Center:				
Per Site:			Per Site:				
Per Licensed Product:			Per Licensed Product:				

8.2.4 SLA Tab

The *SLA* tab allows you to create and delete service level agreements.

To create a service level agreement:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.

Software Usage	License Management	Contract Management	Documents
Contract Management			
Name	Type		
Contracts (Details)	Folder		
Date Notifications (Details)	Folder		
Contract Management Reports (Details)	Folder		

- 3 Click *Contracts*.
- 4 Click an existing contract to open the Contract page.

General Vendor Financial SLA Lease Documents Renewals Relationships

General

Action ▾

Contract ID: 102 Contract Type: Software Maintenance

Name: First Contract Status: Active

Description: Original Start Date: 8/6/07 Date Notification

Total Cost: 100.00 Current End Date: Evergreen Date Notification

Parent Contract: Clear Time Remaining: Renewal Option: Yes

Terms and Conditions: Renewal Provision: Notice Date: 8/29/07 Date Notification

Assistant Sales Person: Notice Description: Internal ID: 861

Apply Reset

5 Click the *SLA* tab.

General Vendor Financial SLA Lease Documents Renewals Relationships

Service Level Agreements

New Delete

<input type="checkbox"/> Metric	Actual	Start	Notification?	End	Notification?
<input type="checkbox"/> 123	456	8/6/07		8/6/07	

1 - 1 of 1 show 5 items

6 Click *New*.

New Service Level Agreement

Service Level Agreements

Service Level Metric: Start Date: 8/12/07 Date Notification

Actual Service Level: End Date: 8/12/07 Date Notification

Apply Cancel

7 In the dialog box, specify the service level metric and actual service level, and select start and end dates.

8 (Optional) If you want to be notified by e-mail of the approach of the start or end date, select *Date Notification*.

9 Click *Apply*.

8.2.5 Lease Tab

The *Lease* tab shows the details of the lease and allows you to edit them. Specify values in the various fields. Click the calendar icon to select the date. Select *Date Notifications* to send out e-mail notifications. Click *Apply* to save changes.

Figure 8-4 Contract Lease Tab

8.2.6 Documents Tab

The *Documents* tab shows existing documentation associated with the contract and allows you to add additional documentation.

To add documents:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 Click *Contracts*.


Contracts							
New Move... Delete							
<input type="checkbox"/>	Contract ID	Name	Type	Status	Start Date	End Date	Parent Contract ID
<input type="checkbox"/>	102	First Contract	Software Maintenance	Active	8/6/07	Evergreen	
<input type="checkbox"/>	103	ACME Contract Lease		Expired	8/7/07	8/7/07	

1 - 2 of 2 show 25 items

- 4 Click the contract you want to add a document to.
- 5 Click the *Documents* tab.

Documents							
Add Remove							
<input type="checkbox"/>	Document ID	File Name	Date Attached	File Type	File Size(KB)	Description	Attached By
No items available.							

- 6 In the *Documents* panel, click *Add*.



7 In the dialog box, select a document, then click *OK*.

To remove documents:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 Click *Contracts*.

Contracts							
New ▾ Move... Delete							
<input type="checkbox"/>	Contract ID	Name	Type	Status	Start Date	End Date	Parent Contract ID
<input type="checkbox"/>	102	First Contract	Software Maintenance	Active	8/6/07	Evergreen	
<input type="checkbox"/>	103	ACME Contract Lease		Expired	8/7/07	8/7/07	

- 4 Click the contract with the documents you want to remove.
- 5 Click the *Documents* tab.

Documents							
Add Remove							
<input type="checkbox"/>	Document ID	File Name	Date Attached	File Type	File Size(KB)	Description	Attached By
No items available.							

- 6 In the Documents panel, select the documents you want to remove.
- 7 On the *Documents* menu bar, click *Remove*.

8.2.7 Renewals Tab

The *Renewal* tab shows the contract's renewal history and allows you to add and delete renewal records.

To renew a contract:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 Click *Contracts*.

Contract ID	Name	Type	Status	Start Date	End Date	Parent Contract ID
102	First Contract	Software Maintenance	Active	8/6/07	Evergreen	
103	ACME Contract Lease		Expired	8/7/07	8/7/07	

- 4 Click the contract you want to renew.
- 5 Click the *Renewals* tab.

Date Entered	Entered By	End Date Before	End Date After	Effective Date	Notes
No items available.					

- 6 Click *Action > Renew Contract*.

Enter renewal information

Current End Date: 8/7/07

New End Date: 8/12/07

Effective Date: 8/12/07

Notes:

Apply Cancel

- 7 Specify a new *End Date* and *Effective Date* by clicking the calendar icons and selecting a date.
- 8 (Optional) Add notes, if any.
- 9 Click *Apply*.

To delete a contract renewal record:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 Click *Contracts*.

Contracts							
New ▾ Move... Delete							
<input type="checkbox"/>	Contract ID ▲	Name	Type	Status	Start Date	End Date	Parent Contract ID
<input type="checkbox"/>	 102	First Contract	Software Maintenance	Active	8/6/07	Evergreen	
<input type="checkbox"/>	 103	ACME Contract	Lease	Expired	8/7/07	8/7/07	

1 - 2 of 2 show 25 ▾ items

- 4 Click the contract with the renewal record that you want to delete.
- 5 Click the *Renewals* tab.

General	Vendor	Financial	SLA	Lease	Documents	Renewals	Relationships
Renewal History ⌵							
Delete Action ▾							
<input type="checkbox"/>	Date Entered ▲	Entered By	End Date Before	End Date After	Effective Date	Notes	
No items available.							

- 6 Click the renewal record you want to delete.
- 7 Click *Delete*.

8.2.8 Relationships Tab

The *Relationships* tab allows you to associate the contract with the following:

- ♦ **Workstation/Server Devices:** Add a device by clicking *Add* and searching for the device. Then click *OK*. Delete the device by selecting it and clicking *Remove*.
- ♦ **Network Devices:** Add a network device by clicking *Add*, selecting the device, then clicking *OK*. Delete the device by selecting it and clicking *Remove*.
- ♦ **License Entitlements:** Select a license entitlement and click *Remove* to sever the relationship.
- ♦ **Users:** Add a user by clicking *Add*, selecting the user name, then clicking *OK*. Delete the user by selecting it and clicking *Remove*.
- ♦ **Sites:** Add a site by clicking *Add*, selecting the site name, then clicking *OK*. Delete the site by selecting it and clicking *Remove*.
- ♦ **Cost Centers:** Add a cost center by clicking *Add*, selecting the cost center, then clicking *OK*. Delete the cost center by selecting it and clicking *Remove*.
- ♦ **Departments:** Add a department by clicking *Add*, selecting the department name, then clicking *OK*. Delete the department by selecting it and clicking *Remove*.

Figure 8-5 Document Relationships Tab

General	Vendor	Financial	SLA	Lease	Documents	Renewals	Relationships
Workstation/Server Devices Advanced ^							
Add Remove							
<input type="checkbox"/>	Machine	Login	MAC Address	IP Address	Site	Department	Cost Center
No items available.							
Network Devices Advanced ^							
Add Remove							
<input type="checkbox"/>	DNS Name	IP Address	Name	Type	Description		
No items available.							
License Entitlements ^							
Remove							
<input type="checkbox"/>	Description	Type	License Period	Term	License Status	License Quantity	
No items available.							
Users ^							
Add Remove							
<input type="checkbox"/>	Last Name	First Name	Middle Name	Phone Number	E-mail Address		
No items available.							
Sites ^							
Add Remove							
<input type="checkbox"/>	Description						
No items available.							
Cost Centers ^							
Add Remove							
<input type="checkbox"/>	Description						
No items available.							
Departments ^							
Add Remove							
<input type="checkbox"/>	Description						
No items available.							

8.3 Using Date Notification

The Date Notifications page shows the date notifications that were configured when the contract was created. Click any existing notification to view or edit the e-mail settings.

- ◆ Section 8.3.1, “Configuring Date Notification Settings,” on page 85
- ◆ Section 8.3.2, “Creating a Folder for Date Notification Records,” on page 86
- ◆ Section 8.3.3, “Moving a Date Notification Record,” on page 87
- ◆ Section 8.3.4, “Deleting a Date Notification Record,” on page 87

8.3.1 Configuring Date Notification Settings

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 Click *Date Notifications*.

Date Notifications							
New Move... Delete Action							
<input type="checkbox"/>	Name	Field	Status	Sent	Failures	Last	Next
<input type="checkbox"/>	102 - Original Start Date	Original Start Date	In-Progress	0		8/7/07	9/6/07
1 - 1 of 1							show 25 items

4 Click *Action* > *Default Date Notification Settings*.

The screenshot shows the 'Default Date Notification Settings' dialog box. It has a title bar with a close button. The settings are as follows:

- Send Notification: 3 Days Before Associated Date
- Repeat Notification
- Every Month for 3 Months
- Delete Date Notification Record When Complete
- From: administrator@novell.com
- Recipients: A list box on the left labeled 'Contacts' is empty. A list box on the right labeled 'To' contains 'ctoibin@ireland.uk'. There are '>' and '<' buttons between the two list boxes.
- Additional Recipients: An empty text box.
- Buttons: 'OK' and 'Cancel' at the bottom right.

5 Fill in the fields in the Default Date Notification Settings dialog box.

6 Click *OK*.

8.3.2 Creating a Folder for Date Notification Records

1 In ZENworks Control Center, click the *Asset Management* tab.

2 Click the *Contract Management* tab.

3 Click *Date Notifications*.

The screenshot shows a table titled 'Date Notifications' with a menu bar containing 'New', 'Move...', 'Delete', and 'Action'. The table has the following columns: Name, Field, Status, Sent, Failures, Last, and Next. There is one row of data:

Name	Field	Status	Sent	Failures	Last	Next
102 - Original Start Date	Original Start Date	In-Progress	0		8/7/07	9/6/07

At the bottom of the table, it says '1 - 1 of 1' and 'show 25 items'.

4 Click *New*.

The screenshot shows the 'New Folder' dialog box. It has a title bar with a help icon and a close button. The fields are:

- Name: * (required), with an empty text box.
- Folder: * (required), with the path '/Contract Management/Date Notifications' and a search icon.
- Description: A large empty text box.
- Buttons: 'OK' and 'Cancel' at the bottom.

Below the fields, it says 'Fields marked with an asterisk are required.'

- 5 Specify a name for the folder.
- 6 Click *OK*.

8.3.3 Moving a Date Notification Record

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 Click *Date Notifications*.

Date Notifications							
 New ▾ Move... Delete Action ▾							
<input type="checkbox"/>	Name	Field	Status	Sent	Failures	Last	Next
<input type="checkbox"/>	 102 - Original Start Date	Original Start Date	In-Progress	0		8/7/07	9/6/07

1 - 1 of 1 show 25 ▾ items

- 4 Select the notification to move.
- 5 Click *Move*.
- 6 Select the new location for the notification record.
- 7 Click *OK*.

8.3.4 Deleting a Date Notification Record

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 Click *Date Notifications*.

Date Notifications							
 New ▾ Move... Delete Action ▾							
<input type="checkbox"/>	Name	Field	Status	Sent	Failures	Last	Next
<input type="checkbox"/>	 102 - Original Start Date	Original Start Date	In-Progress	0		8/7/07	9/6/07

1 - 1 of 1 show 25 ▾ items

- 4 Select the notification to delete.
- 5 Click *Delete*.

8.4 Using Contract Management Standard Reports

ZENworks[®] Control Center includes a variety of reports to help you manage the assets in your Management Zone. The Contract Management Reports page allows you to view contract data through a variety of standard and custom reports.

Standard (predefined) reports provide contract information arranged according to the report configuration.

- ♦ [Section 8.4.1, “Available Standard Reports,” on page 88](#)
- ♦ [Section 8.4.2, “Running and Viewing Reports,” on page 88](#)

If you have installed the ZENworks Reporting Server, you have access to additional Asset Management reports. For information, see [Chapter 7, “Using Reporting Server Reports,” on page 71](#).

8.4.1 Available Standard Reports

ZENworks Control Center includes several predefined reports you can use to view contract data. The following standard reports are available:

- ◆ **General Contract:** Shows a list of contracts with general contract information.
- ◆ **Date Details:** Shows a list of contracts and key dates.
- ◆ **Vendor Details:** Shows a list of contracts and vendor information.
- ◆ **Financial Details:** Shows a list of contracts and key financial information.
- ◆ **SLA Details:** Shows a list of service level agreements from all contracts.
- ◆ **Lease Details:** Shows a list of contracts and key lease information.
- ◆ **Document Details:** Shows a list of documents from all contracts.
- ◆ **Renewal Details:** Shows the renewal history event list for all contracts.
- ◆ **Association Details:** Shows a list of contracts, along with association counts.
- ◆ **Parent/Child Details:** Shows a hierarchical list of contracts and indicates parent/child relationships.

8.4.2 Running and Viewing Reports

You run a standard report by clicking it. Click the links in the report for more detailed information. ZENworks Asset Management allows you to export data to another format, view the data as a graph, change the time period of the report, and change the filter criteria. The following sections provide more information:

- ◆ [“Running a Standard Report” on page 88](#)
- ◆ [“Exporting a Report to a Different Format” on page 89](#)
- ◆ [“Viewing the Report as a Graph” on page 89](#)

Running a Standard Report

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 In the Contract Management panel, click *Contract Management Reports*.
- 4 In the Contract Management Standard Reports panel, click the report you want to run.
Reports are listed by name and description. For a list of reports and descriptions, see [Section 6.1.1, “Available Standard Reports,” on page 53](#).
- 5 Click the links for more detailed information.

Exporting a Report to a Different Format

ZENworks Asset Management allows you to export report data to three formats: Excel, CSV, and PDF.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 In the Contract Management panel, click *Contract Management Reports*.
- 4 In the Contract Management Standard Reports panel, click the report you want to run.
Reports are listed by name and description. For a list of reports and descriptions, see [Section 6.1.1, “Available Standard Reports,” on page 53](#).
- 5 Click the links in the report for more detailed information.
- 6 Export the report by clicking one of the three formats on the bottom of the report.

Viewing the Report as a Graph

Many reports can be viewed as a graph. Three graphical formats are available: bar graph, pie chart, and line graph. (If this feature is available, *Graph* appears at the bottom of the report.)

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 In the Contract Management panel, click *Contract Management Reports*.
- 4 In the Contract Management Standard Reports panel, click the report you want to run.
Reports are listed by name and description. For a list of reports and descriptions, see [Section 6.1.1, “Available Standard Reports,” on page 53](#).
- 5 Click *Graph* on the bottom of the report.
A new window appears with the available graphs.

8.5 Using Contract Management Custom Reports

ZENworks Control Center allows you to create and run custom reports that you can use to analyze contract information.

- ♦ [Section 8.5.1, “Sample Custom Reports,” on page 90](#)
- ♦ [Section 8.5.2, “Running a Custom Report,” on page 90](#)
- ♦ [Section 8.5.3, “Creating a Custom Report,” on page 90](#)
- ♦ [Section 8.5.4, “Scheduling a Custom Report and Sending Notifications,” on page 92](#)
- ♦ [Section 8.5.5, “Configuring E-Mail Addresses for Sending Notifications,” on page 93](#)
- ♦ [Section 8.5.6, “Editing a Custom Report,” on page 94](#)
- ♦ [Section 8.5.7, “Moving a Custom Report,” on page 95](#)
- ♦ [Section 8.5.8, “Deleting a Custom Report or Folder,” on page 96](#)
- ♦ [Section 8.5.9, “Viewing Scheduled Reports by Date and Title,” on page 96](#)
- ♦ [Section 8.5.10, “Importing New Report Definitions,” on page 96](#)

8.5.1 Sample Custom Reports

ZENworks Asset Management provides four sample custom reports that demonstrate the different types of contract management reports you can create.

- ♦ **Active contracts with no associated assets:** Shows active contracts that have no associated assets; that is, no workstation or network devices.
- ♦ **Active Software Maintenance Contracts:** Shows the active contracts whose type is software maintenance.
- ♦ **Contracts with Evergreen Provision:** Shows all active contracts with an Evergreen provision.
- ♦ **Contracts with no Attached Documents:** Shows all contracts with no attached documents.
- ♦ **Contracts Ending w/in 90 days (no renewal option):** Shows all non-renewable contracts with end dates within 90 days after the run date.
- ♦ **Contracts Ending w/in 90 days (renewal option):** Shows all renewable contracts with end dates within 90 days after the run date.
- ♦ **Contracts Renewed in last 90 days:** Shows contracts that have been renewed in the last 90 days.
- ♦ **Expired Contracts:** Shows all expired contracts.
- ♦ **Lease Schedules ending w/in 60 days:** Shows contracts with a lease schedule and a current end date within 60 days of the report run date.
- ♦ **Pending Contracts:** Shows all the pending contracts.

For information about running one of the sample custom reports, see [Section 8.5.2, “Running a Custom Report,”](#) on page 90.

For information about creating your own custom reports, see [Section 8.5.3, “Creating a Custom Report,”](#) on page 90.

8.5.2 Running a Custom Report

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 In the Contract Management panel, click *Contract Management Reports*.
- 4 In the Contract Management Custom Reports panel, click the folder containing the report you want to run.

The number of reports in each folder is shown in the *Report Count* column.

- 5 Click a report.

The report definition appears. For information on editing the report definition, see [Section 8.5.6, “Editing a Custom Report,”](#) on page 94.

- 6 Click *Run* in the lower left corner.

On the report page, click the various links on the report for additional information. You can export the report to an Excel, CSV, or PDF format by clicking the corresponding link.

8.5.3 Creating a Custom Report

- 1 In ZENworks Control Center, click the *Asset Management* tab.

- 2 Click the *Contract Management* tab.
- 3 In the Contract Management panel, click *Contract Management Reports*.
- 4 In the Contract Management Custom Reports panel, click the folder where you want to save the report, or create a new folder by clicking *New*, specifying a folder name, then clicking *OK*.
- 5 In the Custom Reports panel, click *New*.

Custom Report Definition - Step 1 of 2: Choose Focus

Name

Type Contract

Focus

- General
- Vendor
- Financial
- Service Level Agreement
- Lease
- Documents
- Renewal History
- Associations

Continue... Cancel

- 6 Specify a name in the *Name* field.
- 7 Select the focus of the report. The options are:
 - ◆ General
 - ◆ Vendor
 - ◆ Financial
 - ◆ Service Level Agreement
 - ◆ Lease
 - ◆ Documents
 - ◆ Renewal History
 - ◆ Associations
- 8 Click *Continue*.

Custom Report Definition - Step 2 of 2: Choose columns, column order, and criteria

Name **Description**

Folder

Type

Columns

Available	Available	Column Order
Acceptance Date	Contract ID	
Account Number	Contract Name	
Actual Service Level	Contract Type	
Assoc. Cost Centers	Contract Status	
Assoc. Departments	Original Start Date	
Assoc. Device Assets	Current End Date	
Assoc. Entitlements	Evergreen	
Assoc. Network Device Assets	Total Cost (\$)	
Assoc. Sites	Parent Contract ID	
Assoc. Users	Parent Contract Name	

Criteria

Field	Operator	Value

Summary Criteria

Summary Field	Operator	Value

9 Fill in the following fields:

Name: The name you entered in [Step 6](#) is displayed. You can change it if necessary.

Folder: The folder you selected in [Step 4](#) is displayed. You can change it if necessary.

Description: Specify a description for your report.

Type: Displays the report type you selected.

Columns: From the list on the left, select the data you want to include in your report. Use the arrow icons to move the selected data to the list on the right. Use Ctrl+click to select more than one option at a time. Use the up and down icons to arrange how you want the data displayed.

Criteria: Select your filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters or click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators.

Summary Criteria: Select your summary filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters or click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators

10 Click *Save*.

The next time you open the Custom Reports page, the report appears in the Custom Reports panel.

8.5.4 Scheduling a Custom Report and Sending Notifications

You can schedule a report to run automatically and send out notifications to specified people when the report is ready.

You must have already defined an SMTP e-mail server if you want to send e-mail notifications. This is done through the SMTP Settings option (Configuration tab > Management Zone Settings panel > Event and Messaging > SMTP Settings).

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 In the Contract Management panel, click *Contract Management Reports*.

- 4 In the Contract Management Custom Reports panel, click the folder containing the report you want to schedule.
- 5 Click the report you want to schedule.
- 6 Click *Schedule/Notification*.

The screenshot shows a dialog box titled "Schedule Report/Notification: Contracts with Evergreen Provision". It contains the following fields and options:

- Start Date:** A text input field with a calendar icon to its right.
- Frequency:** A dropdown menu currently set to "Yearly".
- Output:** A group of radio buttons with the following options:
 - Stored Report Results
 - Send a Notification (E-mail)
 - Both
 - Send notification / Store results, only when matching records are found
- Maximum Records:** A text input field.

At the bottom of the dialog are two buttons: "Submit" and "Cancel".

- 7 Fill in the following fields:

Start Date: Click the calendar icon to specify a date.

Frequency: Select how often you want to send the notification: yearly, monthly, weekly, daily, once, or never.

Output: Select whether you want to store the report, send an e-mail notification that the report is ready, or both. You can also choose to store the results or send a notification only when matching records are found. For information on configuring e-mail addresses, see [Section 6.2.5, "Configuring E-Mail Addresses for Sending Notifications,"](#) on page 63.

Maximum Records: Specify the maximum number of records to store.

- 8 Click *Submit*.

The report runs at the scheduled times.

8.5.5 Configuring E-Mail Addresses for Sending Notifications

You can send notifications to selected people when a custom report is run. To do this, you need to import the e-mail addresses of those you want to notify into ZENworks Control Center. For information on sending notifications, see [Section 6.2.4, "Scheduling a Custom Report and Sending Notifications,"](#) on page 61.

The E-mail Addresses panel on the Asset Inventory page allows you to import e-mail addresses that can be used to send notifications when a custom report is ready, as configured in the report definition. Previously imported e-mail addresses are listed in the panel, along with the user's first, last, and middle name.

To import e-mail addresses:

- 1 In ZENworks Control Center, click the *Configuration* tab.
- 2 Click the *Asset Inventory* tab.
- 3 In the E-mail Addresses Panel, click *Action > Manage E-mail Addresses*.



- 4 In the *Import From* field, select either *Inventory Data* or *Comma Separated File*.
If you select *Inventory Data*, the e-mail addresses found in an inventory scan are imported.
If you select *Comma Separated File*, specify the file location in the *E-mail Address File* field.
- 5 Click *Import*.
- 6 Click *Close*.

To delete all e-mail information:


- 1 In ZENworks Control Center, click *Configuration*.
- 2 Click the *Asset Inventory* tab.
- 3 In the E-mail Addresses Panel, click *Action > Manage E-mail Addresses*.



- 4 Click *Delete*.
- 5 Click *OK*.
All e-mail information is deleted.

8.5.6 Editing a Custom Report

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 Click *Contract Management Reports*.
- 4 In the Contract Management Custom Reports panel, click the folder containing the report you want to edit.
- 5 Click the report.
- 6 Click *Edit* in the lower left corner.



7 Edit the following fields:

Name: The name of the report.

Folder: The folder where you want to save the report.

Description: The description for your report.

Columns: From the list on the left, select the data you want to include in your report. Use the arrow icons to move the selected data to the list on the right. Use Ctrl+click to select more than one option at a time. Use the up and down icons to arrange how you want the data displayed.

Criteria: Select your filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters or click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators.

Summary Criteria: Select your summary filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters or click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators.

8 Click *Save*.

8.5.7 Moving a Custom Report

1 In ZENworks Control Center, click the *Asset Management* tab.

2 Click the *Contract Management* tab.

3 In the Contract Management panel, click *Contract Management Reports*.

4 In the Contract Management Custom Reports panel, click the folder containing the report or reports you want to move.

5 Select the report or reports you want to move.

6 Click *Edit > Move*.

7 Select a new folder location.

8 Click *OK*.

8.5.8 Deleting a Custom Report or Folder

To delete a custom report:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 In the Contract Management panel, click *Contract Management Reports*.
- 4 In the Contract Management Custom Reports panel, click the folder containing the report you want to delete.
- 5 Select the report you want to delete.
- 6 Click *Delete*.

To delete a folder (and all reports in the folder):

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 In the Contract Management panel, click *Contract Management Reports*.
- 4 In the Contract Management Custom Reports panel, select the folder you want to delete.
- 5 Click *Delete*.

8.5.9 Viewing Scheduled Reports by Date and Title

Reports that are run on a schedule are stored in a database. You can view these reports either by title or date. For information on scheduling reports, see [Section 6.2.9, “Viewing Scheduled Reports by Date and Title,” on page 67](#).

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.
- 3 In the Contract Management panel, click *Contract Management Reports*.
- 4 In the Contract Management Custom Reports panel, click one of the following:
 - ♦ *Action > View Scheduled Report Results by Date*
 - ♦ *Action > View Scheduled Report Results by Title*

The Scheduled Reports by Grouping page opens and shows the saved scheduled custom reports grouped by date or title and a report count. Click the date or title to open the Scheduled Reports page, where you can select a report and view it. To delete a group of reports, select the group and click *Delete*.

8.5.10 Importing New Report Definitions

If you have defined reports in ZENworks Asset Management 7.5, you can import them into ZENworks Control Center. You can also re-import reports that have been exported by ZENworks Control Center. A predefined XML format is needed for import.

To import report definitions:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Contract Management* tab.

- 3 In the Contract Management panel, click *Contract Management Reports*.
- 4 In the Contract Management Custom Reports panel, click *Action > Import New Report Definition*.



Import Custom Report Definition

Query import file:

- 5 Specify the file in the *Query import file* field, or click *Browse* to search.
- 6 Click *Import*.

8.6 Setting Report Rights

ZENworks Asset Management report rights allow you to manage each administrator's rights for each folder and its reports. Each report folder has rights associated with it, governing all the reports within that folder. For example, if you have full rights, you can edit a report; but with view/execute rights, you can only see the report and run it. With ZENworks Asset Management report rights, you can limit who has access to certain reports and who can edit them. The report folder type, custom or standard, and the report name are listed along with the rights associated with the folder. The choices are:

- ♦ **Remove all rights:** Removes all rights to the folder, so the specified administrator cannot see it.
- ♦ **Assign view/execute rights:** Allows the specified administrator to view and execute a report in the specified folder, but not to edit, move, or delete a report in the folder.
- ♦ **Assign full rights:** Gives the specified administrator full rights to create, edit, move, and delete reports. For standard reports, this setting is the same as *View/Execute*, because you cannot alter a standard report.

To change inventory report rights:

- 1 In ZENworks Control Center, click *Configuration*.
- 2 In the Administrators panel, click an administrator.
- 3 In the Administrator Tasks panel, click *Asset Management Report Rights*.

Asset Management Report Rights			
Edit			
<input type="checkbox"/> Folder Type	Folder Name	Source	Rights
<input type="checkbox"/> Custom Reports	Software Application Usage	Usage	View/Execute Rights
<input type="checkbox"/> Custom Reports	Software Compliance	License Management	View/Execute Rights
<input type="checkbox"/> Custom Reports	Contract Management	Contract Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	All Usage	Usage	View/Execute Rights
<input type="checkbox"/> Standard Reports	Application Usage	Usage	View/Execute Rights
<input type="checkbox"/> Standard Reports	Contract Management	Contract Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Network Software Usage	Usage	View/Execute Rights
<input type="checkbox"/> Standard Reports	Other Reports	License Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Purchases	License Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Software Compliance	License Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Software File Usage	Usage	View/Execute Rights
<input type="checkbox"/> Standard Reports	Suites	License Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Unreconciled Products	License Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Web Application Usage	Usage	View/Execute Rights

4 Select the folders you want to change the rights to.

5 Click one of the following:

- ◆ *Edit > Remove All Rights*
- ◆ *Edit > Assign View/Execute Rights*
- ◆ *Edit > Assign Full Rights*

The change is reflected in the *Rights* column.

8.7 Adding and Associating Documents

ZENworks Asset Management allows you to add documentation to entitlements, contracts, and purchase summary records to help establish proof of ownership. It's a two-step process:

- ◆ [Section 8.7.1, "Adding Documents," on page 98](#)
- ◆ [Section 8.7.2, "Associating Documents," on page 99](#)

8.7.1 Adding Documents

1 In ZENworks Control Center, click the *Asset Management* tab.

2 Click the *Documents* tab.

3 In the Documents panel, click *New > Upload Document* to open the Upload New Document Wizard. Complete the wizard by using information from the following table to fill in the fields:

Wizard Page	Details
Specify Document File to Add page	Specify the file in the <i>File Name</i> field or click <i>Browse</i> to search.

Wizard Page	Details
Document File Information page	<p>Fill in the following fields:</p> <p>Document ID: Specify a file ID.</p> <p>Local Path: This field displays the path of the file.</p> <p>Source Location: Specify the location of the source file.</p> <p>As-Of Date: Click the calendar icon to select a date.</p> <p>Description: Add a description, if needed.</p>
New Document Summary	<p>Review the data entered. Use the <i>Back</i> button to make corrections. Click <i>Finish</i> to upload the document.</p>

To move a document:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Documents* tab.
- 3 Select a document to move.
- 4 Select a destination folder in the Move Document(s) dialog box.
- 5 Click *OK*.

To delete a document or folder:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Documents* tab.
- 3 Select a document or folder to delete.
- 4 Click *Delete*.

8.7.2 Associating Documents

To associate documents with entitlements, see [Section 5.3.1, “Creating License Entitlements,” on page 44](#).

To associate documents with contracts, see [Section 8.2.6, “Documents Tab,” on page 81](#).

To associated documents with summary purchase records, see [Section 2.3, “Creating Purchase Summary Records,” on page 21](#).

Using Software Collections

9


Software Collections allow you to consolidate products into a single collection, making it easier to keep track of compliance.

Managing your software collection involves three tasks:

- ♦ Section 9.1, “Creating a Software Collection,” on page 101
- ♦ Section 9.2, “Deleting a Software Collection,” on page 102
- ♦ Section 9.3, “Moving a Software Collection,” on page 102

9.1 Creating a Software Collection

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the License Management panel, click *Software Collections*.



- 3 Click *New > Software Collection* to open the Create New Software Collection Wizard. Complete the wizard by using information from the following table to fill in the fields.


Wizard Page	Details
General Information page	Fill in the following fields: Manufacturer: Specify the name of the manufacturer. Product: Specify the product name. Version: Specify the product version. Platform: Specify either Windows or Mac. Notes: Add notes, if any.
New Software Collection Summary page	Review the summary data. Click <i>Back</i> to make changes.

- 4 (Optional) Select *Define Additional Properties* to add member products to the software collection after you click *Finish*.

- 5 Click *Finish* to create the software collection. If you selected *Define Additional Properties* in [Step 4](#), continue with [Step 6](#).
- 6 Add member products to the software collection.
 - 6a Click *Add* > *Installed Discovered Product* or *Add* > *Any Discovered Product*, depending on what you want to do.
 - 6b Select the products you want to add, then click *OK*.

9.2 Deleting a Software Collection


- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click *Software Collections*.




- 3 In the Software Collections panel, select the collections you want to delete.
- 4 Click *Delete*.

9.3 Moving a Software Collection

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click *Software Collections*.





- 3** In the Software Collections panel, select the collections you want to move.
- 4** Click *Move*.
- 5** Select a target folder in the Move Software Collection(s) dialog box.
- 6** Click *OK*.

ZENworks® Control Center includes a variety of reports to help you make asset management decisions. Being able to see how often a product is used, for example, could help you make decisions on whether to buy additional licenses or reduce their number. The Software Usage page allows you to monitor software usage through a variety of standard and custom reports. This section includes the following topics:

- ♦ [Section 10.1, “Using Software Usage Standard Reports,” on page 105](#)
- ♦ [Section 10.2, “Using Software Usage Custom Reports,” on page 109](#)
- ♦ [Section 10.3, “Setting Report Rights,” on page 116](#)
- ♦ [Section 10.4, “Monitoring Web Application Usage,” on page 117](#)

If you have installed the ZENworks Reporting Server, you have access to additional Asset Management reports. For information, see [Chapter 7, “Using Reporting Server Reports,” on page 71](#).

10.1 Using Software Usage Standard Reports

Standard (predefined) reports scan your software usage data and arrange the data according to the report configuration.

- ♦ [Section 10.1.1, “Available Standard Reports,” on page 105](#)
- ♦ [Section 10.1.2, “Running a Standard Report,” on page 106](#)

10.1.1 Available Standard Reports

ZENworks Control Center includes several predefined reports you can use to analyze software usage in your Management Zone. These reports are grouped according to their function. The available reports are as follows:

- ♦ **Application Usage:** Reports focusing on application usage.
 - ♦ **Total Application Usage by Product:** Shows the total local and served application usage grouped by product.
 - ♦ **Total Application Usage by User:** Shows the total local and served application usage grouped by user.
 - ♦ **Total Application Usage by Device:** Shows the total local and served application usage grouped by device.
 - ♦ **Local Application Usage by Product:** Shows local application usage grouped by product.
 - ♦ **Local Application Usage by User:** Shows local application usage grouped by user.
 - ♦ **Local Application Usage by Device:** Shows local application usage grouped by device.
 - ♦ **Served Application Usage by Product:** Shows served application usage grouped by product.

- ♦ **Served Application Usage by Server:** Shows served application usage grouped by server.
- ♦ **Served Application Usage by User:** Shows served application usage grouped by user.
- ♦ **Served Application Usage by Device:** Shows served application usage grouped by device.
- ♦ **Usage Collection History:** Shows a history of data collection.
- ♦ **Web Application Usage:** Reports focusing on Web application usage.
 - ♦ **Web Application Usage by Application:** Shows Web application usage grouped by application.
 - ♦ **Web Application Usage by User:** Shows Web application usage grouped by user.
 - ♦ **Web Application Usage by Device:** Shows Web application usage grouped by device.
- ♦ **Software File Usage:** Reports focusing on software file usage. These reports are useful in determining software application usage for products not recognized by the ZENworks knowledgebase. For more information on the ZENworks knowledgebase and local software products (products not recognized by the knowledgebase), see *ZENworks 10 Asset Inventory Reference*.
 - ♦ **Software File Usage by Category:** Shows a count of software files grouped by category (*All, Other, Ancillary*), with links to lists of the files.
 - ♦ **Software File Usage by Manufacturer:** Shows a count of software files grouped by manufacturer, with links to lists of the files.
 - ♦ **Software File Usage by Device:** Shows a count of software files grouped by device, with links to lists of the files.
- ♦ **Network Software Usage:** Usage reports focusing on software launched from a network drive.
 - ♦ **Network Software Usage by Product:** Shows network software usage grouped by product.
 - ♦ **Network Software Usage by Server:** Shows network software usage grouped by server.
 - ♦ **Network Software Usage by User:** Shows network software usage grouped by user.
 - ♦ **Network Software Usage by Device:** Shows network software usage grouped by device.
- ♦ **All Usage:** Reports that focus on total application usage, including local, served, Web applications, and network usage.
 - ♦ **All Usage by User:** Shows all usage grouped by user.
 - ♦ **All Usage by Device:** Shows all usage grouped by device.

10.1.2 Running a Standard Report

You run a standard report by clicking it. ZENworks Asset Management allows you to export data to another format, view the data as a graph, change the time period of the report, and change the filter criteria. The following sections provide more information:

- ♦ [“Running a Report” on page 107](#)
- ♦ [“Exporting a Report to a Different Format” on page 107](#)
- ♦ [“Viewing the Report as a Graph” on page 107](#)


- ♦ “Changing the Time Period for a Report” on page 108
- ♦ “Changing the Filter Criteria for a Report” on page 108

Running a Report

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Standard Reports panel, click the folder containing the report you want to run.

Reports are listed by name and description. For a list of reports and descriptions, see [Section 10.1.1, “Available Standard Reports,” on page 105.](#)

- 4 (Optional) Select how you want to filter your search.



You can limit the scope of the report data by any of the following:

- ♦ **Zone:** Select *Zone* to collect data from the entire Management Zone.
 - ♦ **Folder:** Select *Folder* and specify a folder name to gather data about that folder.
 - ♦ **Group:** Select *Group* and specify a group name to gather data about that group.
 - ♦ **Demographic:** Select *Demographic*, then select the criteria you want to use to filter the data.
- 5 Click the report to run it.
 - 6 Click the links for more detailed information.

Exporting a Report to a Different Format

ZENworks Asset Management allows you to export report data into three formats: Excel, CSV, and PDF.

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Standard Reports panel, click the folder containing the report you want to run.
- 4 Click the report to run it.
- 5 Export the report to by clicking one of the three formats on the bottom of the report.

Viewing the Report as a Graph

Many reports can be viewed as a graph. Three graphical formats are available: bar graph, pie chart, and line graph. (If this feature is available, *Graph* appears at the bottom of the report.)

- 1 In ZENworks Control Center, click the *Asset Management* tab.

- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Standard Reports panel, click the folder containing the report you want to run.
- 4 Click the report to run it.
- 5 Click *Graph* on the bottom of the report.

A new window appears with the available graphs.

Changing the Time Period for a Report

For greater flexibility, you can change the time period of some reports. (If this feature is available, *Change Time Period* appears at the bottom of the report.) You can select from the following time periods:

- ◆ Previous Month
- ◆ Previous 3 Months
- ◆ Previous 6 Months
- ◆ Previous 12 Months
- ◆ All History in Database

To change the time period:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Standard Reports panel, click the folder containing the report you want to run.
- 4 Click the report to run it.
- 5 Click *Change Time Period*.

Report Filters

Time Period	Previous 3 Months
-------------	-------------------

Apply Cancel

- 6 Select an interval in the *Time Period* field.
- 7 Click *Apply*.

The report is run again and the new time period is shown on the top left of the report.

Changing the Filter Criteria for a Report

Many reports allow you to change the report filter criteria. (If this feature is available, *Change Time Period/Filter* appears at the bottom of the report.)

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Standard Reports panel, click the folder containing the report you want to run.

- 4 Click the report to run it.
- 5 Click *Change Time Period/Filter* on the bottom of the report.

Report Filters

Time Period	Previous 3 Months
Detail	<input checked="" type="radio"/> Used Applications Only
	<input type="radio"/> Unused Applications Only
	<input type="radio"/> All Applications

Apply Cancel

- 6 Select an interval in the *Time Period* field.
- 7 Select one of the following filters:
 - ◆ Used applications only
 - ◆ Unused applications only
 - ◆ All applications
- 8 Click *Apply*.

10.2 Using Software Usage Custom Reports

ZENworks Control Center allows you to create and run custom reports that you can use to analyze software usage in your Management Zone. These sections provide more information:

- ◆ [Section 10.2.1, “Available Custom Reports,” on page 109](#)
- ◆ [Section 10.2.2, “Running a Custom Report,” on page 110](#)
- ◆ [Section 10.2.3, “Creating a Custom Report,” on page 110](#)
- ◆ [Section 10.2.4, “Scheduling a Custom Report and Sending Notifications,” on page 111](#)
- ◆ [Section 10.2.5, “Configuring E-Mail Addresses for Sending Notifications,” on page 112](#)
- ◆ [Section 10.2.6, “Editing a Custom Report,” on page 113](#)
- ◆ [Section 10.2.7, “Moving a Custom Report,” on page 114](#)
- ◆ [Section 10.2.8, “Deleting a Custom Report or Folder,” on page 115](#)
- ◆ [Section 10.2.9, “Viewing Scheduled Reports by Date and Title,” on page 115](#)
- ◆ [Section 10.2.10, “Importing New Report Definitions,” on page 115](#)

10.2.1 Available Custom Reports

ZENworks Asset Management provides four sample custom reports that demonstrate the different types of software usage reports you can create.

- ◆ **Software applications not used in 90 days:** Shows the applications that haven’t been used in the previous 90 days.
- ◆ **Software usage on virtual machines:** Shows software usage on virtual machines in the Management Zone.

- ♦ **Workstations with suspicious software used within 7 days:** Shows the workstations with suspicious software that has been used in the previous 7 days.

10.2.2 Running a Custom Report

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Custom Reports panel, click the folder containing the report you want to run.

The number of reports in each folder is shown in the *Report Count* column.

- 4 Click a report.

The report definition appears. For information on editing the report definition, see [Section 10.2.6, “Editing a Custom Report,” on page 113](#).

- 5 Click *Run* in the lower left corner.

On the report page, click the various links on the report for additional information. You can export the report to an Excel, CSV, or PDF format by clicking the corresponding link.

10.2.3 Creating a Custom Report

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Custom Reports panel, click the folder where you want to save the report, or create a new folder by clicking *New*, specifying a folder name, then clicking *OK*.
- 4 In the Custom Reports panel, click *New*.

Custom Report Definition - Step 1 of 2: Choose Type and Focus

Name

Type

- Total Software Usage
- Local Software Usage
- Served Software Usage
- Web Software Usage
- Software File Usage
- Network Software Usage

Focus

- Usage (Server Dev Details)
- Usage (Remote Dev Details)

- 5 Specify a name in the *Name* field.
- 6 Select the report type. The types are:
 - ♦ Total software usage
 - ♦ Local software usage
 - ♦ Served software usage
 - ♦ Web software usage

- ♦ Software file usage
- ♦ Network software usage

7 Select the focus of the report.

8 Click *Continue*.

Custom Report Definition - Step 2 of 2: Choose columns, column order, and criteria

Name: Description:

Folder:

Type: Total Software Application Usage

Columns:

Available	Column Order
Additional SW Info	Product Manufacturer
App User Email	Product Name
App User Fax	Product Version
App User First Name	Hours Active (Local) (Summary)
App User Is Deleted	Number of Local Users
App User Last Name	Hours Active (Served) (Summary)
App User Middle Name	Number of Served Users
App User Name	
App User Phone	
App User Phone(2)	

Criteria:

Field	Operator	Value	
Device Is Deleted	=	No	AND
Product Is Deleted	=	No	

Summary Criteria:

Summary Field	Operator	Value
Hours Used (Local) (Summary)	not =	0

Buttons: Back Save Cancel

9 Fill in the following fields:

Name: The name you entered in **Step 5** is displayed. You can change it if necessary.

Folder: The folder you selected in **Step 3** is displayed. You can change it if necessary.

Description: Specify a description for your report.

Type: Displays the report type you selected.

Columns: From the list on the left, select what data you want to include in your report. Use the arrow icons to move the selected data to the list on the right. Use Ctrl+click to select more than one option at a time. Use the up and down icons to arrange how you want the data displayed.

Criteria: Select your filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters or click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators.

Summary Criteria: Select your summary filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters or click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators

10 Click *Save*.

The next time you open the Custom Reports page, the report appears in the Custom Reports panel.

10.2.4 Scheduling a Custom Report and Sending Notifications

You can schedule a report to run automatically and send out notifications to specified people when the report is ready.

You must have already defined an SMTP e-mail server if you want to send e-mail notifications. This is done through the SMTP Settings option (Configuration tab > Management Zone Settings panel > Event and Messaging > SMTP Settings).

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Custom Reports panel, click the folder containing the report you want to schedule.
- 4 Click the report you want to schedule.
- 5 Click *Schedule/Notification*.

The screenshot shows a dialog box titled "Schedule Report/Notification: SW Usage on Virtual Machines". It contains the following fields and options:

- Start Date:** A text input field with a calendar icon to its right.
- Frequency:** A dropdown menu currently set to "Yearly".
- Output:** Four radio button options:
 - Stored Report Results
 - Send a Notification (E-mail)
 - Both
 - Send notification / Store results, only when matching records are found
- Maximum Records:** A text input field.

At the bottom of the dialog are two buttons: "Submit" and "Cancel".

- 6 Fill in the following fields:

Start Date: Click the calendar icon to specify a date.

Frequency: Select how often you want to send the notification: yearly, monthly, weekly, daily, once, or never.

Output: Select whether you want to store the report, send an e-mail notification that the report is ready, or both. You can also choose to store the results or send a notification only when matching records are found. For information on configuring e-mail addresses, see [Section 10.2.5, "Configuring E-Mail Addresses for Sending Notifications,"](#) on page 112.

Maximum Records: Specify the maximum number of records to store.

- 7 Click *Submit*.

The report runs at the scheduled times.

10.2.5 Configuring E-Mail Addresses for Sending Notifications

You can send notifications to selected people when a custom report is run. To do this, you need to import the e-mail addresses of those you want to notify into ZENworks Control Center. For information on sending notifications, see [Section 10.2.4, "Scheduling a Custom Report and Sending Notifications,"](#) on page 111.

The E-mail Addresses panel on the Asset Inventory page allows you to import e-mail addresses that can be used to send notifications when a custom report is ready, as configured in the report definition. Previously imported e-mail addresses are listed in the panel, along with the user's first, last, and middle name.

To import e-mail addresses:

- 1 In ZENworks Control Center, click the *Configuration* tab.

- 2 Click the *Asset Inventory* tab.
- 3 In the E-mail Addresses Panel, click *Action > Manage E-mail Addresses*.



The screenshot shows a dialog box titled "Manage E-mail Addresses". It features a dropdown menu labeled "Import From" with "Inventory Data" selected. Below the dropdown are three buttons: "Import", "Cancel", and "Delete...".

- 4 In the *Import From* field, select either *Inventory Data* or *Comma Separated File*.
If you select *Inventory Data*, the e-mail addresses found in an inventory scan are imported.
If you select *Comma Separated File*, specify the file location in the *E-mail Address File* field.
- 5 Click *Import*.
- 6 Click *Close*.

To delete all e-mail information:

- 1 In ZENworks Control Center, click *Configuration*.
- 2 Click the *Asset Inventory* tab.
- 3 In the E-mail Addresses Panel, click *Action > Manage E-mail Addresses*.
- 4 Click *Delete*.
- 5 Click *OK*.
All e-mail information is deleted.

10.2.6 Editing a Custom Report

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Custom Reports panel, click the folder containing the report you want to edit.
- 4 Click the report.
- 5 Click *Edit* in the lower left corner.

Custom Report Definition

Name: SW Usage on Virtual Machines **Description:** Software with usage, running on virtual machines.

Folder: Software Application Usage

Type: Local Software Application Usage

Columns:

Available	Column Order
Additional SW Info	Product Manufacturer
App Starts (Summary)	Product Name
App User Email	Product Version
App User Fax	Run Time Hours (Summary)
App User First Name	Active Hours (Summary)
App User Is Deleted	Instances (Summary)
App User Last Name	
App User Middle Name	
App User Name	
App User Phone	

Criteria:

Field	Operator	Value	
Device Is Deleted	=	No	AND + -
Product Is Deleted	=	No	AND + -
Device is Virtual	=	Yes	+ -

Summary Criteria:

Summary Field	Operator	Value	
Run Time Hours (Summary)	not =	0	+ -

Save Cancel

6 Edit the following fields:

Name: The name of the report.

Folder: The folder where you want to save the report.

Description: The description for your report.

Columns: From the list on the left, select the data you want to include in your report. Use the arrow icons to move the selected data to the list on the right. Use Ctrl+click to select more than one option at a time. Use the up and down icons to arrange how you want the data displayed.

Criteria: Select your filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters or click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators.

Summary Criteria: Select your summary filter criteria in the *Field*, *Operator*, and *Value* fields. Use the + icons to add filters or click the - icon to delete a filter. Click *OR* or *AND* to toggle back and forth between the two operators.

7 Click *Save*.

10.2.7 Moving a Custom Report

1 In ZENworks Control Center, click the *Asset Management* tab.

2 Click the *Software Usage* tab.

3 In the Software Usage Custom Reports panel, click the folder containing the report or reports you want to move.

4 Select the report or reports you want to move.

5 Click *Edit > Move*.

6 Select a new folder location.

7 Click *OK*.

10.2.8 Deleting a Custom Report or Folder

To delete a custom report:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Custom Reports panel, click the folder containing the report you want to delete.
- 4 Select the report you want to delete.
- 5 Click *Delete*.

To delete a folder (and the reports in the folder):

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Custom Reports panel, select the folder you want to delete.
- 4 Click *Delete*.

10.2.9 Viewing Scheduled Reports by Date and Title

Reports that are run on a schedule are stored in a database. You can view these reports either by title or date. For information on scheduling reports, see [Section 10.2.4, “Scheduling a Custom Report and Sending Notifications,” on page 111](#).

To view a scheduled report by date or title:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 Click the *Software Usage* tab.
- 3 In the Software Usage Custom Reports panel, click one of the following:
 - ♦ *Action > View Scheduled Report Results by Date*
 - ♦ *Action > View Scheduled Report Results by Title*

The Scheduled Reports by Grouping page opens and shows the saved scheduled custom reports grouped by date or title and a report count. Click the date or title to open the *Scheduled Reports* page, where you can select a report and view it. To delete a group of reports, select the group and click *Delete*.

10.2.10 Importing New Report Definitions

If you have defined reports in ZENworks Asset Management 7.5, you can import them into ZENworks Control Center. You can also re-import reports that have been exported by ZENworks Control Center. A predefined XML format is needed for import.

To import report definitions:

- 1 In ZENworks Control Center, click the *Asset Management* tab.
- 2 In the Software Usage Custom Reports panel, click *Action > Import New Report Definition*.

Import Custom Report Definition

Query import file:

- 3 Specify the file in the *Query import file* field, or click *Browse* to search.
- 4 Click *Import*.

10.3 Setting Report Rights

ZENworks Asset Management report rights allow you to manage each administrator's rights for each folder and its reports. Each report folder has rights associated with it, governing all the reports within that folder. For example, if you have full rights, you can edit a report; but with view/execute rights, you can only see the report and run it. With ZENworks Asset Management report rights, you can limit who has access to certain reports and who can edit them. The report folder type, custom or standard, and the report name are listed along with the rights associated with the folder. The choices are:

- ♦ **Remove all rights:** Removes all rights to the folder, so the specified administrator cannot see it.
- ♦ **Assign view/execute rights:** Allows the specified administrator to view and execute a report in the specified folder, but not to edit, move, or delete a report in that folder.
- ♦ **Assign full rights:** Gives the specified administrator full rights to create, edit, move, and delete reports. For standard reports, this setting is the same as *View/Execute*, because you cannot alter a standard report.

To change inventory report rights:

- 1 In ZENworks Control Center, click *Configuration*.
- 2 In the Administrators panel, click an administrator.
- 3 In the Administrator Tasks panel, click *Asset Management Report Rights*.

Asset Management Report Rights			
Edit			
<input type="checkbox"/> Folder Type	Folder Name	Source	Rights
<input type="checkbox"/> Custom Reports	Software Application Usage	Usage	View/Execute Rights
<input type="checkbox"/> Custom Reports	Software Compliance	License Management	View/Execute Rights
<input type="checkbox"/> Custom Reports	Contract Management	Contract Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	All Usage	Usage	View/Execute Rights
<input type="checkbox"/> Standard Reports	Application Usage	Usage	View/Execute Rights
<input type="checkbox"/> Standard Reports	Contract Management	Contract Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Network Software Usage	Usage	View/Execute Rights
<input type="checkbox"/> Standard Reports	Other Reports	License Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Purchases	License Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Software Compliance	License Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Software File Usage	Usage	View/Execute Rights
<input type="checkbox"/> Standard Reports	Suites	License Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Unreconciled Products	License Management	View/Execute Rights
<input type="checkbox"/> Standard Reports	Web Application Usage	Usage	View/Execute Rights

1 - 14 of 14 items show 20 items

- 4 Select the folders you want to change the rights to.

- 5 Click one of the following:
- ♦ *Edit > Remove All Rights*
 - ♦ *Edit > Assign View/Execute Rights*
 - ♦ *Edit > Assign Full Rights*

The change is reflected in the *Rights* column.

10.4 Monitoring Web Application Usage

ZENworks Asset Management also allows you to monitor Web application usage. Web applications must first be defined, then you can use the reports in the Web Application folder on the Software Usage page to track usage. The Web Applications panel displays the following information:

- ♦ **Manufacturer:** The manufacturer of the Web application.
- ♦ **Application:** The name of the Web application.
- ♦ **Version:** The version of the Web application.
- ♦ **Last Modified:** The date the Web application definition was last modified.

Figure 10-1 *Web Applications Panel*

Manufacturer	Application	Version	Last Modified
PeopleSoft	Benefits System		11/8/06
Google	Gmail		11/8/06
Google	Google Calendar		11/8/06
Google	Google Maps		11/8/06
meebo	meebo.web Instant messaging		6/19/07

More information is contained in the following sections:

- ♦ [Section 10.4.1, “Defining a Web Application,” on page 117](#)
- ♦ [Section 10.4.2, “Editing a Web Application Definition,” on page 118](#)

10.4.1 Defining a Web Application

- 1 In ZENworks Control Center, click the *Configuration* tab.
- 2 Click the *Asset Management* tab.
- 3 In the Web Applications panel, click *New* to open the Create New Web Application Wizard. Complete the wizard by using the information in the following table to fill in the fields.

Wizard Page	Details
Application Naming page	<p>Fill in the following fields:</p> <p>Manufacturer: The manufacturer of the Web application.</p> <p>Application: The application name.</p> <p>Version: The version of the application.</p>
Application Recognition page	<p>This page allows you to specify the window title bar text for the application.</p> <ol style="list-style-type: none"> 1. Specify a name in the <i>Window Title(s)</i> field. 2. Click <i>Add</i>. 3. Repeat for additional values. Use the <i>Edit</i> and <i>Remove</i> buttons to change or delete values.
Summary page	Review your data. Use the <i>Back</i> button to edit the specified values.

4 Click *Finish*.

10.4.2 Editing a Web Application Definition

- 1 In ZENworks Control Center, click the *Configuration* tab.
- 2 Click the *Asset Management* tab.
- 3 In the Web Applications panel, click the name of the application you want to edit.

- 4 In the Details panel, edit the fields using information found in the table in [Step 3 on page 117](#).
- 5 Click *OK* or *Apply*.

Using Administrator-Defined Fields

11

Administrator-defined fields allow you to add custom fields to contracts and to licensed products. The following sections contain more information:

- ♦ [Section 11.1, “About Administrator-Defined Fields,” on page 119](#)
- ♦ [Section 11.2, “Creating an Administrator-Defined Field,” on page 119](#)
- ♦ [Section 11.3, “Editing an Administrator-Defined Field,” on page 120](#)

11.1 About Administrator-Defined Fields

Administrator-defined fields allow you to add custom fields to further define contracts and licensed products. For example, you could add Cost Center to a contract’s general information.

The Administrator-Defined Fields panel shows the type of field (either Contract or Licensed Product) and the number of custom fields in each category.

11.2 Creating an Administrator-Defined Field

Whether you want to create a Contract or Licensed Product administrator-defined field, the steps are the same.

- 1 In ZENworks Control Center, click *Configuration*, then click the *Asset Management* tab.
- 2 In the Administrator-Defined Fields panel, click the type of field you want to create: Contract or Licensed Product.
- 3 Click *New* to open the New Administrator-Defined Field Wizard. Complete the wizard by using information from the following table to fill in the fields:

Wizard Page	Details
General Information page	<p>Fill in the following fields:</p> <p>Type: Filled in by default depending on the type of field you selected.</p> <p>Name: Specify the name of the administrator-defined field. This field is required.</p> <p>Default Value: Specify the default value of the field.</p> <p>Data Type: Select the type of data allowed in the field: <i>Character</i>, <i>Integer</i>, <i>Decimal</i>, or <i>Date</i>.</p> <p>Size: Specify the maximum number of alphanumeric characters allowed in the field. This applies only to character-type fields.</p> <p>Edit Type: Allows greater flexibility in entering and selecting field values. There are three options you can select:</p> <ul style="list-style-type: none"> ◆ Edit: Allows you to enter a value or edit the default value. ◆ List: Allows you to select a value from a list of possible choices. ◆ Combo: Allows you to enter a value or select from a list. <p>Edit Mask: Select a format from the <i>Edit Mask</i> field list to restrict how a value is entered. The choices are phone, time, and currency. This applies only to character-type fields.</p>
Choice List Values page	<p>This page appears if you chose <i>List</i> or <i>Combo</i> as the Edit Type.</p> <p>To create a list of choices:</p> <ol style="list-style-type: none"> 1. Specify a value in the <i>Choice List Values</i> field. 2. Click <i>Add</i>. Repeat for additional values. <p>Edit: Select a value and click <i>Edit</i> to change it.</p> <p>Remove: Select a value and click <i>Remove</i> to delete it.</p> <p>Import: Click <i>Import</i> to open the Import Choice List Values dialog box where you can specify a file to import.</p>
Field Summary page	<p>Review the data. Use the <i>Back</i> button to go back to a previous page to edit any fields.</p>

4 Click *Finish* to create the new administrator-defined field.

11.3 Editing an Administrator-Defined Field

- 1 In ZENworks Control Center, click *Configuration*, then click the *Asset Management* tab.
- 2 In the Administrator-Defined Fields panel, click the type of field you want to edit: Contract or Licensed Product.

The Fields panel shows the following information:

Name: The name of the field.

Data Type: The data type, either character, integer, decimal, or date.

Size: The number of alphanumeric characters. This applies only to character-type fields.

Edit Type: Specifies how the user enters a response. The values are *Edit*, *List*, and *Combo*.

Default Value: The value that is specified when the field is created.

Internal Name: The field's internal ID.

3 Click the field you want to edit.

4 Edit the fields in the Field Details panel.

The fields are described in the table in [Step 3 on page 119](#).

5 Click *OK* or *Apply*.

Documentation Updates

A

This section contains information on documentation content changes that were made in this *Asset Management Reference* for Novell® ZENworks® 10 Asset Management SP2.

The documentation for this product is provided on the Web in two formats: HTML and PDF. The HTML and PDF documentation are both kept up-to-date with the changes listed in this section.

If you need to know whether a copy of the PDF documentation that you are using is the most recent, the PDF document includes a publication date on the title page.

The documentation was updated on the following date:

- ♦ [Section A.1, “January 7, 2010,” on page 123](#)

A.1 January 7, 2010

Updates were made to the following sections:

Location	Update
Section 2.1.1, “Import Files,” on page 14	Updated information about import file format, including addition of maximum field lengths for import file fields.

