
Open Enterprise Server 2015 SP1

Readme

May 2017

Legal Notices

For information about legal notices, trademarks, disclaimers, warranties, export and other use restrictions, U.S. Government rights, patent policy, and FIPS compliance, see <https://www.novell.com/company/legal/>.

Copyright © 2017 Micro Focus Software, Inc. All Rights Reserved.

Contents

About This Readme	5
1 What's New or Changed in OES 2015 SP1	7
1.1 What's New or Changed in OES 2015 SP1 Post January 2019	7
1.2 What's New or Changed in Update 30 - OES 2015 SP1	7
1.3 What's New or Changed in Update 28 - OES 2015 SP1	7
1.4 What's New or Changed in OES 2015 SP1	8
1.4.1 Rebranding Changes	8
1.4.2 Install and Upgrade	8
1.4.3 iPrint for OES	8
1.4.4 Multi-Forest Support for AD Users	9
1.4.5 Novell Storage Services (NSS)	9
1.4.6 OES User Rights Management (NURM)	10
1.4.7 OES File Access Rights Management (NFARM)	10
1.4.8 Common Internet File System (CIFS)	10
1.4.9 Novell FTP	11
1.4.10 NSS Auditing Client Logger (VLOG)	11
1.4.11 Unchanged Components in OES 2015 SP1	11
2 Before You Install	13
3 Service Issues	15
3.1 Installation and Upgrade	15
3.1.1 Import Untrusted GnuPG Key Pop-Up During an OES 2015 SP1 Install	15
3.2 Common Internet File System (CIFS)	15
3.2.1 Folder Redirection to an OES CIFS Share Is Not Supported	16
3.2.2 Installing CIFS after the OES Installation does not Export Local Volumes and Shares	16
3.3 DNS/DHCP Services	16
3.3.1 DNS/DHCP Java Console is Incompatible with Java 9	16
3.4 Domain Services for Windows (DSfW)	16
3.4.1 User Creation Fails from Windows 8.1	17
3.4.2 Configuring eDirectory on a Non-Default Port Affects the Installation of DSfW in a Name-Mapped Scenario	17
3.4.3 Issues in Using iManager and MMC Interchangeably to Add Users in a Mixed OES (non-DSfW) and DSfW Environment	17
3.4.4 DSfW Interoperability Issues	17
3.4.5 Mac El Capitan (10.11.1) Fails to Join a DSfW Domain	17
3.5 Dynamic Storage Technology (DST)	18
3.5.1 AFP Does Not Support DST Shadow Volumes	18
3.6 eDirectory	18
3.6.1 eDirectory Not Restarting Automatically	18
3.6.2 Timing Issues for OES on Xen	18
3.7 Novell FTP	19
3.7.1 Package Conflict Occurs During the Add-On Install of Novell FTP Pattern	19
3.8 iFolder	19
3.9 Linux User Management (LUM)	19
3.9.1 LUM Service Configuration Fails	19
3.10 NetStorage	19

3.10.1	NetStorage Service Configuration Fails	19
3.11	Novell Identity Translator (NIT)	20
3.11.1	Group Lookups Does not Work for AD Identities When NIT is in Fetch Mode	20
3.12	Novell Storage Services (NSS)	20
3.12.1	Deleting a Cluster Pool Using iManager Fails with an Error	20
3.12.2	Support for Mixed Cluster Nodes and NSS Active Directory Media Upgrades	20
3.12.3	Support for Mixed Cluster Nodes and NSS Trustee Index Media Upgrades	21
3.12.4	Rights Command Failure	21
3.12.5	RAID 5 Issues	21
3.13	OES Remote Manager (NRM)	21
3.13.1	Unable to View the Inventory Reports in the Web Browser	21
3.14	Storage Management Services (SMS)	21
3.14.1	Cluster Resource Goes Comatose after Migration or Failover	21

About This Readme

Micro Focus Open Enterprise Server 2015 SP1 delivers all the enterprise-class networking, file, and print services that enterprises have relied on for years. OES 2015 SP1 is on SUSE Linux Enterprise 11 SP4, which provides valuable benefits including power savings, virtualization, manageability, and interoperability.

OES 2015 SP1 provides several new features that reduce administrative complexities and provide access to file and storage services regardless of eDirectory or Active Directory as an identity source. For information about the new features, see [Chapter 1, “What’s New or Changed in OES 2015 SP1,” on page 7](#).

This Readme focuses on issues and information that are specific to the OES 2015 SP1 release.

For access to the OES 2015 SP1 documentation, see the [OES 2015 documentation website](#).

Before installing this release, be sure to review the known issues, as described in [“Service Issues” on page 15](#).

- ♦ [Chapter 1, “What’s New or Changed in OES 2015 SP1,” on page 7](#)
- ♦ [Chapter 2, “Before You Install,” on page 13](#)
- ♦ [Chapter 3, “Service Issues,” on page 15](#)

IMPORTANT

- ♦ Beginning with OES 2015, Archive and Version Services (AV) and QuickFinder services are not included. New installations of OES 2015 and later will not include patterns to install these components.

If you are upgrading to OES 2015 or later from an earlier OES server (one that includes these packages), the AV and QuickFinder packages and the associated data will not be accessible on the OES 2015 server. However, the iManager plug-ins for AV and QuickFinder are still available in the OES 2015 and later package, and you can use them to manage servers prior to OES 2015.

- ♦ Beginning with OES 11 SP2, no further enhancements are planned for the following technologies: iFolder, NetStorage. For more information, see the [Notice about certain OES services](#).
- ♦ The following products have entered extended support: NetWare 6.5 on March 7, 2010 and OES 2 SP3 on July 31, 2013. For more information, see the information on the [Novell Support Site](#).

Use the following links to access the earlier versions of OES documentation:

- ♦ [NetWare 6.5 SP8 Online Documentation website](#)
- ♦ [OES 2 SP3 Online Documentation website](#)
- ♦ [OES 11 Online Documentation website](#)
- ♦ [OES 2015 Online Documentation website](#)

1 What's New or Changed in OES 2015 SP1

This section summarizes the new features introduced in Micro Focus Open Enterprise Server (OES) 2015 SP1 release and its patches.

1.1 What's New or Changed in OES 2015 SP1 Post January 2019

Beginning with January 2019, the OES update repository and OES packages are signed with 4096 bit key. Therefore, during the process of new installation, upgrade, and update to OES 2015 SP1 post January 2019, you are prompted to import the new keys to the rpm keyring of the OES server. For more information, see [Importing New Build Keys to the Keyring](#) in the [OES 2015 SP1: Installation Guide](#).

1.2 What's New or Changed in Update 30 - OES 2015 SP1

What's New or Changed in Domain Services for Windows (Update 30 - OES 2015 SP1)

Installation of Software Through GPO: The new installation of OES 2015 SP1 and upgrade from earlier OES versions to OES 2015 SP1 with the latest patch enables you to perform software installations through GPO.

On the existing OES 2015 SP1, to install software through GPO, an additional step of executing the script `software_gpo_setup.pl` is needed. For more information, see [Group Policy Update Failure on Workstation When Installation of Software is Performed Through GPO](#) in the [OES 2015 SP1: Domain Services for Windows Administration Guide](#).

1.3 What's New or Changed in Update 28 - OES 2015 SP1

On applying the OES 2015 SP1 Update 28, it is highly recommended to apply the SLES 11 SP4 (31st May, 2018) updates to get the optimized Spectre and Meltdown fixes. If the SLES updates are not applied, it may impact the performance of the OES server.

1.4 What's New or Changed in OES 2015 SP1

This section summarizes the new features introduced in Micro Focus Open Enterprise Server (OES) 2015 SP1 release.

- ◆ [Section 1.4.1, "Rebranding Changes," on page 8](#)
- ◆ [Section 1.4.2, "Install and Upgrade," on page 8](#)
- ◆ [Section 1.4.3, "iPrint for OES," on page 8](#)
- ◆ [Section 1.4.4, "Multi-Forest Support for AD Users," on page 9](#)
- ◆ [Section 1.4.5, "Novell Storage Services \(NSS\)," on page 9](#)
- ◆ [Section 1.4.6, "OES User Rights Management \(NURM\)," on page 10](#)
- ◆ [Section 1.4.7, "OES File Access Rights Management \(NFARM\)," on page 10](#)
- ◆ [Section 1.4.8, "Common Internet File System \(CIFS\)," on page 10](#)
- ◆ [Section 1.4.9, "Novell FTP," on page 11](#)
- ◆ [Section 1.4.10, "NSS Auditing Client Logger \(VLOG\)," on page 11](#)
- ◆ [Section 1.4.11, "Unchanged Components in OES 2015 SP1," on page 11](#)

1.4.1 Rebranding Changes

Novell is now part of Micro Focus. Products across the portfolio are now being rebranded to reflect Micro Focus or a more appropriate name. This corporate change impacts the name of products and components, user interfaces, logos, and so on. The product and documentation update to reflect these changes is being done in a phased manner.

As a result of this corporate change, the new name for Novell Open Enterprise Server is Micro Focus Open Enterprise Server.

1.4.2 Install and Upgrade

This section describes enhancements to the installation program for Open Enterprise Server (OES) 2015 SP1.

Upgrade Support from OES 11 SP2 to OES 2015 SP1

Channel upgrade allows you to upgrade from OES 11 SP2 to OES 2015 SP1 using `zypper` command. For more information, see [Channel Upgrade from OES 11 SP2 to OES 2015 SP1](#) in the [OES 2015 SP1: Installation Guide](#).

1.4.3 iPrint for OES

"iPrint for OES" along with Novell iPrint offers a single, scalable solution for managing all of your printing across multiple office locations from any device. For more information about new features and limitations, see [OES 2015 SP1: iPrint for OES Administration Guide](#).

1.4.4 Multi-Forest Support for AD Users

Multi-forest support allows you to access NSS resources from Active Directory users belonging to AD forests having bi-directional trust with OES joined forest or AD domains having bi-directional external trust with OES joined forest.

Forest trust (bi-directional) must be in place and active between the trusting forest and trusted forest(s). For more information about multi-forest support, see [NIT \(Novell Identity Translator\)](#) in the [OES 2015 SP1: NSS AD Administration Guide](#).

The following OES components supports the multi-forest changes for AD users:

- ♦ Novell Storage Services (NSS)
- ♦ Common Internet File System (CIFS)
- ♦ Distributed File Services (DFS)
- ♦ Dynamic Storage Technology (DST)
- ♦ Migration Tool
- ♦ Novell Identity Translator (NIT)
- ♦ Storage Management Services (SMS)
- ♦ OES File Access Rights Management (NFARM)
- ♦ OES User Rights Management (NURM)
- ♦ NSS Auditing Client Logger (VLOG)
- ♦ NSS Utilities (rights, nssquota, nsschown, and metamig)

1.4.5 Novell Storage Services (NSS)

NSS provides the following enhancements and changes in OES 2015 SP1.

Delayed Block Allocation

Improvements in block allocation algorithm leading to reduced disk fragmentation. For more information, see [Delayed Block Allocation](#) in the [OES 2015 SP1: NSS File System Administration Guide for Linux](#).

Trustee Index Media

A new media format has been introduced to improve the scan time of trustee information for NURM, NFARM, and TrusteeInfo.xml. For more information, see [Trustee Index Media](#) in the [OES 2015 SP1: NSS File System Administration Guide for Linux](#).

nsscon (Enhanced)

Commands are added for the following:

- ♦ Update the NSS media for Trustee Index support. For more information on trustee index commands, see [Trustee Index Media](#) in the [OES 2015 SP1: NSS File System Administration Guide for Linux](#).
- ♦ Force the Trustee Index support upgrade in a mixed-node cluster using `/ForceMedia` switch. For more information on the `/ForceMedia` switch, see [Trustee Index Media](#) in the [OES 2015 SP1: NSS File System Administration Guide for Linux](#).

- ♦ Automatically upgrades the NSS32 and NSS64 pools to latest pool media. For more information, see [Automatic Pool Media Upgrade Commands](#) in the [OES 2015 SP1: NSS File System Administration Guide for Linux](#).
- ♦ Enable or disable the delayed block allocation at the server level. For more information, see [Delayed Block Allocation Commands](#) in the [OES 2015 SP1: NSS File System Administration Guide for Linux](#).

sputil

A new administrative tool has been introduced for performing purge operation on files deleted by eDirectory and AD users. For more information, see [sputil](#) in the [OES 2015 SP1: NSS File System Administration Guide for Linux](#).

1.4.6 OES User Rights Management (NURM)

NURM provides the following enhancements and changes in OES 2015 SP1:

- ♦ **Contextless login:** A new feature has been added to disable the contextless login for eDirectory users.
- ♦ **Refreshing user maps:** If the mappings have changed since the time a user map was created, they could be refreshed using the same conditions that were used while creating them.
- ♦ **Two way synchronization of rights:** Using the user-rights-map utility, rights could be synched between Active Directory and eDirectory.
- ♦ **Secure LDAP port to connect to the AD server:** You can now use SSL to connect securely to an AD server. Some of the standard LDAP ports for Active Directory are 389, 636, 3268, and 3269.
- ♦ **Map rights using multiple user maps:** You can now select multiple user maps and apply rights on the selected volume.
- ♦ **Pagination and filtering:** When the number of records to be displayed are huge, they are paginated, and each page holds up to 1000 records. The filter option works based on records in all the pages.

For more information, see [NURM \(OES User Rights Management\)](#) in the [OES 2015 SP1: NSS AD Administration Guide](#).

1.4.7 OES File Access Rights Management (NFARM)

Active Directory and eDirectory users can perform salvage and purge operation using NFARM utility.

eDirectory users can perform salvage and purge operation through CIFS using NFARM utility without AD integration. For more information, see [Salvage and Purge](#) in the [OES 2015 SP1: NSS AD Administration Guide](#).

1.4.8 Common Internet File System (CIFS)

CIFS provides the following enhancements and changes in OES 2015 SP1:

Salvage and Purge Support for Active Directory and eDirectory Users

CIFS is enhanced to support Active Directory and eDirectory users for performing salvage and purge operation through NFARM utility. For example, Active Directory and eDirectory users can recover or permanently delete the files or folders that are already deleted.

Enabling DFS Using novcifs Command

Using command line, you can enable or disable DFS support for the CIFS server. By default, this option is disabled. For more information, see [Command Line Utility for CIFS](#) in the [OES 2015 SP1: Novell CIFS for Linux Administration Guide](#).

1.4.9 Novell FTP

FTP Support for AD Users: Active Directory users can leverage the OES FTP services and access the NSS resources. For more information, see [FTP \(Pure-FTPd\) and OES 2015 SP1 for AD Users](#) in the [OES 2015 SP1: NSS AD Administration Guide](#).

1.4.10 NSS Auditing Client Logger (VLOG)

In addition to bug fixes, the VLOG utility in OES 2015 SP1 have been enhanced to filter based on user names and application names. For more information, see [User Element Options](#) and [Application Element Options](#) in the [OES 2015 SP1: NSS Auditing Client Logger \(VLOG\) Utility Reference](#).

1.4.11 Unchanged Components in OES 2015 SP1

Besides bug fixes, there are no other changes to the following components for OES 2015 SP1:

- ◆ Apple Filing Protocol (AFP)
- ◆ Distributed File Services (DFS)
- ◆ DNS and DHCP
- ◆ Domain Services for Windows (DSfW)
- ◆ Dynamic Storage Technology (DST)
- ◆ Linux User Management (LUM)
- ◆ Migration Tool
- ◆ NetStorage
- ◆ NetWare Core Protocol (NCP)
- ◆ Novell Cluster Services
- ◆ iFolder
- ◆ iPrint
- ◆ Linux Volume Manager (NLVM)
- ◆ OES Remote Manager (NRM)
- ◆ Storage Management Services (SMS)

2 Before You Install

Open Enterprise Server (OES) 2015 SP1 includes enhanced and updated services for Linux that were traditionally only on NetWare.

Managing the services after they are installed is very similar to managing them on NetWare. On the other hand, installing them is quite different.

Installing OES 2015 SP1

Micro Focus recommends that you install SUSE Linux Enterprise Server (SLES) and OES at the same time, and also patch SLES and OES at the same time. Update the system with all of the SLES 11 SP4 patches as documented in the “[YaST Online Update](#)” section in the [SUSE Linux Enterprise Server 11 SP4 Administration Guide](#).

If you install OES after you install SLES, Micro Focus recommends that you patch both SLES and OES before you start the OES configuration.

3 Service Issues

This section documents the known issues in Open Enterprise Server 2015 SP1 (OES 2015 SP1).

In addition to the issues documented in this section, ensure that you review “[Caveats for Implementing OES 2015 SP1 Services](#)” in the *OES 2015 SP1: Planning and Implementation Guide*. Additional tips are found in the troubleshooting sections of the OES service administration guides.

- ◆ [Section 3.1, “Installation and Upgrade,” on page 15](#)
- ◆ [Section 3.2, “Common Internet File System \(CIFS\),” on page 15](#)
- ◆ [Section 3.3, “DNS/DHCP Services,” on page 16](#)
- ◆ [Section 3.4, “Domain Services for Windows \(DSfW\),” on page 16](#)
- ◆ [Section 3.5, “Dynamic Storage Technology \(DST\),” on page 18](#)
- ◆ [Section 3.6, “eDirectory,” on page 18](#)
- ◆ [Section 3.7, “Novell FTP,” on page 19](#)
- ◆ [Section 3.8, “iFolder,” on page 19](#)
- ◆ [Section 3.9, “Linux User Management \(LUM\),” on page 19](#)
- ◆ [Section 3.10, “NetStorage,” on page 19](#)
- ◆ [Section 3.11, “Novell Identity Translator \(NIT\),” on page 20](#)
- ◆ [Section 3.12, “Novell Storage Services \(NSS\),” on page 20](#)
- ◆ [Section 3.13, “OES Remote Manager \(NRM\),” on page 21](#)
- ◆ [Section 3.14, “Storage Management Services \(SMS\),” on page 21](#)

3.1 Installation and Upgrade

- ◆ [Section 3.1.1, “Import Untrusted GnuPG Key Pop-Up During an OES 2015 SP1 Install,” on page 15](#)

3.1.1 Import Untrusted GnuPG Key Pop-Up During an OES 2015 SP1 Install

When you install OES 2015 SP1 using the add-on media, the Import Untrusted GnuPG Key pop-up is displayed. Import the key and then proceed.

Micro Focus plans to fix this issue in a future OES release.

3.2 Common Internet File System (CIFS)

- ◆ [Section 3.2.1, “Folder Redirection to an OES CIFS Share Is Not Supported,” on page 16](#)
- ◆ [Section 3.2.2, “Installing CIFS after the OES Installation does not Export Local Volumes and Shares,” on page 16](#)

3.2.1 Folder Redirection to an OES CIFS Share Is Not Supported

Folder Redirection of a user's folders to a CIFS share on an OES server is currently not supported.

Micro Focus plans to fix this in a future OES release.

3.2.2 Installing CIFS after the OES Installation does not Export Local Volumes and Shares

Installing CIFS after the OES installation does not mount local volumes on a physical server through CIFS. This happens when the `share-vols-default` option is set to NO.

The `novcifs --share-vols-default=SERVER_NAME --value=yes|no` option should be enabled by default for physical servers and virtual servers to export all the volumes and shares belonging to the sever. The server name is case-sensitive and can be listed by running the `novcifs --list-servers` command.

To resolve this issue, restart the CIFS service to set the `--share-vols-default` option to YES and export all local volumes and shares. Restarting the CIFS service is not required for a cluster resource or for a volume created on a virtual server.

Micro Focus plans to fix this issue in a future OES release.

3.3 DNS/DHCP Services

3.3.1 DNS/DHCP Java Console is Incompatible with Java 9

DNS/DHCP Java console application fails to launch in Windows 64-bit workstation having Java 9 installed on it.

3.4 Domain Services for Windows (DSfW)

This section lists various known issues that were encountered during the installation and configuration of Domain Services for Windows (DSfW). For installation instructions, see [“Installing Domain Services for Windows”](#) in the *OES 2015 SP1: Domain Services for Windows Administration Guide*.

- ♦ [Section 3.4.1, “User Creation Fails from Windows 8.1,” on page 17](#)
- ♦ [Section 3.4.2, “Configuring eDirectory on a Non-Default Port Affects the Installation of DSfW in a Name-Mapped Scenario,” on page 17](#)
- ♦ [Section 3.4.3, “Issues in Using iManager and MMC Interchangeably to Add Users in a Mixed OES \(non-DSfW\) and DSfW Environment,” on page 17](#)
- ♦ [Section 3.4.4, “DSfW Interoperability Issues,” on page 17](#)
- ♦ [Section 3.4.5, “Mac El Capitan \(10.11.1\) Fails to Join a DSfW Domain,” on page 17](#)

3.4.1 User Creation Fails from Windows 8.1

For a Windows 8.1 workstation that is joined to a DSfW domain, user creation fails with an error message.

Micro Focus Plans to fix this issue in a future OES release.

3.4.2 Configuring eDirectory on a Non-Default Port Affects the Installation of DSfW in a Name-Mapped Scenario

If an existing eDirectory is configured on a non-default port, the DSfW installation in a name-mapped scenario fails.

Micro Focus plans to fix this issue in a future OES release.

3.4.3 Issues in Using iManager and MMC Interchangeably to Add Users in a Mixed OES (non-DSfW) and DSfW Environment

Micro Focus recommends that you use only iManager to add users in a mixed OES (non-DSfW) and DSfW environment. If you use iManager or MMC interchangeably to add users, some of the attributes of DSfW users or groups created using MMC will not match with those created using iManager.

Micro Focus plans to fix this issue in a future OES release.

3.4.4 DSfW Interoperability Issues

IMPORTANT: The following list is provided for your convenience. Do not consider the list as complete. Be sure to consult the documentation for your other Micro Focus products for information on interoperability issues with DSfW.

ZENworks Endpoint Security Management 3.5

On an OES 2015 SP1 server with DSfW installed, the Endpoint Security Management utility fails on all DSfW server ports.

Micro Focus has no current plans to change this.

3.4.5 Mac El Capitan (10.11.1) Fails to Join a DSfW Domain

A Mac El Capitan (10.11.1) fails to join a DSfW domain, due to schema update issues.

Micro Focus plans to fix this issue in a future OES release.

3.5 Dynamic Storage Technology (DST)

- ♦ [Section 3.5.1, “AFP Does Not Support DST Shadow Volumes,” on page 18](#)

3.5.1 AFP Does Not Support DST Shadow Volumes

AFP does not support Dynamic Storage Technology Shadow volumes. The AFP users are able to see only the data that is on the primary volume. Primary or secondary volumes that are used in a DST shadow volume should not be exposed through AFP.

3.6 eDirectory

The following are the known OES-specific eDirectory issues. For general eDirectory issues, refer to the [eDirectory documentation website](#).

- ♦ [Section 3.6.1, “eDirectory Not Restarting Automatically,” on page 18](#)
- ♦ [Section 3.6.2, “Timing Issues for OES on Xen,” on page 18](#)

3.6.1 eDirectory Not Restarting Automatically

After a system crash or power failure, eDirectory services (`ndsd`) might not automatically start in some situations.

To start eDirectory again:

- 1 Delete the `/var/opt/novell/eDirectory/data/ndsd.pid` file.
- 2 At a terminal prompt, enter `/etc/init.d/ndsd start`.

Micro Focus has no current plans to change this.

3.6.2 Timing Issues for OES on Xen

eDirectory relies on time being synchronized; connections with eDirectory are lost if the system time is different in the host operating system (SLES 11 SP3 or OES 2015). Ensure that you understand and follow the instructions in “[Virtual Machine Clock Settings](#)” in the [Virtualization with Xen](#) guide.

Micro Focus has no current plans to change this.

3.7 Novell FTP

- ♦ [Section 3.7.1, “Package Conflict Occurs During the Add-On Install of Novell FTP Pattern,” on page 19](#)

3.7.1 Package Conflict Occurs During the Add-On Install of Novell FTP Pattern

If you select **Patterns > OES Services > Novell FTP** during the Add-On installation, a package conflict warning message is displayed. For more information on the warning message displayed and how to resolve the issue, see [Package Conflict Occurs During the Add-On Install of Novell FTP Pattern](#).

Micro Focus has no current plans to change this.

3.8 iFolder

For iFolder issues, see the [iFolder 3.9.2 Readme](#).

3.9 Linux User Management (LUM)

- ♦ [Section 3.9.1, “LUM Service Configuration Fails,” on page 19](#)

3.9.1 LUM Service Configuration Fails

LUM service configuration fails if the container name contains special characters \, *, (,), = and space.

Micro Focus has no current plans to change this.

3.10 NetStorage

- ♦ [Section 3.10.1, “NetStorage Service Configuration Fails,” on page 19](#)

3.10.1 NetStorage Service Configuration Fails

NetStorage service configuration fails if the container name contains special characters (,), , and space.

Micro Focus has no current plans to change this.

3.11 Novell Identity Translator (NIT)

- ♦ [Section 3.11.1, "Group Lookups Does not Work for AD Identities When NIT is in Fetch Mode," on page 20](#)

3.11.1 Group Lookups Does not Work for AD Identities When NIT is in Fetch Mode

With OES 2015 release, if you run NIT in fetch mode (`ad-uid_generate-mode=0`) for Active directory identities, operations that require group lookups may not work, for example, adding Active Directory group objects as trustees, backup and restore of group trustees using SMS, and so forth.

It is recommended to switch back to generate mode (`ad-uid_generate-mode=1`) and perform the operations.

Micro Focus plans to fix this issue in an immediate future OES release.

3.12 Novell Storage Services (NSS)

- ♦ [Section 3.12.1, "Deleting a Cluster Pool Using iManager Fails with an Error," on page 20](#)
- ♦ [Section 3.12.2, "Support for Mixed Cluster Nodes and NSS Active Directory Media Upgrades," on page 20](#)
- ♦ [Section 3.12.3, "Support for Mixed Cluster Nodes and NSS Trustee Index Media Upgrades," on page 21](#)
- ♦ [Section 3.12.4, "Rights Command Failure," on page 21](#)
- ♦ [Section 3.12.5, "RAID 5 Issues," on page 21](#)

3.12.1 Deleting a Cluster Pool Using iManager Fails with an Error

When you fail to delete the cluster pool using iManager, the following error message is displayed: "Error: <poolName>: Could not delete NDS objects for this pool". As a workaround, use `nssmu` or `n1vm` commands to delete the cluster pools.

Micro Focus plans to fix this issue in the subsequent OES 2015 SP1 release.

3.12.2 Support for Mixed Cluster Nodes and NSS Active Directory Media Upgrades

In a mixed node cluster environment, before upgrading the NSS media to support Active Directory users or creating 64-bit pools, it is strongly recommended that you upgrade all the nodes to OES 2015 or later. This is because the upgraded NSS resources might not be accessible from cluster nodes that are not upgraded to OES 2015 or later.

Micro Focus has no current plans to change this.

3.12.3 Support for Mixed Cluster Nodes and NSS Trustee Index Media Upgrades

In a mixed node cluster environment, before upgrading the NSS media to support Trustee Index, it is strongly recommended that you upgrade all the nodes to OES 2015 SP1 or later. This is because the upgraded NSS resources might not be accessible from cluster nodes that are not upgraded to OES 2015 SP1 or later.

Micro Focus has no current plans to change this.

3.12.4 Rights Command Failure

When a third-party application uses FUSE infrastructure to overlay its software over the NSS file system, the `rights` command might fail.

Micro Focus plans to fix this issue in a future OES release.

3.12.5 RAID 5 Issues

Some issues can occur when you lose a device in an NSS software RAID 5 device, or when you expand an NSS software RAID 5 device. The following issues happen intermittently:

When a segment is missing in an NSS RAID 5 because of a device failure, the pool might hang until the device driver reports the error, and then the RAID continues. The hang time depends on the underlying device driver timeout conditions. For iSCSI devices, this includes iSCSI driver timeout. For extended hangs, the pool might also get deactivated.

Micro Focus plans to fix this issue in a future OES release.

3.13 OES Remote Manager (NRM)

- ♦ [Section 3.13.1, “Unable to View the Inventory Reports in the Web Browser,” on page 21](#)

3.13.1 Unable to View the Inventory Reports in the Web Browser

When you login to OES Remote Manager (NRM), the graphs for inventory reports are not displayed. This is caused on the browsers that include Java 7 or later versions.

Micro Focus plans to fix this issue in a future OES release.

3.14 Storage Management Services (SMS)

- ♦ [Section 3.14.1, “Cluster Resource Goes Comatose after Migration or Failover,” on page 21](#)

3.14.1 Cluster Resource Goes Comatose after Migration or Failover

When the backup of cluster NCP POSIX Volumes is in progress, the cluster resource goes comatose when it is migrated or failed over to another node.

Micro Focus plans to fix this issue in a future OES release.

