

ZENworks Mobile Workspace

Backup and Restore Database Guide

May 2017

Legal Notice

For information about legal notices, trademarks, disclaimers, warranties, export and other use restrictions, U.S. Government rights, patent policy, and FIPS compliance, see <https://www.novell.com/company/legal/>.

Copyright © 2017 Micro Focus Software Inc. All Rights Reserved.

TABLE OF CONTENTS

1	Overview	3
2	Backup the Databases.....	3
	2.1 Start the database manager	3
	2.2 Connect to the database	3
	2.3 Execute the backup command	4
	2.4 Disconnect from the database	4
	2.5 Exit the database manager.....	4
3	Restore The Database.....	4
	3.1 Stop SENSE Services	4
	3.2 Start the database manager	5
	3.3 Connect to the database with restore command	5
	3.4 Disconnect from the database	5
	3.5 Exit the database manager.....	5
	3.6 Start SENSE Services	5

1 OVERVIEW

This document aims to describe how to back up the ZENworks Mobile Workspace database and how to restore it in case of a crash.

2 BACK UP THE DATABASES

2.1 Start the database manager

- On Windows, launch [*<%product_name%>*_HOME]\databases\db_manager.bat
- On Linux, execute [*<%product_name%>*_HOME]\databases\db_manager.sh

Once started, IJ prompt should be displayed along with connections information:

```
-----  
TO CONNECT TO A DATABASE, USE ONE OF THE FOLLOWING COMMANDS:  
-----
```

```
To manage ZENworks Mobile Workspace Security Server Database:
```

```
connect 'jdbc:derby://localhost:1527/sense-sec-  
server;bootPassword=myPassword;user=sense_sec;password=myPassword;';
```

```
To manage ZENworks Mobile Workspace Desk Config Database (if installed):
```

```
connect 'jdbc:derby://localhost:1527/sense-pim-  
server;bootPassword=myPassword;user=sense_pim;password=myPassword;';
```

```
-----  
TO DISCONNECT FROM A DATABASE, TYPE:  
-----
```

```
disconnect;
```

```
-----  
TO QUIT, TYPE:  
-----
```

```
exit;
```

```
-----  
ij version 10.11  
ij>
```

2.2 Connect to the database

Simply copy and paste the displayed command according to the database you want to backup:

```
ij> connect 'jdbc:derby://localhost:1527/sense-sec-  
server;bootPassword=myPassword;user=sense_sec;password=myPassword;';
```

Press “Enter” key. If the connection succeeds, IJ will display an new prompt line:

```
ij>
```

2.3 Execute the backup command

Once connected, execute the following command to backup the database to a selected location (D:\Backup\2017-03-03\ in our example):

```
ij> CALL SYSCS_UTIL.SYSCS_BACKUP_DATABASE('D:\Backup\2017-03-03');
```

Press the “Enter” key. If the command succeeds, this is what will be displayed:

```
Statement executed.  
ij>
```

2.4 Disconnect from the database

You can now disconnect from the database with this command:

```
ij> disconnect;
```

Press “Enter” key. IJ will display a new prompt line:

```
ij>
```

You can now connect to the other database or quit the DB Manager.

2.5 Exit the database manager

Run the following command to close the DB manager:

```
ij> exit;
```

3 RESTORE THE DATABASE

3.1 Stop SENSE Services

To restore the database, it is important to shut down the ZENworks Mobile Workspace server. Otherwise, the server will lock the database files preventing files from being replaced by the backup.

- On Windows:
 - Launch the Microsoft Windows Services Console (services.msc)
 - Stop “SENSE-SERVER” service
 - Stop “SENSE-DB” service
- On Linux:
 - Open a shell prompt
 - Execute command: `systemctl stop tomcat`
 - Execute command: `systemctl stop derby`

3.2 Start the database manager

Follow the instructions from 2.1.

3.3 Connect to the database with the restore command

```
ij> connect 'jdbc:derby://localhost:1527/sense-sec-  
server;bootPassword=myPassword;user=sense_sec;password=myPassword;restoreFrom=D:\Backup\2017-  
03-03\sense-sec-server;'
```

No confirmation/error message is logged by the command. Only a new prompt line is displayed at the end of the restore process.

3.4 Disconnect from the database

Follow the instructions from 2.4.

3.5 Exit the database manager

Follow the instructions from 2.5.

3.6 Start SENSE Services

Please note that is important to start the database service before starting the application server.

- On Windows:
 - Launch the Microsoft Windows Services Console (services.msc)
 - Start “SENSE-DB” service
 - Stop the “SENSE-SERVER” service
- On Linux:
 - Open a shell prompt
 - Execute command: `systemctl stop derby`
 - Execute command: `systemctl stop tomcat`