

XVI Documentation Updates

This section lists updates to the *GroupWise 7 Administration Guide* that have been made since the initial release of GroupWise® 7. The information will help you to keep current on documentation updates and, in some cases, software updates (such as a Support Pack release).

The information is grouped according to the date when the *GroupWise 7 Administration Guide* was republished. Within each dated section, the updates are listed by the names of the main table of contents sections.

The *GroupWise 7 Administration Guide* has been updated on the following dates:

- ♦ “November 30, 2005” on page 1129

November 30, 2005

Location	Change
Databases	
“Starting GWCheck on a Linux Workstation” on page 408	Indicated that the GWCheck RPM is available in the /client subdirectory as well as the /admin subdirectory of your software distribution directory.
“Executing GWCheck from a Windows Batch File” on page 412	Added the /pa switch.
“Executing GWCheck from a Linux Script” on page 413	Added the --pa switch.
“Using DBCopy on Linux Servers” on page 432	Corrected the path to the dbcopy executable.
Post Office Agent	
“/soapsizelimit” on page 577	Added the /soapsizelimit switch.
“/user” on page 579	Clarified the types of user to specify for NetWare®, Linux, and Windows remote servers.
Message Transfer Agent	
“Adjusting MTA Polling of Input Queues in the Domain, Post Offices, and Gateways” on page 662	Indicated that gateways are also affected by the MTA scan cycle settings.

Location	Change
Internet Agent	
“Using Paging” on page 729	Corrected the pager e-mail address so that the /l and /b switches follow the address.
“Binding the Internet Agent to a Specific IP Address” on page 753	Added information about setting up the Internet Agent to use an exclusive bind to a specified IP address.
WebAccess Agent	
“Assigning a Default WebAccess Agent to a Post Office” on page 843	Added information about how this setting is used to select an appropriate default WebAccess Agent for a post office.
“Assigning a Default WebAccess Agent to a Domain” on page 845	Added information about how this setting is used to select an appropriate default WebAccess Agent for a domain.
“Configuring the Document Viewer Agent” on page 887	Clarified the locations of the document quarantine directory and the document cache directory.
“Controlling Document Viewer Agent Logging” on page 919	Added the default location of Viewer Agent log files.
Client	
“Setting Client Options” on page 1025	Clarified that setting a lock on an option setting at a higher level such as a post office overrides that option setting at a lower level such as a user.
“Using ZENworks Desktop Management to Distribute the GroupWise Windows Client” on page 1065	Clarified the section on how to use ZENworks Desktop Management to distribute the GroupWise Windows Client.
“Using GroupWise 7 Tuner” on page 1068	Added information on how to use GroupWise 7 Tuner to create a transform file.
“Configuring ZENworks to Use a Transform File” on page 1071	Added information on how to configure ZENworks to use a Transform file.