Default Policy Settings

ZENworks. Mobile Management 2.6.x

January 2013

Legal Notices

Novell, Inc., makes no representations or warranties with respect to the contents or use of this documentation, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to revise this publication and to make changes to its content, at any time, without obligation to notify any person or entity of such revisions or changes.

Further, Novell, Inc., makes no representations or warranties with respect to any software, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to make changes to any and all parts of Novell software, at any time, without any obligation to notify any person or entity of such changes.

Any products or technical information provided under this Agreement may be subject to U.S. export controls and the trade laws of other countries. You agree to comply with all export control regulations and to obtain any required licenses or classification to export, re-export or import deliverables. You agree not to export or re-export to entities on the current U.S. export exclusion lists or to any embargoed or terrorist countries as specified in the U.S. export laws. You agree to not use deliverables for prohibited nuclear, missile, or chemical biological weaponry end uses. See the Novell International Trade Services Web page (http://www.novell.com/info/exports/) for more information on exporting Novell software. Novell assumes no responsibility for your failure to obtain any necessary export approvals.

Copyright © 2012-13 Novell, Inc. All rights reserved. No part of this publication may be reproduced, photocopied, stored on a retrieval system, or transmitted without the express written consent of the publisher.

Novell, Inc. 1800 South Novell Place Provo, UT 84606 U.S.A. www.novell.com

Online Documentation: To access the latest online documentation for this and other Novell products, see the Novell Documentation Web page (http://www.novell.com/documentation).

Novell Trademarks

For Novell trademarks, see the Novell Trademark and Service Mark list (http://www.novell.com/company/legal/trademarks/tmlist.html).

Third-Party Materials

All third-party trademarks are the property of their respective owners.

Default Policy Settings

This chart documents the default settings of the entire ZENworks Mobile Management policy suite for each security level available in the Create New Policy Suite Wizard.

It can also be used as a template for planning any customizations to your policy suites. Print two charts - one for planning a policy suite for corporate liable devices and one for planning a policy suite for individual liable devices. Select a security level to start with and then mark the rules you want to customize.

| Policy | | Low | Level | | Mod | erate Level | | S | trict Level | | | High Level |
|------------------------------------|-----|-----|---------|-----|-----|-------------|-----|----|----------------|-----|----|------------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| Audit Tracking | | | | | | | | | | | | |
| Archive files on device | | X | | | Х | | Х | | | X | | |
| Send file list frequency (in days) | | | 30 | | | 14 | | | 7 | | | 3 |
| Record phone log | | X | | X | | | Х | | | X | | |
| Record text message log | | X | | X | | | Х | | | X | | |
| Record location of device | | Х | | | Х | | | Х | | | Х | |
| GPS location accuracy | | X | 1 | X | | 1 | X | | 3 | X | | 5 |
| Device Control | | | | | | | | | | | | |
| Allow Bluetooth | | | Allowed | | | Allowed | | | Handsfree only | | | Disabled |
| Allow browser | X | | | Х | | | | Х | | | Х | |

| Policy | | Low | Level | | Mode | rate Level | | Str | ict Level | | ı | ligh Level |
|--|-----|-----|-----------|-----|------|------------|-----|-----|-----------|-----|----|------------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| Allow camera | Х | | | Х | | | | Х | | | Х | |
| Allow infrared | Х | | | X | | | X | | | | X | |
| Allow Internet sharing from the device | Х | | | Х | | | | Х | | | Х | |
| Allow remote desktop | Х | | | | Х | | | Х | | | Х | |
| Allow SD card | Х | | | Х | | | Х | | | Х | | |
| Allow synchronization from a desktop | Х | | | Х | | | | Х | | | Х | |
| Allow text messaging | Х | | | Х | | | | Х | | | Х | |
| Allow Wi-Fi | Х | | | Х | | | | Х | | | Х | |
| Allow HTML formatted email | Х | | | Х | | | Х | | | | Х | |
| Maximum HTML email body truncation size (in KB) | | | No Max | | | No Max | | | No Max | | | No Max |
| Allow consumer email | X | | | X | | | Х | | | | X | |
| Allow POP/IMAP email | X | | | X | | | | X | | | X | |
| Maximum email body truncation size (in KB) | | | No Max | | | No Max | | | No Max | | | No Max |
| Maximum calendar age for synchronization | | | (1 month) | | | (1 month) | | | (1 month) | | | (1 month) |
| Maximum email age for synchronization | | | (1 month) | | | (1 month) | | | (2 weeks) | | | (1 week) |
| Require manual sync when roaming | | Х | | | Х | | | Х | | | Х | |
| Allow multiple devices | Х | | | X | | | Х | | | X | | |
| File Share Permissions | | X | | | Х | | | Х | | | X | |
| Mobile Apps Permissions | | Х | | | Х | | | X | | | X | |
| Security | | | | | | | | | | | | |
| Require password | X | | | X | | | Х | | | Х | | |
| Enable password recovery | X | | | X | | | Х | | | X | | |
| Allow simple password | Х | | | | Х | | | Х | | | Х | |
| Require minimum password length | X | | | X | | | X | | | X | | |

| Policy | | Low | Level | | Mode | erate Level | | St | rict Level | | ı | High Level |
|---|-----|-----|----------------|-----|------|--------------|-----|----|-----------------|-----|----|----------------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| Minimum password length | | | 4 | | | 6 | | | 8 | | | 8 |
| Require alphanumeric password | | Х | | X | | | X | | | Х | | |
| Minimum number of complex characters | | | 1 if enabled | | | 1 | | | 2 | | | 3 |
| Require device password expiration | | Х | | X | | | X | | | Х | | |
| Password expiration in days | | | 30 if enabled | | | 30 | | | 30 | | | 30 |
| Require device password history | | Х | | X | | | Х | | | Х | | |
| Number of stored passwords | | | 1 if enabled | | | 5 | | | 7 | | | 10 |
| Enable password echo | | Х | | | X | | | Х | | | X | |
| Begin password echo after attempts | | | 5 if enabled | | | 5 if enabled | | | 5 if enabled | | | 5 if enabled |
| Require encryption on the device | X | | | X | | | X | | | Х | | |
| Require encryption on the SD card | | Х | | | Х | | X | | | Х | | |
| Require max inactivity time device lock | | X | | X | | | X | | | Х | | |
| Max inactivity timeout (in minutes) | | | 60 if enabled | | | 5 | | | 1 | | | 1 |
| Require device challenge timeout | | Х | | X | | | X | | | Х | | |
| Max device challenge timeout | | | 120 if enabled | | | 120 | | | 60 | | | 30 |
| Enable customizable lock message | | Х | | | Х | | | Х | | | Х | |
| Customizable lock message | | | Blank | | | Blank | | | Blank | | | Blank |
| Audible alert on lock | | Х | | | Х | | | Х | | | Х | |
| Maximum grace period (in minutes) | | | 5 minutes | | | 1 minute | | | 0 (immediately) | | | 0 (immediately |
| Wipe device on failed number of unlock attempts | | X | | Х | | | X | | | Х | | |
| Maximum number of unlock attempts | | | 4 if enabled | | | 10 | | | 7 | | | 5 |
| Enable emergency calls when locked | Х | | | X | | | Х | | | Х | | |
| Ambulance phone number | | | 911 | | | 911 | | | 911 | | | 911 |
| Fire phone number | | | 911 | | | 911 | | | 911 | | | 911 |
| Police phone number | | | 911 | | | 911 | | | 911 | | | 911 |

| Policy | | Low | Level | | Mode | erate Level | | s | trict Level | | | High Level |
|--|-----|-----|------------------|-----|------|---------------------|-----|----|------------------|-----|----|------------------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| Other phone number | | | 911 | | | 911 | | | 911 | | | 911 |
| S/MIME Settings | | | | | | | | | | | | |
| Require signed S/MIME messages | | Х | | | X | | | Х | | | X | |
| Require encrypted S/MIME messages | | Х | | | Х | | | Х | | | Х | |
| Require signed S/MIME algorithm | | | SHA1 | | | SHA1 | | | SHA1 | | | SHA1 |
| Require encryption S/MIME algorithm | | | TDES | | | TDES | | | TDES | | | TDES |
| Allow S/MIME encryption algorithm negotiation | | | Do not negotiate | | | Do not negotiate | | | Do not negotiate | | | Do not negotiate |
| Allow S/MIME soft certs | | X | | | X | | | X | | | X | |
| iOS Devices | | | | | | | | | | | | |
| Allow FaceTime (prerequisite: Allow Camera) | Х | | | Х | | | | X | | | X | |
| Allow voice dialing (prerequisite: Require Password) | Х | | | Х | | | Х | | | Х | | |
| Allow screen shot | Х | | | Х | | | | Х | | | X | |
| Allow explicit content | Х | | | | Х | | | X | | | X | |
| Allow automatic sync when roaming | Х | | | Х | | | | Х | | | X | |
| Allow Siri | X | | | Х | | | | Х | | | Х | |
| Allow Siri while device locked | х | | | х | | | | х | | | х | |
| Enable Siri Profanity Filter | | х | | | x | | x | | | x | | |
| Allow multiplayer gaming | Х | | | Х | | | | X | | | X | |
| Allow adding Game Center friends | X | | | Х | | | | X | | | Х | |
| Force iTunes Store Password Entry | | Х | | | Х | | Х | | | Х | | |
| Force encrypted backup | | Х | | Х | | | Х | | | Х | | |
| Allow Location Services | x | | | x | | | | x | | | X | |

| Policy | | Low | Level | | Mode | rate Level | | S | trict Level | | | High Level |
|--|-----|-----|-----------------------|-----|------|------------|-----|----|-------------------------|-----|----|-------------------------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| Allow Passbook while device locked | X | | | Х | | | X | | | Х | | |
| Allow application installation | X | | | Х | | | X | | | | Х | |
| Allow in-app purchases | Х | | | | Х | | | Х | | | X | |
| Allow YouTube | Х | | | Х | | | | Х | | | X | |
| Allow iTunes | Х | | | Х | | | Х | | | | Х | |
| Allow Safari (prerequisite: Allow Browser) | Х | | | Х | | | | Х | | | Х | |
| Accept cookies | | | Always | | | Always | | | From visited sites | | | Never |
| Allow auto-fill | Х | | | | Х | | | Х | | | Х | |
| Allow JavaScript | Х | | | Х | | | | Х | | | Х | |
| Block pop-ups | | Х | | | Х | | Х | | | Х | | |
| Force fraud warning | | Х | | Х | | | Х | | | Х | | |
| Rating region | | | US | | | US | | | US | | | US |
| Application ratings | | | Allow All Apps | | | 12+ | | | 12+ | | | 12+ |
| Movie ratings | | | Allow All Movies | | | PG-13 | | | Don't Allow Movies | | | Don't Allow Movie |
| TV show ratings | | | Allow All TV Shows | | | TV-14 | | | Don't Allow TV Shows | | | Don't Allow TV Shows |
| Allow profile removal | | | Always | | | Always | | | Always | | | Always |
| Profile removal password | | | Blank | | | Blank | | | Blank | | | Blank |
| Allow Untrusted TLS prompt | Х | | | Х | | | | Х | | | Х | |
| Allow Diagnostic submission text | X | | | Х | | | | Х | | | Х | |
| Allow iCloud backup | Х | | | Х | | | | Х | | | Х | |
| Allow document sync | х | | | Х | | | | Х | | | X | |
| Allow Photo Stream | Х | | | Х | | | | Х | | | X | |
| Allow Shared Photo Streams | х | | | Х | | | X | | | Х | | |
| Record installed applications | X | | | Х | | | Х | | | Х | | |
| Managed Mobile Apps | X | | | X | | | X | | | X | | |

| Policy | | Low | Level | | Mod | erate Level | | St | trict Level | | | High Level |
|---|-----|-----|---------------|-----|-----|---------------|-----|----|---------------|-----|----|---------------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| TouchDown: Installation | | | | | | | | | | | | |
| Allow any server certificate | | Х | | | Х | | | Х | | | Х | |
| Initiate enrollment | Х | | | Х | | | Х | | | Х | | |
| TouchDown: General | | | | | | | | | | | | |
| Allow copy/paste in emails | X | | | Х | | | Х | | | Х | | |
| Allow easy PIN recovery | X | | | х | | | | Х | | | Х | |
| Allow speak notification option | X | | | Х | | | Х | | | X | | |
| Show TouchDown PIN | | Х | | | Х | | | Х | | Х | | |
| Show calendar info on notification bar | Х | | | Х | | | Х | | | Х | | |
| Show email info on notification bar | Х | | | Х | | | Х | | | Х | | |
| Show task info on notification bar | Х | | | Х | | | Х | | | Х | | |
| Disable Printing | | Х | | | Х | | | Х | | | Х | |
| Forced SMIME Pin Timeout | | | 0 | | | 0 | | | 0 | | | 0 |
| TouchDown: Signature | | | | | | | | | | | | |
| Allow change signature on device | Х | | | Х | | | | Х | | | Х | |
| Set signature (corporate / individual) | | | via TouchDown | | | via TouchDown | | | via TouchDown | | | via TouchDowr |
| | | | | | | | | | | | | |
| TouchDown: Widgets Allow export to third-party widgets | | | | | | | | | | | | |
| | X | | | | X | | | X | | | X | |
| Allow TouchDown calendar widget | X | | | X | | | Х | | | Х | | |
| Allow TouchDown email widget | Х | | | Х | | | Х | | | Х | | |
| Allow TouchDown task widget | Х | | | х | | | Х | | | Х | | |
| Allow TouchDown universal widget | Х | | | Х | | | Х | | | х | | |
| Show widget data when TouchDown is locked | Х | | | Х | | | Х | | | Х | | |

| Policy | | Low L | evel | | Mode | rate Level | | Stri | ct Level | | Н | igh Level |
|---------------------------|-----|-------|-------|-----|------|------------|-----|------|----------|-----|----|-----------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| TouchDown: Phone Book | | | | | | | | | | | | |
| Phone book fields to copy | | | All | | | All | | | All | | | All |
| Assistant Phone | X | | | Х | | | Х | | | Х | | |
| Car Phone | X | | | Х | | | X | | | Х | | |
| Computer Phone | X | | | X | | | X | | | X | | |
| Department | X | | | X | | | X | | | X | | |
| Email 1 | X | | | X | | | X | | | X | | |
| Email 2 | X | | | X | | | X | | | X | | |
| Email 3 | X | | | X | | | X | | | X | | |
| Home Address | | | | X | | | | | | X | | |
| Home Fax | X | | | | | | X | | | | | |
| Home Phone | X | | | X | | | X | | | X | | |
| Home Phone 2 | X | | | X | | | X | | | X | | |
| Location | X | | | X | | | X | | | X | | |
| Mobile Phone | X | | | X | | | X | | | X | | |
| Note | X | | | X | | | X | | | X | | |
| | X | | | X | | | X | | | X | | |
| Organization/Company | X | | | X | | | X | | | X | | |
| Other Address | X | | | X | | | X | | | X | | |
| Other Fax | X | | | X | | | X | | | X | | |
| Pager | X | | | Х | | | X | | | Х | | |
| Photo | X | | | Х | | | X | | | Х | | |
| Radio Phone | X | | | Х | | | X | | | Х | | |
| Title | X | | | X | | | X | | | X | | |
| Work Address | X | | | X | | | X | | | X | | |
| Work Phone | X | | | X | | | X | | | X | | |
| Work Phone 2 | X | | | X | | | X | | | X | | |

| Policy | | Low | Level | | Mode | rate Level | | St | rict Level | | ŀ | ligh Level |
|---|-----|-----|--------|-----|------|------------|-----|----|------------|-----|----|------------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| TouchDown: User Configurable Settings - Calendar | | | | | | | | | | | | |
| Show All-day events in the Calendar Widget | Х | | | X | | | X | | | Х | | |
| Show upcoming events only | | X | | | X | | | X | | | Х | |
| Enable meeting resource field | Х | | | X | | | X | | | X | | |
| Show calendar tasks in the Agenda | Х | | | X | | | X | | | X | | |
| Show overdue tasks in the Agenda | Х | | | Х | | | Х | | | Х | | |
| Customize the start and end days for the week | | X | | | X | | | Х | | | X | |
| First day of a week to show in Calendar | | | Monday | | | Monday | | | Monday | | | Monday |
| Last day of a week to show in Calendar | | | Friday | | | Friday | | | Friday | | | Friday |
| Start time of the work day | | | 8:00 | | | 8:00 | | | 8:00 | | | 8:00 |
| End time of the work day | | | 17:00 | | | 17:00 | | | 17:00 | | | 17:00 |
| Default reminder for each new event | | | 3 days | | | 3 days | | | 3 days | | | 3 days |
| Default privacy status for each new event | | | Normal | | | Normal | | | Normal | | | Normal |
| Default availability status for each new event | | | Busy | | | Busy | | | Busy | | | Busy |
| Calendar zoom size | | | 150 | | | 150 | | | 150 | | | 150 |
| TouchDown: User Configurable Settings – Device Control | | | | | | | | | | | | |
| Show a compact PIN screen (NEW 7.1) | | X | | | Х | | | X | | | Х | |
| Default theme (NEW 7.1) | | | Basic | | | Basic | | | Basic | | | Basic |
| TouchDown: User Configurable Settings – Email | | | | | | | | | | | | |
| Enable email selectors | X | | | Х | | | Х | | | Х | | |
| Show email summary | X | | | Х | | | Х | | | Х | | |
| Highlight email senders | Х | | | X | | | X | | | X | | |
| Enable search as you type | Х | | | X | | | X | | | Х | | |

| Policy | | Low | Level | | Mode | erate Level | | St | rict Level | | F | ligh Level |
|--|-----|-----|---------------|-----|------|---------------|-----|----|---------------|-----|----|---------------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| Automatically download embedded images | | X | | | X | | | X | | | Х | |
| Enable move to any folder option | X | | | Х | | | X | | | X | | |
| Highlight unread messages | X | | | Х | | | X | | | Х | | |
| Enable preview attachments option | X | | | Х | | | X | | | X | | |
| Always expand folders | X | | | Х | | | X | | | Х | | |
| Enable confirm deletes prompt | X | | | Х | | | X | | | X | | |
| Enable confirm move prompt | X | | | Х | | | X | | | Х | | |
| Toolbar mode | | | Always show | | | Always show | | | Always show | | | Always show |
| After delete go to | | | Next email | | | Next email | | | Next email | | | Next email |
| Enable email alerts at non-peak times | X | | | Х | | | X | | | Х | | |
| Confirm move to Junk prompt | X | | | Х | | | X | | | Х | | |
| TouchDown: User Configurable Settings - Synchronization | | | | | | | | | | | | |
| Enable push email mode | | Х | | | X | | | X | | | X | |
| Off-peak polling interval | | | 30 | | | 30 | | | 30 | | | 30 |
| TouchDown: Suppressions | | | | | | | | | | | | |
| Suppression Configuration | | | Custom | | | Custom | | | Custom | | | Custom |
| TouchDown: Suppressions - Calendar, Contacts, Tasks | | | | | | | | | | | | |
| Allow appointment alert configuration | X | | | Х | | | Х | | | Х | | |
| Allow appointment reminders at non-peak times option | Х | | | х | | | Х | | | Х | | |
| Enable appointment reminders at non- peak times | Х | | | Х | | | Х | | | Х | | |
| Allow appointment synchronization options | X | | | Х | | | X | | | Х | | |
| Allow category configuration | X | | | Х | | | Х | | | Х | | |
| Allow copy to phone format options | | Х | | | Х | | | Х | | | Х | |
| Name format for contacts copied to | | | First MI Last | | | First MI Last | | | First MI Last | | | First MI Last |

| Policy | | Low | Level | | Mode | erate Level | | St | rict Level | | ı | High Level |
|--|-----|-----|-----------|-----|------|-------------|-----|----|------------|-----|----|------------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| phone | | | | | | | | | | | | |
| Allow enable appointment reminders option | X | | | Х | | | X | | | Х | | |
| Enable appointment reminders | Х | | | Х | | | Х | | | Х | | |
| Allow include phone contacts in picklist option | X | | | X | | | X | | | X | | |
| Include phone contacts in picklist | X | | | X | | | X | | | X | | |
| Allow normalize phone numbers option | X | | | X | | | X | | | X | | |
| Normalize phone numbers | X | | | X | | | X | | | X | | |
| Allow reminders configuration | X | | | X | | | X | | | X | | |
| Set reminders (in min) | | | 0 | | | 0 | | | 0 | | | 0 |
| Allow update contact changes to phone option | | Х | - | | Х | | | Х | <u> </u> | | Х | |
| Update contact changes to phone | Х | | | Х | | | Х | | | Х | | |
| TouchDown: Suppressions - Device Control | | | | | | | | | | | | |
| Allow ActiveSync device type string field | | Х | | | Х | | | Х | | | Х | |
| ActiveSync device type string field | | | TouchDown | | | TouchDown | | | TouchDown | | | TouchDowr |
| Allow backup database (menu option) | Х | | | Х | | | | Х | | | Х | |
| Allow backup settings | Х | | | Х | | | | Х | | | Х | |
| Allow disable tablet mode (tablet devices only) option | Х | | | Х | | | Х | | | Х | | |
| Disable tablet mode (tablet devices only) | | Х | | | Х | | | Х | | | Х | |
| Allow exclude attachments from gallery option | Х | | | Х | | | Х | | | Х | | |
| Exclude attachments from gallery | | Х | | | Х | | | Х | | | X | |
| Allow export settings | Х | | | Х | | | | Х | | | X | |
| Allow filtered tasks on home screen and widgets option | X | | | Х | | | Х | | | Х | | |
| Display tasks on home screen and widgets | X | | | Х | | | X | | | Х | | |
| Allow login ID, email address, domain fields | | Х | | | X | | | Х | | | X | |
| Allow quick configuration | | Х | | | Х | | | Х | | | Х | |

| Policy | | Low | Level | | Mod | erate Level | | S | trict Level | | | High Level |
|---|-----|-----|---|-----|-----|---|-----|----|---|-----|----|---|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| Allow restore database (menu option) | Х | | | Х | | | | Х | | | Х | |
| Allow restore settings | Х | | | Х | | | | Х | | | Х | |
| Allow server name fields | | Х | | | Х | | | Х | | | Х | |
| Allow show emails on startup option | Х | | | Х | | | Х | | | Х | | |
| Show email list on startup | Х | | | х | | | Х | | | Х | | |
| Allow use system background data setting option | Х | | | х | | | Х | | | Х | | |
| Use system background data setting | Х | | | Х | | | Х | | | Х | | |
| TouchDown: Suppressions - Email | | | | | | | | | | | | |
| Allow always BCC myself option | Х | | | Х | | | Х | | | Х | | |
| Enable always BCC myself option | | Х | | | Х | | | Х | | | Х | |
| Allow choose folders | Х | | | Х | | | Х | | | Х | | |
| Allow disable SmartReplies and SmartForwards option | Х | | | х | | | Х | | | х | | |
| Disable SmartReplies and SmartForwards | | Х | | | Х | | | Х | | | Х | |
| Allow don't delete emails on server option | Х | | | Х | | | Х | | | Х | | |
| Do not delete email on server | | Х | | | Х | | | Х | | | Х | |
| Allow don't mark read on server | Х | | | х | | | Х | | | Х | | |
| Do not mark email read on server | | Х | | | Х | | | Х | | | Х | |
| Allow email alerts configuration | Х | | | х | | | Х | | | Х | | |
| Allow email body style options | Х | | | Х | | | Х | | | Х | | |
| Email body style (Corporate/Individual) | | | font: Calibri, Arial, Helvetica, sans-serif; size: 11pt; color: black | | | font: Calibri, Arial, Helvetica, sans-serif; size: 11pt; color: black | | | font: Calibri, Arial, Helvetica, sans-serif; size: 11pt; color: black | | | font: Calibri, Arial, Helvetica, sans-serif; size: 11pt; color: black |
| Allow email checking frequency options | Х | | | х | | | Х | | | х | | |
| Email checking frequency (in minutes) | | | 15 | | | 15 | | | 15 | | | 15 |

| Policy | | Low I | Level | | Mode | erate Level | | Str | ict Level | | Н | igh Level |
|--|-----|-------|--------|-----|------|-------------|-----|-----|-----------|-----|----|-----------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| Allow email download size options | Х | | | Х | | | | X | | | Х | |
| Allow email view text size options | Х | | | Х | | | Х | | | Х | | |
| Email text size | | | Normal | | | Normal | | | Normal | | | Normal |
| Allow emails to synchronize options | Х | | | Х | | | Х | | | Х | | |
| Allow enable HTML email options | Х | | | X | | | X | | | Х | | |
| Allow folder language options | Х | | | Х | | | Х | | | Х | | |
| Allow manage rules option | Х | | | Х | | | Х | | | Х | | |
| Allow notify on new mail option | Х | | | Х | | | Х | | | Х | | |
| Send new mail notifications | Х | | | X | | | X | | | Х | | |
| Allow out of office configuration | Х | | | X | | | X | | | Х | | |
| Allow signature line field | Х | | | Х | | | Х | | | Х | | |
| TouchDown: Suppressions - Security | | | | | | | | | | | | |
| Allow clean SD card on remote wipe option | Х | | | Х | | | Х | | | Х | | |
| Clean SD card on remote wipe | Х | | | Х | | | Х | | | Х | | |
| Allow client certs configuration | Х | | | Х | | | | X | | | Х | |
| Allow remote kill configuration | Х | | | Х | | | | Х | | | Х | |
| Remote kill code | | | REDRUM | | | REDRUM | | | REDRUM | | | REDRUM |
| Allow security policy display | Х | | | Х | | | | Х | | | Х | |
| Allow S/MIME settings configuration | Х | | | Х | | | X | | | Х | | |
| Allow wipe data (menu option) | Х | | | Х | | | | Х | | | Х | |
| TouchDown: Suppressions - Synchronization | | | | | | | | | | | | |
| Allow defer server updates option | Х | | | Х | | | | Х | | | Х | |
| Enable defer server updates | X | | | Х | | | X | | | Х | | |
| Allow enable SMS syncing (Exchange 2010 Only) option | X | | | Х | | | Х | | | Х | | |

| Policy | Low Level | | | Moderate Level | | | Strict Level | | | High Level | | |
|---|-----------|----|-------|----------------|----|-------|--------------|----|-------|------------|----|-------|
| | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE | YES | NO | VALUE |
| Allow manual sync when roaming option | X | | | X | | | X | | | Х | | |
| Allow notify on password failure option | X | | | X | | | Х | | | Х | | |
| Send password failure notifications | X | | | X | | | Х | | | Х | | |
| Allow notify on polling failure option | X | | | Х | | | X | | | Х | | |
| Send failed polling notifications | X | | | Х | | | X | | | X | | |
| Allow notify on successful polling option | X | | | X | | | Х | | | X | | |
| Send successful polling notifications | X | | | X | | | X | | | X | | |
| Allow peak time configuration | X | | | X | | | X | | | Х | | |
| Allow poll during off-peak times option | x | | | X | | | X | | | X | | |
| Enable polling at off-peak times | X | | | X | | | X | | | X | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |