Novell iPrint Appliance Health Monitor Administration Guide Novell iPrint Appliance 1.1

July 2014



Legal Notices

Novell, Inc. makes no representations or warranties with respect to the contents or use of this documentation, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc. reserves the right to revise this publication and to make changes to its content, at any time, without obligation to notify any person or entity of such revisions or changes.

Further, Novell, Inc. makes no representations or warranties with respect to any software, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc. reserves the right to make changes to any and all parts of Novell software, at any time, without any obligation to notify any person or entity of such changes.

Any products or technical information provided under this Agreement may be subject to U.S. export controls and the trade laws of other countries. You agree to comply with all export control regulations and to obtain any required licenses or classification to export, re-export, or import deliverables. You agree not to export or re-export to entities on the current U.S. export exclusion lists or to any embargoed or terrorist countries as specified in the U.S. export laws. You agree to not use deliverables for prohibited nuclear, missile, or chemical biological weaponry end uses. Please refer to www.novell.com/info/ exports/ for more information on exporting Novell software. Novell assumes no responsibility for your failure to obtain any necessary export approvals.

Copyright © 2005–2014 Novell, Inc. All rights reserved. No part of this publication may be reproduced, photocopied, stored on a retrieval system, or transmitted without the express written consent of the publisher.

Novell, Inc. has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at http://www.novell.com/company/legal/patents/ and one or more additional patents or pending patent applications in the U.S. and in other countries.

Novell, Inc. 1800 South Novell Place Provo, UT 84606 U.S.A. www.novell.com

Online Documentation: To access the latest online documentation for this and other Novell products, see the Novell Documentation Web page.

Contents

4								
1	An C	Overview of the iPrint Manager Health Monitor	7					
2	Understanding the iPrint Manager Health Monitor Screens							
	2.1	Navigating in the iPrint Manager Health Monitor						
	2.2	iPrint Manager Health Monitor Main Page						
		2.2.1 iPrint_Manager_Object Context						
		2.2.2 Number of Printer Agents						
		2.2.3 Printer Agent Name						
		2.2.4 Jobs/Jobs Printed Since (for iPrint Manager) 2.2.5 Current iPrint Manager State						
		2.2.5 Current iPrint Manager State 2.2.6 Advanced iPrint Manager Information						
	2.3	Printer Agent Information Page						
	2.0	2.3.1 Printer Agent Status.						
		2.3.2 Printer Console						
		2.3.3 Printer Agent Status Details, Event Time, Message						
		2.3.4 Job List						
		2.3.5 Shutdown/Startup History	14					
		2.3.6 Message from Admin						
		2.3.7 Configuration Options						
		2.3.8 Job Processing Information						
		2.3.9 Job History						
		2.3.10 Printer Information						
		2.3.10 Printer Information 2.3.11 Operating System and Driver Name						
3	Adva							
		2.3.11 Operating System and Driver Name	18 19					
	Adva 3.1	2.3.11 Operating System and Driver Name	18 19 20					
		2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface.	18 19 20 21					
		2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface.						
		2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface						
		2.3.11 Operating System and Driver Name canced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Internal						
:		2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information						
:	3.1	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Up Time History						
:	3.1 3.2	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information						
:	3.1 3.2 3.3	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Information iPrint Manager Up Time History View Log File Generate Report						
:	3.1 3.2 3.3 3.4	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Information iPrint Manager Up Time History View Log File Generate Report Internal Auditing						
:	3.1 3.2 3.3 3.4 3.5	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Information iPrint Manager Up Time History View Log File Generate Report						
:	3.1 3.2 3.3 3.4 3.5 3.6	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Information iPrint Manager Up Time History View Log File Generate Report Internal Auditing						
:	3.1 3.2 3.3 3.4 3.5 3.6	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Information iPrint Manager Up Time History View Log File Generate Report Internal Auditing Configure Settings and Thresholds 3.7.1 Current Event Log Size 3.7.2 Maximum Event Log File Size						
:::::::::::::::::::::::::::::::::::::::	3.1 3.2 3.3 3.4 3.5 3.6 3.7	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Information iPrint Manager Information iPrint Manager Up Time History View Log File Generate Report Internal Auditing Internal Auditing						
:::::::::::::::::::::::::::::::::::::::	3.1 3.2 3.3 3.4 3.5 3.6	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Information iPrint Manager Up Time History View Log File Generate Report Internal Auditing Configure Settings and Thresholds 3.7.1 Current Event Log Size 3.7.3 Configuring the Monitoring Thresholds Debug Options						
:::::::::::::::::::::::::::::::::::::::	3.1 3.2 3.3 3.4 3.5 3.6 3.7	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Information iPrint Manager Information iPrint Manager Information iPrint Manager Information iPrint Manager Up Time History View Log File Generate Report Internal Auditing Configure Settings and Thresholds 3.7.1 3.7.2 Maximum Event Log Size 3.7.3 Configuring the Monitoring Thresholds 3.7.3 Debug Screen Options						
:::::::::::::::::::::::::::::::::::::::	3.1 3.2 3.3 3.4 3.5 3.6 3.7	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Information iPrint Manager Information iPrint Manager Up Time History View Log File Generate Report Internal Auditing Configure Settings and Thresholds 3.7.1 3.7.2 Maximum Event Log Size 3.7.3 Configuring the Monitoring Thresholds 3.7.4 Debug Screen Options 3.8.2 Debug PA Handle						
:::::::::::::::::::::::::::::::::::::::	3.1 3.2 3.3 3.4 3.5 3.6 3.7	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Information iPrint Manager Up Time History View Log File Generate Report Internal Auditing Configure Settings and Thresholds 3.7.1 Current Event Log Size 3.7.3 Configuring the Monitoring Thresholds 3.7.3 Configuring the Monitoring Thresholds 3.7.3 Debug Screen Options 3.8.1 Debug Screen Options 3.8.2 Debug PA Handle 3.8.3 Gateway Info	18 19 20 21 22 23 25 27 28 29 29 30 30 30 31 31 31 31 33 34 34 34					
:::::::::::::::::::::::::::::::::::::::	3.1 3.2 3.3 3.4 3.5 3.6 3.7	2.3.11 Operating System and Driver Name anced iPrint Manager Information Page Interface, Current Status, and Latest Event Log Information 3.1.1 Client Interface 3.1.2 Gateway Interface 3.1.3 NDS Interface 3.1.4 Accounting Interface 3.1.5 iPrint Manager Information iPrint Manager Information iPrint Manager Information iPrint Manager Up Time History View Log File Generate Report Internal Auditing Configure Settings and Thresholds 3.7.1 3.7.2 Maximum Event Log Size 3.7.3 Configuring the Monitoring Thresholds 3.7.4 Debug Screen Options 3.8.2 Debug PA Handle						

4	Usin	g the iPrint Manager Health Monitor	35					
	4.1 4.2 4.3 4.4 4.5 4.6	Accessing the iPrint Manager Health Monitor	35 36 37 37 37 38 38 40 41					
5	Trou	Ibleshooting Print System Errors	13					
	5.1 5.2 5.3 5.4 5.5 5.6 5.7	Is the iPrint Manager healthy?	46 47 48 49 51 51 51 52 52					
6	Exar	nples of Troubleshooting Print Problems	53					
	6.1 6.2 6.3 6.4	Example 1: No Printer Output53Example 2: No Printer Output54Example 3: Printer Output Is Not Correct.56Example 4: Printing Is Slow56						
7	Runi	ning iPrint Manager Health Monitor in a Virtualized Environment	59					

About This Guide

This guide describes how to monitor and manage Novell iPrint Appliance using the iPrint Health Monitor. This guide discusses the following topics:

- Chapter 1, "An Overview of the iPrint Manager Health Monitor," on page 7
- Chapter 2, "Understanding the iPrint Manager Health Monitor Screens," on page 9
- Chapter 3, "Advanced iPrint Manager Information Page," on page 19
- Chapter 4, "Using the iPrint Manager Health Monitor," on page 35
- Chapter 5, "Troubleshooting Print System Errors," on page 43
- Chapter 6, "Examples of Troubleshooting Print Problems," on page 53
- Chapter 7, "Running iPrint Manager Health Monitor in a Virtualized Environment," on page 59

Audience

This guide is intended for administrators involved in managing and monitoring iPrint.

Feedback

We want to hear your comments and suggestions about this manual and other documentation included with this product. Please use the User Comments feature at the bottom of each page of the online documentation.

Documentation Updates

For the latest version of the *Novell iPrint Appliance Health Monitor Administration Guide*, visit the Novell iPrint Appliance documentation web site.

Additional Documentation

For documentation on installing and running iPrint Appliance, see the Novell iPrint Appliance 1.1 Administration Guide.

6 Novell iPrint Appliance 1.1: Novell iPrint Appliance Health Monitor Administration Guide

1 An Overview of the iPrint Manager Health Monitor

The iPrint Manager Health Monitor provides administrators with a global view of their print system. The Health Monitor shows you the current status of Printer Agents and lets you configure settings and generate reports about your print system.

The iPrint Manager Health Monitor lets you quickly evaluate your printing system and troubleshoot errors associated with printing.

Name irect_printer Pri	Jo Current Status Cor Inting				Since 07/20/2011	Printer Pool
Name irect_printer Pri	Status Schedule	d Active			Since 07/20/2011	Drinter Dee
<u>irect_printer</u>				02:39:51 PM	02:39:51 PM	Name
Ou		0 0	0	0	0	
uditing printer	itput used	5 0	0	0	0	
or_printer Shi	<mark>ut Down</mark> N/J	A N/A	5	5	5	
<u>ecure_printer</u> Idl	e	0 0	0	3	3	
est_printer Idl	e	0 0	0	0	0	
Jobs			Jobs Printed Since			
cheduled Active Sine	ce 07/20/2011 02:51	:00 PM 9	Since 07/20/2011 02:39:51 PM	Since 07/20/2011 02:39:	51 PM	
5 0		8	8		8	
urrent iPrint Manager	r Status GOOD					

Figure 1-1 Print Services Manager Health Monitor Main Page

To access the Health Monitor, launch the iPrint Appliance Management Console, then click *iPrint Printer Status*.

- 1 On a Web browser, specify either the DNS name or the IP address of the iPrint Appliance Management Console. For example, https://10.0.0.1:9443 or https://iprint.example.com:9443.
- 2 Specify the Username and Password, then click Log in.
- 3 Click *iPrint Printer Status*.

On the Health Monitor page, you can view current Printer Agent states, start up and shut down Printer Agents, and view other information about your print system.

8 Novell iPrint Appliance 1.1: Novell iPrint Appliance Health Monitor Administration Guide

2 Understanding the iPrint Manager Health Monitor Screens

Although the default settings in iPrint Appliance allow your users to print without further configuration being necessary, you can modify some of those settings in order to manage your printing resources more effectively. Before making changes, you should monitor your print system using the iPrint Manager Health Monitor to determine which changes benefit your configuration.

The iPrint Manager Health Monitor is divided into two main areas. From these two areas you can access all the information you need to monitor and troubleshoot your print system.

This section discusses the following:

- Section 2.1, "Navigating in the iPrint Manager Health Monitor," on page 9
- Section 2.2, "iPrint Manager Health Monitor Main Page," on page 9
- Section 2.3, "Printer Agent Information Page," on page 12

2.1 Navigating in the iPrint Manager Health Monitor

Navigating to different screens in the iPrint Manager Health Monitor is just a matter of selecting the link you want to view. To return to the main page above the page you are currently viewing, you must use the *Back* button in the Health Monitor that is located in the upper right-hand corner. Using the browser's *Back* button takes you back to the previously viewed page.

2.2 iPrint Manager Health Monitor Main Page

When you first access the Health Monitor, the main page shows you a list of all the Printer Agents and their current state, print job statistics, and the status of the iPrint Manager.

Figure 2-1 Print Services Manager Health Monitor Main Page

Number of Printer	Agents 5									
Jobs Jobs Printed Since										
Printer Agent Name	Current Status	Scheduled	Active	Since 07/20/2011 03:00:00 PM	Since 07/20/2011 02:39:51 PM	Since 07/20/2011 02:39:51 PM	Printer Pool Name			
lirect_printer	Error Printing	0	0	0	0	0				
uditing_printer	Output Paused	5	0	0	0	0				
pr_printer	Shut Down	N/A	N/A	. 5	5	5				
ecure_printer	Idle	0	0	0	3	3				
est_printer	Idle	0	0	0	0	0				
Jobs				Jobs Printed Since						
cheduled Active	Since 07/20/2	011 02:51:0	00 PM	Since 07/20/2011 02:39:51 P	M Since 07/20/2011 02	:39:51 PM				
5 0			8		8	8				
urrent iPrint Man Advanced iPrint M	0	GOOD								

Use the following list to find out more information about the fields displayed on the main page.

- iPrint_Manager_Object Context (page 10)
- Number of Printer Agents (page 10)
- Printer Agent Name (page 10)
- Jobs and Jobs Printed Since (for Printer Agents) (page 11)
- Current iPrint Manager State (page 12)
- Advanced iPrint Manager Information (page 12)

2.2.1 *iPrint_Manager_Object Context*

Displays the name and context of the iPrint Manager that the Health Monitor is monitoring.

2.2.2 Number of Printer Agents

Indicates the number of Printer Agents serviced by this iPrint Manager.

2.2.3 Printer Agent Name

Displays links to the Printer Agent Information page for every Printer Agent associated with this iPrint Manager. For more information, see Section 2.3, "Printer Agent Information Page," on page 12.

Current Status

Displays the current status of each Printer Agent. A Printer Agent can have one or more of the following status messages.

Table 2-1 Types of Status Error Messages

Status	Description
Error Printing	See Printer Agent's information page for details about the problems.
Idle	Waiting for a printable job to print.
Input Paused	Printer Agent will not accept new jobs.
Not Bound	No gateway is attached.
Output Paused	Printer's output is paused.
Printing	Job was opened by the gateway and is not yet closed.
Shutdown	Printer Agent is not accessible.

In addition to the status messages above, the column uses the following colors to indicate status.

Table 2-2 Status Color Indicators	Table 2-2	Status Color Indicators
-----------------------------------	-----------	-------------------------

Color	State
Red	Critical - Users cannot print to this printer.
Yellow	Warning - The printer is available to users, but the printer or Printer Agent might need attention to successfully print the job.
Green	Good - Users can print to the printer.

Scenarios

- If the status is idle and color is red, then the gateway has not requested a job.
- If the status is printing and the color is yellow, then the printer is not requesting data.

To configure how the iPrint Manager should handle the different status, use "Configuring the Monitoring Thresholds" on page 31 along with the Advanced iPrint Manager Information page.

Jobs and Jobs Printed Since (for Printer Agents)

Displays statistics about print jobs for the Printer Agent. The statistical information includes jobs that are scheduled to be printed; the number of jobs that the gateways currently have open; and the number of jobs printed in approximately the last hour, since midnight, and since the iPrint Manager was started. These numbers are reset when the iPrint Manager is stopped and restarted. This information is useful when troubleshooting issues.

2.2.4 Jobs/Jobs Printed Since (for iPrint Manager)

This listing below the dividing line displays a summary of job statistics for all Printer Agents associated with this iPrint Manager.

2.2.5 Current iPrint Manager State

The iPrint Manager can monitor itself for potential problems. This displays whether the iPrint Manager is operating within configured limits. For more information on configuring the iPrint Manager Health Monitor, see Section 3.7, "Configure Settings and Thresholds," on page 30.

2.2.6 Advanced iPrint Manager Information

If there is a problem with the iPrint Manager's status, click the Advanced iPrint Manager Information button for additional information. Also see "Advanced iPrint Manager Information Page" on page 19.

2.3 Printer Agent Information Page

This section describes the information presented on the Printer Agent Information page.

To access the Printer Agent page, launch iManager, click *Manage Print Manager > Manage Health Monitor*, and select a printer under *Printer Agent Name*.

- Section 2.3.1, "Printer Agent Status," on page 12
- Section 2.3.2, "Printer Console," on page 13
- Section 2.3.3, "Printer Agent Status Details, Event Time, Message," on page 13
- Section 2.3.4, "Job List," on page 14
- Section 2.3.5, "Shutdown/Startup History," on page 14
- Section 2.3.6, "Message from Admin," on page 14
- Section 2.3.7, "Configuration Options," on page 15
- Section 2.3.8, "Job Processing Information," on page 16
- Section 2.3.9, "Job History," on page 16
- Section 2.3.10, "Printer Information," on page 17
- Section 2.3.11, "Operating System and Driver Name," on page 18

2.3.1 Printer Agent Status

Displays the current status of each Printer Agent. A Printer Agent can have one or more of the following status messages.

Table 2-3 Types of Status Error Messages

Status	Description
Error Printing	See Printer Agent's information page for details about the problems.
Idle	Waiting for a job to print.
Input Paused	Printer Agent will not accept new jobs.
Not Bound	No gateway is attached.
Output Paused	Printer's output is paused.
Printing	Job was opened by the gateway and is not yet closed.
Shutdown	Printer Agent is not accessible.

In addition to the status messages above, the column uses the following colors to indicate status.

Table 2-4 Status Color Indicators

Color	State
Red	Critical - Users cannot print to this printer.
Yellow	Warning - The printer is available to users, but the printer or Printer Agent might need attention to successfully print the job.
Green	Good - Users can print to the printer.

To configure how the iPrint Manager should handle the different status, use "Configuring the Monitoring Thresholds" on page 31 along with the Advanced iPrint Manager Information page.

Shutdown or Startup/Pause Input or Output for Printer

Select the action you want from the drop-down list and click *Apply*. You can shut down or start up the Printer Agent or pause input or output on the printer. When the Printer Agent starts up, the most current printer status might not be returned. You might need to refresh the page. The drop-down list appears only if you have manager or admin rights to the Printer Agent.

2.3.2 Printer Console

Displays the information that the printer's display (usually the LCD) is showing. If the Printer Console field displays *None*, then the Health Monitor does not have access to the information. If the field displays *Unknown*, the Health Monitor was able to get the information, but it no longer can access the printer's display. This usually occurs when the gateway has changed. This feature uses SNMP to gather the information. If there is more than one message, additional Printer Console lines are displayed.

2.3.3 Printer Agent Status Details, Event Time, Message

The Printer Agent Status Details, Event Time, and Message table displays only when problems have been detected for this Printer Agent. The table lists current problems and the time the problem was reported along with any associated message. Red entries indicate problems that prevent printing. Yellow entries indicate warnings that should not stop printing.

2.3.4 Job List

Displays the current job list for this Printer Agent. This option is available only to administrators; the link appears only if you have manager or admin rights to the Printer Agent.

Figure 2-2 Job List Page

Job	List	for Printer	Agent 'auditi	ng_prin	te r'							
												Ba
Tota	al Num	ber Of Jobs	5 Refresh	Delete	Pause	Resume	Delet	e All Jobs				
		01 01 0000		001010		rtesume	Delet					
	Job ID	Job Name	Job Owner		Status		Job Size	Submis	sion Time	Started Printing	Bytes Sent	
	10	Test Page nov	ell@00-0C-29-97-	82-42 Job	Waiting to be	Processed	81,032	07/20/2011	03:07:32 PM			
	11	Test Page nov	ell@00-0C-29-97-	82-42 Job	Waiting to be	Processed	81,032	07/20/2011	03:07:35 PM			
	12	Test Page nov	ell@00-0C-29-97-	82-42 Job	Waiting to be	Processed	81,032	07/20/2011	03:07:37 PM			
	13	Test Page nov	ell@00-0C-29-97-	82-42 Job	Waiting to be	Processed	81,032	07/20/2011	03:07:40 PM			
	14	Test Page nov	ell@00-0C-29-97-	82-42 Job	Waiting to be	Processed	81.032	07/20/2011	03-07-42 PM			

2.3.5 Shutdown/Startup History

Displays a history of the startup and running times for this Printer Agent since the last time the iPrint Manager was loaded. When a Printer Agent has been restarted many times, it usually indicates that a problem exists and warrants further investigation. This link appears only if you have manager or admin rights to the Printer Agent.

Figure 2-3 Printer Agent Shutdown and Startup History



2.3.6 Message from Admin

Lets you attach a note about this Printer Agent. When a message exists, this link is highlighted in yellow. To remove the message, you must delete the characters in the message box and then click *Apply*. This link appears only if you have manager or admin rights to the Printer Agent.

Figure 2-4 Message from the Administrator Page

ssage from Admin for Printer Agent 'test_printer'	
	Back
eeds maintenance work. Control panel error 19.1 USER MAINTENANCE REQUIRED Idmin 20-07-2011 3:22 pm)	
Apply Clear	

This is useful for notes about the state of this printer. For example, you can leave a message when a printer is offline because of maintenance so that other administrators cannot delete the Printer Agent for the printer.

2.3.7 Configuration Options

Lets you configure the following options for the printer. After modifying this page, you must click *Apply* for the changes to be saved.

Figure 2-5	Configuration	Options	Page

Configuration Options for Printer Agent 'test_printer'	🗠 🖓
	Back
Enable Auditing	
LPR Enabled	
✓ Require SSL	
Printer Location	
Gateway Autoload Command	
iprintgw PORT=LPR HOSTADDRESS=164.99.140.241 PRINTERNAME=PASSTHRO	
Accounting Autoload Command	
Apply Cancel	

Table 2-5 Configuration Options Descriptions

Option	Description
Enable Auditing	Selecting this option enables auditing for this printer, which tracks who printed how many pages to this printer.
LPR Enabled	Selecting this option allows you to submit print jobs to a remote printer. Select this check-box to enable LPR, in order to allow the printer to accept print jobs from LPR/LPD clients.

Option	Description
Require SSL	Clients must use SSL to communicate with this printer. This option requires the printer to be an iPrint printer.
Printer Location	This field lets you specify a printer location associated with this printer. Use this field to add information that helps you and users locate this printer.
Gateway Autoload Command	If you need to make changes to the Gateway Autoload Command, such as changing the IP address for the printer, you can edit the information here. After saving any changes to the Gateway Autoload Command, you must restart the Printer Agent. An example for a Gateway Autoload Command could be - iprintgw PORT=LPR HOSTADDRESS=10.255.255.255 PRINTERNAME=PASSTHROUGH
Accounting Autoload Command	The Accounting Autoload Command allows programs to account, control, and limit print jobs. When using a third party accounting software for jobs submitted to this Printer Agent, enter the Accounting String details here. The accounting load string parameters are primarily used by third-party accounting software to overwrite the parent server information for this printer.

2.3.8 Job Processing Information

Displays information about processing jobs and about the last job that finished printing. This information is useful when troubleshooting.

2.3.9 Job History

The Job History includes the following fields:

- "Jobs Printed, Canceled, and Aborted Since" on page 16
- "Average Job Size Since (KB)" on page 16
- "Maximum Job Size Since (KB)" on page 17

Jobs Printed, Canceled, and Aborted Since

Displays statistics about the number of jobs that have been printed, canceled, and aborted in the last hour, in the last day, and since the iPrint Manager was started.

Jobs Printed Since refers to the number of jobs that have been printed since this value was reset to 0 (zero). This value was initialized to 0 when a Printer Agent was created. There should not be a need to reset this value to 0.

Average Job Size Since (KB)

Displays the size of the average print job (in kilobytes) that was processed since the indicated time. This information coupled with *Maximum Job Size Since (KB)* is useful in troubleshooting print problems as well as determining the throughput of your print system.

Maximum Job Size Since (KB)

Displays the size of the largest print job (in kilobytes) that was processed since the indicated time. This information coupled with *Average Job Size Since* (*KB*) is useful in troubleshooting print problems as well as determining the throughput of your print system.

2.3.10 Printer Information

The Printer Information includes the following:

- "Gateway" on page 17
- "Accounting Load String" on page 17
- "Date Printer Agent Created" on page 17
- "Printer Model and Printer Manufacturer" on page 17
- "Associated NDS Printer Object" on page 18
- "SSL Required" on page 18
- "Printer URL" on page 18
- "Spooling Location" on page 18
- "Banner" on page 18

Gateway

Displays the gateway load string for this printer. This helps you identify the IP address for the printer.

Accounting Load String

Displays the accounting load string parameters for this printer. These string parameters are primarily used by third-party accounting software to overwrite the parent server information for this printer.

Date Printer Agent Created

Displays the date and time this Printer Agent was created. You can use this information with the print job statistics to determine the printer's overall use. For example, if the Printer Agent was created a long time ago and it has processed only a few print jobs, you might want to move the printer to a more useful location.

Printer Model and Printer Manufacturer

The gateway populates the iPrint Manager's database with the printer model and manufacturer information, if available, obtained by communicating with the printer. The first row of this table displays the manufacturer and model of the physical printer. Subsequent rows display which driver is to be downloaded for the specified client operating system. This information is used by the iPrint Manager for automatic driver download.

Associated NDS Printer Object

Displays a list of the NDS® Printer objects associated with this Printer Agent. Access to these links is restricted to managers of this iPrint Manager object. If no NDS objects are associated with a printer, then the printer is a Public Access Printer.

SSL Required

Identifies if SSL has been enabled for this printer. False means that SSL has not been enabled. True means that SSL is required and that print data is encrypted between the client and server. For more information, see "Creating Secure Printers" in the *Novell iPrint Appliance 1.1 Administration Guide*.

Printer URL

Displays the URL for this Printer Agent. When a printer is installed using iPrint, this URL is the port assignment for the printer on the Windows workstation.

Spooling Location

Displays the location on the server where print jobs are spooled.

Banner

Displays the name of the banner page associated with this printer. If no banner page is associated to this printer, this field is blank.

2.3.11 Operating System and Driver Name

Displays the printer driver associations for this printer for each operating system.

3 Advanced iPrint Manager Information Page

To access the Advanced iPrint Manager Information page, launch iManager, and click *iPrint* > *Manage Print Manager* > *Manage Health Monitor* > *Advanced iPrint Manager Information*.

- 1 On a Web browser, specify either the DNS name or the IP address of the iPrint Appliance Management Console. For example, https://10.0.0.1:9443 or https://iprint.example.com:9443.
- 2 Specify the Username and Password, then click Log in.
- 3 Click *iPrint Printer Status*.
- 4 Click Advanced iPrint Manager Information.

Figure 3-1 Print Services Manager Health Monitor Page

iPrint A	Manager 'psm	_33.novell'			
I	Interface	Current Statu	s Latest Event Log		
<u>Client Ir</u>	nterface	GOOD	Latest Client Events		
Gatewa	<u>y Interface</u>	GOOD	Latest Gateway Events		
NDS Int	<u>erface</u>	GOOD	Latest NDS Events		
Account	ting Interface	GOOD	Latest Accounting Events		
<u>iPrint M</u>	<u>lanager Internal</u>	GOOD	Latest Internal Events		
		Reset Current S	Status		
		iPriı	nt Manager Information		
Version	Up Ti	me	DNS Name	IP Address	Restart Count
3.0.0	0 Days, 0 Hours	, 46 Minutes	cs-dta-221.labs.blr.novell.com	127.0.0.2	0
10 J					
	Nanager Up Time	History			
View Lo	og File				
Generat	te Report				
Auditin	g				
<u>Configu</u>	re Settings and I	Error Threshol	<u>ds</u>		
Debug (<u>Options</u>				

This section discusses the following areas of the Advanced iPrint Manager Information page:

- Section 3.1, "Interface, Current Status, and Latest Event Log Information," on page 20
- Section 3.2, "iPrint Manager Information," on page 28
- Section 3.3, "iPrint Manager Up Time History," on page 29
- Section 3.4, "View Log File," on page 29
- Section 3.5, "Generate Report," on page 30

- Section 3.6, "Internal Auditing," on page 30
- Section 3.7, "Configure Settings and Thresholds," on page 30
- Section 3.8, "Debug Options," on page 33

3.1 Interface, Current Status, and Latest Event Log Information

This table displays the different interfaces of the iPrint Manager.

Interface: Contains links to pages that display statistics to profiled time and errors for the indicated interfaces.

Current Status: Indicates the state of each interface for the last hour.

Status	Description
Bad	Color: Red
	Running outside configured thresholds in a manner designated as an error.
Good	Color: Green
	Running within configured thresholds.
Not Monitored	Monitoring for the interface has been turned off or does not apply.
Warning	Color: Yellow
	Running outside configured thresholds in a manner designated as a warning.

 Table 3-1
 Interface Color Indicators

Figure 3-2 Latest Event Log

Latest Event Log
Latest Client Events
Latest Gateway Events
Latest NDS Events
Latest Accounting Events
Latest Internal Events

Latest Event Log: Displays the last 20 events for the given interface. You can choose to view the last 20 client events, gateway events, NDS events, accounting events, and internal events.

Figure 3-3 Latest Client Events

Latest Client Events	2
Clear Latest Client Events	Back
07/20/2011 03:23:46 PM, Operation Bind to Printer Agent:, Error: 506D000C - object not found,	User

Name, Administrator@00-0C-29-1E-CA-FD, Address, 164.99.112.54, Object Name: abcorp 07/20/2011 02:48:29 PM, Operation Bind to Printer Agent:, Error: 506D0030 - insufficient rights, User Name, novell@00-0C-29-97-82-42, Address, 164.99.117.141, Object Name: secure_printer 07/20/2011 02:48:20 PM, Operation Bind to Printer Agent:, Error: 506D0030 - insufficient rights, User Name, novell@00-0C-29-97-82-42, Address, 164.99.117.141, Object Name: secure_printer 07/20/2011 02:48:20 PM, Operation Bind to Printer Agent:, Error: 506D0030 - insufficient rights, User Name, novell@00-0C-29-97-82-42, Address, 164.99.117.141, Object Name: secure_printer 07/20/2011 02:39:51 PM, iPrint Manager Started Loading

3.1.1 Client Interface

Figure 3-4 Client Interface Page

iPrint Manager Client Status					
Latest Client Events					
	Since 07/20/2011 02:5	51:00 PM Since 07/20/201	1 02:39:51 PM Since	07/20/2011 02:39:51 PM	
Total Operations		3499	3682	3682	
Operations that Used Excessive Time		0	0	0	
Operations that Failed		2	4	4	
Lost Client IPC Connections		0	0	0	
Bind count, Printer Agent Unknown		1	1	1	
	Che	ent Operation Information			
Summary of All Client Operations					
Null Procedure	Bind to iPrint Manager	Bind to Printer Agent		Unbind	
Print	Modify Job	Cancel Job		List Object Attributes	
Promote Job	Pause Job	Resume Job		Destroy All Jobs for Printer Age	nt
<u>Create Object</u>	Delete Object	Disable Printer Agent		Enable Printer Agent	
Resubmit Jobs	Set	Shutdown Printer Agent	:	Start up Printer Agent	
Reorder Job	Pause Printer Agent	Resume Printer Agent		Transfer Document Data	
Shutdown iPrint	Set Printer NDS Info	Destroy Specific User's J	obs for Printer Agent	Status Monitor	
Backup the Print Manager Database					

Backup the Print Manager Database

Latest Client Events

Displays the last 20 events for the given interface.

Currently Bound Clients

Displays statistics on clients currently bound to this iPrint Manager. Typically, most binds are transitory except for administrators that are using management tools.

Client Operations Statistics

Displays statistics regarding the operations that have occurred since the referenced time, typically in the last hour, since midnight, and since the Printer Agent was started.

 Table 3-2
 Client Operations

Statistic	Description
Total Operations	Total number of client operations that have occurred since the referenced time.
Operations That Used Excessive Time	Number of client operations that succeeded, but exceeded the configured threshold for maximum client operation time.
Operations That Failed	Number of client operations that failed.
Average Time Used	Average time used to perform operations of the selected type.
Max Time Used	Maximum time used to perform an operation of the selected type.
Lost Client Connections	Number of times the iPrint Manager attempts to respond to a request when the client is no longer communicating. Causes for the lost client connection include slow links or routers and a client machine being rebooted. This statistic can indicate when users are having difficulty printing. This displays only when you select Summary of All Operations.

Client Operation Information

Lists all of the client operations that might occur with the iPrint Manager. These operations become selectable if any operation of that type has occurred. The statistics at the top of this page apply to the currently selected field.

When an operation event occurs, the operation is changed to a link. When you click a link, the statistics for that operation for the last hour are displayed above the *Client Operation Information* and the operation is highlighted with the color Cyan. The following are all the colors that can be used.

Color	Description
Cyan	Currently selected event operation
Magenta	Currently selected event operation with an event worthy of notice
Yellow	Event worthy of notice has occurred

3.1.2 Gateway Interface

Figure 3-5 Gateway Interface Page

iPrint Manager Gateway Status					
				Back	
Latest Gateway Events					
	Since 07/20/2011 02:51:00 PM	Since 07/20/2011 02:39:51 PM	Since 07/20/2011 02:39:51 PM		
Total Operations	90	93	93		
Operations that Used Excessive Time	0	0	0		
Operations that Failed	0	0	0		

Latest Gateway Events

Displays the last 20 events for the given interface.

Gateway Operations

Displays statistics regarding the operations that have occurred since the referenced time, typically the last hour, since midnight, and since the Printer Agent was started.

Table 3-4 Gateway Operations

Statistic	Description
Total Operations	Total number of operations that have occurred since the referenced time.
Operations That Used Excessive Time	Number of operations that succeeded, but exceeded the configured threshold for maximum client operation time.
Operations That Failed	Number of operations that failed.

3.1.3 NDS Interface

Figure 3-6 NDS Interface Page

iPrint Manager NDS Status	🗠 ?
	Back
Latest NDS Events	

	Since 07/20/2011 02:51:00 PM	Since 07/20/2011 02:39:51 PM	Since 07/20/2011 02:39:51 PM
Total Operations	351	424	424
Operations that Used Excessive Time	0	0	0
Operations that Failed	0	3	3
Average Time used (milliseconds)	0	0	0
Max Time used (milliseconds)	20	31	31
login	0	2	2
read	266	308	308
modify	39	56	56
open stream	6	9	9
write stream	40	49	49
read stream	0	0	0
get effective rights	0	0	0

File Server Containing Replica Summary of All File Servers Accessed Undetermined 164.99.116.221

Latest NDS Events

Displays the last 20 events for the given interface.

Operations

Table 3-5	NDS Operations
-----------	----------------

Statistic	Description	
Total Operations	Total number of client operations that have occurred since the referenced time.	
Operations That Used Excessive Time	Number of client operations that succeeded, but exceeded the configured threshold for maximum client operation time.	
Operations That Failed	Number of client operations that failed.	
Average Time Used	Average time used in milliseconds to perform $NDS^{\ensuremath{\mathbb{R}}}$ operations to the selected server.	
Maximum Time Used	Maximum time used in milliseconds to perform NDS operations to the selected server.	
Login	Number of times that the user has logged into eDirectory	
Read	Number of times that read operations have been carried out in the eDirectory	
Modify	Number of times that modify operations have been carried out in the eDirectory	
Open Stream	Number of times that the open stream operation has been carried out in the eDirectory	
Write Stream	Number of times that the write stream operation has been carried out in the eDirectory	
Read Stream	Number of times that the read stream operation has been carried out in the eDirectory	
Get Effective Rights	Number of times that requests have been made for obtaining effective user rights for printer objects	

File Server Containing Replica

The statistics on this page apply to the currently selected replica in the list. The links are explained in the following table.

Options	Description
Summary of All File Servers Accessed	Statistics for all monitored NDS operations.
Undetermined	Any operation where the iPrint Manager cannot determine which replica was accessed.
File_Server_List	The first 15 file servers accessed by the iPrint Manager for NDS information within the last hour. Any server highlighted in yellow indicates that there has been a recent problem while processing an NDS operation to that server.

Clicking the link displays operations associated with that file server's replica. The following colors are used.

Color	Description
Cyan	Currently selected event operation.
Magenta	Currently selected event operation with an event worthy of notice.
Yellow	An event worthy of notice has occurred.

Last Access of Replica

If a file server has been selected under *File Server Containing Replica*, this displays the date and time that the iPrint Manager last accessed a replica on that file server.

Lost Connection Count

Displays the number of times the iPrint Manager unsuccessfully attempted to talk to the selected server. This statistic is indicative of the health of eDirectoryTM.

3.1.4 Accounting Interface

Figure 3-7 Accounting Status Page

iPrint Manager Accounting Stat	us		
			Back
Latest Accounting Events			
	Since 10/03/2011 06:06:00 PM Since	10/03/2011 12:00:00 AM Since 09/28/2011 08	3: 39: 30 PM
Total Operations	0	0	0
Operations that Used Excessive Time	0	0	0
Operations that Failed	0	0	0
	Accounting	9 Operation Information	
Summary of All Accounting Operations			
Null Procedure	Bind Accounting Module to the Print Manager	Unbind Accounting Module from the Print Manager	Job Action Request from Accounting Module
Bind Printer Agent to Accounting Module	Unbind Printer Agent from Accountin Module	^g Submit Accounting Info	

Latest Accounting Events

Displays the last 20 events for the given interface.

Operations

Table 3-8	Accounting	Operations
-----------	------------	------------

Statistic	Description
Total Operations	Total number of accounting operations that have occurred since the referenced time.
Operations That Used Excessive Time	Number of accounting operations that succeeded, but exceeded the configured threshold for maximum client operation time.
Operations That Failed	Number of accounting operations that failed.

Accounting Operation Information

Lists all of the accounting operations that might occur with the iPrint Manager. These operations become selectable if any operation of that type has occurred. The statistics at the top of this page apply to the currently selected field.

When an operation event occurs, the operation is changed to a link. When you click a link, the statistics for that operation for the last hour are displayed above the *Accounting Operation Information* and the operation is highlighted with the color Cyan. The following are all the colors that can be used.

Color	Description
Cyan	Currently selected event operation
Magenta	Currently selected event operation with an event worthy of notice
Yellow	Event worthy of notice has occurred

Table 3-9 Operation Color Indicators

3.1.5 iPrint Manager Internal

Figure 3-8 Print Services Manager Internal Page

i inte Manage	er Internal						
Last Database	Backup 07/20/201	11 03:10:32 F	2M				
Database Data F	File Size	67 I	КР				
Database Objec	t Count		69				
Database XM	L File	padbtxt.x	<u>ml</u>				
Database Objec	t Lock Information	Since 07/20)/2011 02:51:0	0 PM Since 07/20/	2011 02:39:51 I	PM Since 07	/20/2011 02:39:51 PM
Total Object	Lock Operations	4239		4399		4399	
Failed Object	Lock Operations	0		0		0	
Databas	e Information	Since 07	/20/2011 02:51	1:00 PM Since 07/	20/2011 02:39:5	51 PM Since	07/20/2011 02:39:51 PM
Total Numb	ber of Operations	5805		6025		6025	
Operations that	t Used Excessive Ti	ime 0		0		0	
Average Access	s Time (millisecond	ds) 0		0		0	
Max Access T	Time (milliseconds)) 23		23		23	
		-					
		Empti	7 Records - Cou	nt: 1, Size: 1 KB	Defrag Dat	tabase 🛛	Backup Database
Examine Datab	ase	cmpd	, itecoids - cod	1101 1, 51201 1110			
<u>Examine Datab</u>	ase	Empti					
	Pool Information		-	2:51:00 PM Since			ince 07/20/2011 02:39:51 PM
	Pool Information		-			39:51 PM S 4042	ince 07/20/2011 02:39:51 PM 4042
Thread Total Tasks Proc	Pool Information		-	2:51:00 PM Since			
Thread Total Tasks Proc Max Number of	Pool Information	Sinc	-	2:51:00 PM Since 3857		4042	4042
Thread Total Tasks Proc Max Number of	Pool Information cessed Queued Request ueued Time (milliso	Sinc	-	2:51:00 PM Since 3857 2		4042 2	4042
Thread Total Tasks Proc Max Number of Max Request Qı Max Number of	l Pool Information :essed Queued Request ueued Time (milliso Threads	Sinc	-	2:51:00 PM Since 3857 2 0		4042 2 0	4042 2 (
Thread Total Tasks Proc Max Number of Max Request Qı Max Number of	l Pool Information :essed Queued Request ueued Time (milliso Threads	Sinc	-	2:51:00 PM Since 3857 2 0		4042 2 0	4042 2 (
Thread Total Tasks Proc Max Number of Max Request Qu Max Number of taskListNodeCo	l Pool Information :essed Queued Request ueued Time (milliso Threads untMGbl 0	sinc econds)	e 07/20/2011 0	2:51:00 PM Since 3857 2 0 6	07/20/2011 02:	4042 2 0 6	4042 2 (
Thread Total Tasks Proc Max Number of Max Request Qu Max Number of taskListNodeCo	I Pool Information :essed Queued Request ueued Time (milliso Threads untMGbI 0 ead pool state thre	sinc econds)	e 07/20/2011 0	2:51:00 PM Since 3857 2 0 6	07/20/2011 02:	4042 2 0 6	4042 2 (
Thread Total Tasks Proc Max Number of Max Request Qu Max Number of taskListNodeCor Name thre	I Pool Information :essed Queued Request ueued Time (milliso Threads untMGbI 0 ead pool state thre	econds) ad state last	e 07/20/2011 0	2:51:00 PM Since 3857 2 0 6 nds thread ID tasks	07/20/2011 02: executed last Ta	4042 2 0 6	4042 2 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Thread Total Tasks Proc Max Number of Max Request Qu Max Number of taskListNodeCor Name threa TaskThrd_0	I Pool Information :essed Queued Request ueued Time (milliso Threads untMGbI 0 ead pool state thre ACTIVE R	econds) ead state last rUNNING PENDED	e 07/20/2011 0	2:51:00 PM Since 3857 2 0 6 1 F2C47700	07/20/2011 02: executed last Ta 4003	4042 2 0 6	4042 2 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Thread Total Tasks Proc Max Number of Max Request Qu Max Number of taskListNodeCor Name thre TaskThrd_0 TaskThrd_1	I Pool Information cessed Queued Request ueued Time (milliso Threads untMGbI 0 ead pool state thre ACTIVE R NOT_ACTIVE SUS	econds) ad state last UNNING PENDED PENDED	e 07/20/2011 0	2:51:00 PM Since 3857 2 0 6 1 5 1 F2C47700 366 F2446700	07/20/2011 02: • executed last Ta 4003 39	4042 2 0 6	4042 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Thread Total Tasks Proc Max Number of Max Request Qu Max Number of taskListNodeCou Name thre TaskThrd_0 TaskThrd_1 TaskThrd_2	I Pool Information cessed Queued Request ueued Time (milliso Threads untMGbI 0 ead pool state thre ACTIVE R NOT_ACTIVE SUS NOT_ACTIVE SUS	econds) ad state last RUNNING PENDED PENDED PENDED PENDED	e 07/20/2011 0 e executed secon 8 13111562 13111562	2:51:00 PM Since 3857 2 0 6 1 F2C47700 366 F2446700 230 F1C45700	07/20/2011 02: • executed last Ta 4003 39 0	4042 2 0 6	4042 2 2 2 2 3 3 3 3 3 3 4 4 4 3 4 4 4 4 4
Thread Total Tasks Proc Max Number of Max Request Qu Max Number of taskListNodeCon Name thre TaskThrd_0 TaskThrd_1 TaskThrd_1 TaskThrd_3	I Pool Information cessed Queued Request ueued Time (millise Threads untMGbI 0 ead pool state thre ACTIVE R NOT_ACTIVE SUS NOT_ACTIVE SUS NOT_ACTIVE SUS	econds) ad state last RUNNING PENDED PENDED PENDED PENDED PENDED PENDED	e 07/20/2011 0 e executed secon { 13111562 13111562 13111562	2:51:00 PM Since 3857 2 0 6 1 F2C47700 366 F2446700 230 F1C45700 230 F1C45700	07/20/2011 02: • executed last Ta 4003 39 0 0 0	4042 2 0 6	4042 in Time (1/10,000) function 0 Unknown 0 Unknown 0 Unknown 0 Unknown 0 Unknown
Thread Total Tasks Proc Max Number of Max Request Qu Max Number of taskListNodeCor Name thre TaskThrd_0 TaskThrd_1 TaskThrd_1 TaskThrd_2 TaskThrd_3 TaskThrd_3 TaskThrd_3 TaskThrd_5	I Pool Information cessed Queued Request ueued Time (milliso Threads untMGbI 0 ead pool state thre ACTIVE R NOT_ACTIVE SUS NOT_ACTIVE SUS NOT_ACTIVE SUS NOT_ACTIVE SUS	econds) ad state last UNNING PENDED PENDED PENDED PENDED PENDED PENDED PENDED	e 07/20/2011 0 e executed secon 8 13111562 13111562 13111562	2:51:00 PM Since 3857 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 1 2 0 6 1 2 1 2 0 6 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	07/20/2011 02: • executed last Ta 4003 39 0 0 0 0 0 0	4042 2 0 6	4042 in Time (1/10,000) function 0 Unknown 0 Unknown 0 Unknown 0 Unknown 0 Unknown 0 Unknown 0 Unknown
Thread Total Tasks Proc Max Number of Max Request Qu Max Number of taskListNodeCor Name thre TaskThrd_0 TaskThrd_1 TaskThrd_1 TaskThrd_2 TaskThrd_3 TaskThrd_3 TaskThrd_3 TaskThrd_5	I Pool Information cessed Queued Request ueued Time (milliso Threads untMGbI 0 ead pool state thre ACTIVE R NOT_ACTIVE SUS NOT_ACTIVE SUS NOT_ACTIVE SUS NOT_ACTIVE SUS NOT_ACTIVE SUS NOT_ACTIVE SUS	econds) ad state last UNNING PENDED PENDED PENDED PENDED PENDED PENDED PENDED	e 07/20/2011 0 e executed secon 8 13111562 13111562 13111562	2:51:00 PM Since 3857 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 0 6 1 2 1 2 0 6 1 2 1 2 0 6 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	07/20/2011 02: • executed last Ta 4003 39 0 0 0 0 0 0	4042 2 0 6	4042 in Time (1/10,000) function 0 Unknown 0 Unknown 0 Unknown 0 Unknown 0 Unknown 0 Unknown 0 Unknown

Database Backup and File Size Information

Displays general information about the iPrint Manager's database. The index file and the data file together comprise the iPrint Manager's database. The index should be roughly one-tenth the size of the *Database Data File Size*.

A large index file is indicative that a large number of database objects have been deleted. While this does not affect performance, you can resynchronize the database to update the index file size, if necessary.

Database Lock Operations

The iPrint Manager uses locks when accessing objects in its database. If the lock for an object cannot be acquired, the object cannot be accessed and that database operation fails. *Database Lock Operations* displays how many object lock operations have been attempted and how many have failed for the specified time.

Database Information

Displays statistics on the performance of the iPrint Manager's database. Excessive time is defined as 10 seconds. The *Average Access Time* should be 0 (zero).

Statistics for the *Max Access Time* are expected, and most entries are associated with file system backups.

Examine Database

Links to a page that gives details about the database objects.

Thread Pool Information

The iPrint Manager has a thread pool that it uses to process a variety of tasks. This table displays some statistics to monitor the performance and load on this thread pool.

Table 3-10	Thread Pool	Task Information
------------	-------------	------------------

Statistic	Description
Total Tasks Processed	Total number of tasks that have been processed by the thread pool since the referenced time.
Max Number of Queued Requests	Maximum number of request that were queued up (waiting) to be processed.
Max Request Queue Time	Longest time that a task waited to be processed.
Max Number of Threads	The iPrint Manager has the ability to create and to destroy threads for the thread pool as needed. The minimum number of threads in the thread pool is two. <i>Max Number of Threads</i> displays the maximum number of threads that were needed to process tasks.
	If this number consistently exceeds five, you should monitor the print system's performance and determine if you need an additional iPrint Manager.

3.2 iPrint Manager Information

Displays information about this iPrint Manager, including its version, how long it has been loaded on the server, associated DNS name, IP address, the version, and the restart count (the number of times the print manager "child" process has been restarted automatically by the monitor process).

NOTE: In instances when the print manager or its child process crashes automatically or is killed using a command such as SIGKILL, the monitor process restarts the print manager, incrementing the restart count.

iPrint Manager Information					
Version	Up Time	IP Address	Restart Count		
3.0.0	0 Days, 0 Hours, 55 Minutes	cs-dta-221.labs.blr.novell.com	127.0.0.2	0	

3.3 iPrint Manager Up Time History

Links to a page that displays how long the iPrint Manager has been running, the amount of time it was down in between loads, and information about how the Manager was unloaded. If the Manager was shut down properly by bringing down the server or unloading the *ipsmd*, *Clean Unload* is displayed. For all other situations, *Probable Server Abend* or *Power Cycle* is displayed.

At the bottom of the page is a *Totals* row showing uptime, downtime, and the percent of time the iPrint Manager was loaded.

3.4 View Log File

The iPrint Manager's log file contains all the events collected from each interface. This link displays the last 20 KB of the file. The filename and path are displayed at the top of the View Log File page.

Figure 3-10 Sample Log File

Log File - <u>/var/opt/novell/iprint/psm_33.novell.psm/ndpsmmon.log</u>	a ?
Clear Event Log File	Back
07/20/2011 02:39:51 PM iPrint Manager Finished Loading 07/20/2011 02:39:51 PM,	
Error (-603) was returned, Operation read. Replica on server '164.99.116.221',	
Object Name: psm_33.novell, Attribute Name: iPrintManagerDBSaveData	
(NDS Interface)	
07/20/2011 02:47:12 PM,	
Error (-603) was returned, Operation read. Replica on server '164.99.116.221',	
Object Name: psm_33.novell, Attribute Name: iPrintManagerPOtoPAidMap	
(NDS Interface)	
07/20/2011 02:47:12 PM,	
Error (-603) was returned, Operation read. Replica on server '164.99.116.221', Object Name: psm_33.novell, Attribute Name: iPrintManagerPOtoPAidMap	
(NDS Interface)	
07/20/2011 02:48:20 PM, Operation Bind to Printer Agent:,	
Error: 506D0030 - insufficient rights,	
User Name, novell@00-0C-29-97-82-42,	
Address, 164.99.117.141,	
Object Name: secure_printer	
(Client Interface)	
07/20/2011 02:48:29 PM, Operation Bind to Printer Agent:,	
Error: 506D0030 - insufficient rights,	
User Name, novell@00-0C-29-97-82-42,	
Address, 164.99.117.141,	
Object Name: secure_printer	
(Client Interface)	
07/20/2011 03:23:46 PM, Operation Bind to Printer Agent:,	
Error: 506D000C - object not found,	
User Name, Administrator@00-0C-29-1E-CA-FD, Address, 164.99.112.54,	
Address, 164.99.112.54, Object Name: abcorp	
(Client Interface)	

3.5 Generate Report

Use this link to create reports about your printing system. For information on recommended reports, see Section 4.2, "Generating Reports," on page 35.

Figure 3-11 Generate Report Options Page

teport Options for 'psm_33.	noven		
- File Options - /var/opt/novell/iprint.	/psm_33.novel	.psm/ipsmdrpt.csv	
🗌 Write Results to File 🛛 💿 Ap	pend to File	⊂Replace File	
Configuratio	n Options		Status Options
LPR Enabled	Win 95/98	Driver	Printer Agent Status
📃 Direct Print Enabled	📃 Win NT4 E	river	Printer Agent State Reasons
🔲 iPrint Printer URL	📃 Win 2000 I	Driver	Printer Console
SSL Required for iPrint Access	🔲 Win XP Dr	iver	🔲 Jobs Printed Today
🔲 Gateway Load String	📃 Linux Driv	er	🔲 Jobs Printed Since Load
Accounting Load String	🔲 MAC Drive	r	🔲 Jobs Printed Ever
Associated NDS Printer	📃 Vista (32-l	oit)	📃 Average Job Size Today (Kb)
🔲 Printer Model	📃 Vista (64-I	oit)	🔲 Average Job Size Since Load (Kb)
Printer Location	🔲 Win 7 (32	bit)	🔲 Date Printer Agent Created
Auditing Enabled	🔲 Win 7 (64	bit)	🔲 Date Last Job Printed
📃 Printer Pool Name	📃 Win 95/98	Driver Profile	🔲 Message From Admin
🔲 Banner	🔲 Win NT4 E	river Profile	
Spooling Location	🔲 Win 2000 I	Oriver Profile	
	📃 Win XP Dr	iver Profile	
	🔲 Vista (32-I	oit) Driver Profile	
	🔲 Vista (64-I	oit) Driver Profile	
	🔲 Win 7 (32-	bit) Driver Profile	
	🔲 Win 7 (64-	bit) Driver Profile	
	Gen	erate Report	

3.6 Internal Auditing

Internal auditing creates an audit log file of who printed how many pages to which printer on a given date for printers that have internal auditing enabled. You can enable auditing for all or just a few Printer Agents using NetIQ iManager, or you can use the Printer Agent page in the Health Monitor to enable internal auditing for a Printer Agent. For more information, see Section 4.6, "Using Print Auditing," on page 37

3.7 Configure Settings and Thresholds

Use the Configure Settings and Thresholds page to modify the default settings for the Print Services Manager Health Monitor. For most print systems, you do not need to change the default settings. This link is accessible only to the administrator of iPrint Manager.

NOTE: These settings are global. Changes made earlier by an administrator are overwritten by subsequent modifications to the settings.

Figure 3-12 Configure Settings and Thresholds Page

Configure Settings and Thresholds	
	Be
Current Event Log Size 1 Kb	
Maximum Event Log File Size 100 KBytes 💌	
Apply File Size Limit	
Printer Status	
Client Interface	
Gateway Interface	
NDS Interface	

3.7.1 Current Event Log Size

Displays the current size of the event log file.

3.7.2 Maximum Event Log File Size

Sets the maximum file size for the event log. When the indicated file size is reached, the log file is restarted.

3.7.3 Configuring the Monitoring Thresholds

This list links to configuration pages where error definitions and thresholds can be set. Changing these settings can impact the Current iPrint Manager Status on the Health Monitor's home page.

Printer Status

Define Printer Status Severity: Lets you define the severity of the associated printer states. The following table shows the default settings.

State	Severity Setting
Error Printing	Error
Input Paused	Warning
Not Bound	Warning
Output Paused	Warning
Shut Down	Warning

 Table 3-11
 Default Printer Severities

Use Printer Status in Determining iPrint Manager Status: Lets you decide whether printer status should be used in determining the iPrint Manager status in the Server Health Monitoring page. The default is set to False so that toner low, out of paper, etc., do not affect the overall server health of Novell Remote Manager.

Default = False (printer status not used)

Client Interface

Threshold for Excessive Time Used in a Client Operation: The amount of time (in seconds) it takes the iPrint Manager to accomplish a task can fluctuate. For example, network conditions, file server load, or hardware can affect processing time. *Threshold for Excessive Time Used in a Client Operation* allows the user to define a reasonable time limit. Any operation that takes longer than the specified time is considered to have used excessive time.

Default = 10 seconds

Maximum Allowed Percentage of Operations That Use Excessive Time: Occasionally it takes longer than normal to accomplish an operation. This is to be expected. *Maximum Allowed Percentage of Operations That Use Excessive Time* lets you set a threshold to indicate a problem with this interface by selecting the percentage of operations that use excessive time.

Default = 1.0%

Maximum Allowed Percentage of Operations That Fail: Select a failure percentage rate to indicate a problem with this interface. Some errors are to be expected; however, if you are in the process of modifying your print system, you might want to set this higher so that your modifications do not impact the printing health. After the modifications are complete, you can lower this setting to an acceptable level and create a baseline for you system.

Default = 1.0%

Minimum Required Problems before Indicating an Error State: Select the minimum number of errors, because of failures and excessive time usage, that must occur to indicate a problem with this interface. If this is set too low, the Health Monitor displays an error when the iPrint Manager is initially loaded or becomes active after a slow period. This is because the printing statistics are low or 0 during these times.

Default = 10 errors

Use Client Interface Problems in Determining iPrint Manager Status: Lets you decide whether problems with this interface are considered in determining iPrint Manager Status in the Server Health Monitoring page.

Default = True (problems are considered)

Gateway Interface

Threshold for Excessive Time Used in a Gateway Operation: The amount of time (in seconds) it takes the iPrint Manager to accomplish a task can fluctuate. For example, network conditions, file server load, or hardware can affect processing time. *Threshold for Excessive Time Used in a Gateway Operation* lets the you define a reasonable time limit. Any operation that takes longer than the specified time is considered to have used excessive time.

Default = 10 seconds

Maximum Allowed Percentage of Operations That Use Excessive Time: Occasionally it takes longer than normal to accomplish an operation. This is to be expected. *Maximum Allowed Percentage of Operations That Use Excessive Time* lets you set a threshold to indicate a problem with this interface by selecting the percentage of operations that use excessive time before an error state.

Default = 1.0%

Maximum Allowed Percentage of Operations That Fail: Select a failure percentage rate to indicate a problem with this interface.

Default = 1.0%

Minimum Required Problems before Indicating an Error State: Select the minimum number of errors, because of to failures and excessive time usage, that must occur to indicate a problem with this interface. If this is set too low, the Health Monitor displays an error when the iPrint Manager is initially loaded or becomes active after a slow period. This is because the printing statistics are low or 0 during these times.

Default = 10 errors

Use Gateway Interface Problems in Determining iPrint Manager Status: Lets you decide whether problems with this interface are considered in determining iPrint Manager Status in the Server Health Monitoring page.

Default = True (problems are considered)

NDS Interface

Threshold for Excessive Time Used in an NDS Operation: The amount of time (in seconds) it takes the iPrint Manager to accomplish a task can fluctuate. For example, network conditions, file server load, or hardware can affect processing time. *Threshold for Excessive Time Used in an NDS Operation* lets you define a reasonable time limit. Any operation that takes longer than the specified time is considered to have used excessive time.

Default = 10 seconds

Maximum Allowed Percentage of Operations That Use Excessive Time: Occasionally it takes longer than normal to accomplish an operation. This is to be expected. *Maximum Allowed Percentage of Operations That Use Excessive Time* lets you set a threshold to indicate a problem with this interface by selecting the percentage of operations that use excessive time.

Default = 1.0%

Maximum Allowed Percentage of Operations That Fail: Select a failure percentage rate to indicate a problem with this interface.

Default = 1.0%

Minimum Required Problems before Indicating an Error State: Select the minimum number of errors, because of failures and excessive time usage, that must occur to indicate a problem with this interface. If this is set too low, the Health Monitor displays an error when the iPrint Manager is initially loaded or becomes active after a slow period. This is because the printing statistics are low or 0 during these times.

Default = 10 errors

Use Interface Problems in Determining iPrint Manager Status: Lets you decide whether problems with this interface are considered in determining iPrint Manager Status in the Server Health Monitoring page.

Default = True (problems are considered)

3.8 Debug Options

These options provide advanced information of the iPrint Manager and it is used by the Novell Technical Support team when debugging issues.

Figure 3-13 Debug Options Page

debug options
Debug Screen Options
Debug PAHandle
<u>Gateway Info</u>
Thread Info
Repair Profile Associations
Remove Orphan Job Records

3.8.1 Debug Screen Options

Use this page to enable logging of the debug information for iPrint Manager. Select the parameters for which you want to log the information, then click *Apply*.

IMPORTANT: When these options are enabled, the iPrint manager logs extensive information in the debug.log file. The log file size is limited to your disk space.

3.8.2 Debug PA Handle

For every printer agent under the printer manager, there exists an identification handle. The *Debug PA Handle* menu lists all the PA handles for a particular print manager.

3.8.3 Gateway Info

Printer hardwares in a zone communicate with the printer agent through a gateway. The *Gateway Info* menu lists the general details of the gateway that a particular printer agent uses.

3.8.4 Thread Info

Whenever you start an action using Novell iPrint, one new action thread is created to handle your user request. Some threads deal with maintenance processes and some threads deal with printer tasks. The *Thread Info* menu lists the details of all the threads for a particular printer agent.

3.8.5 Repair Profile Associations

Use this option to set right corrupter profile associations for a particular printer agent.

3.8.6 Remove Orphan Job Records

Removes corrupted print job records. The log file located at /var/opt/novell/log/iprint/ ipsmd.log contains information about the orphan job records.

4 Using the iPrint Manager Health Monitor

This section discusses the following:

- Section 4.1, "Accessing the iPrint Manager Health Monitor," on page 35
- Section 4.2, "Generating Reports," on page 35
- Section 4.3, "Configuring Health Monitor Settings," on page 36
- Section 4.4, "Posting Administrator Messages about a Printer," on page 37
- Section 4.5, "Viewing a Printer's Job List," on page 37
- Section 4.6, "Using Print Auditing," on page 37

4.1 Accessing the iPrint Manager Health Monitor

To access the Health Monitor, launch the iPrint Appliance Management Console, then click *iPrint Printer Status*.

- 1 On a Web browser, specify either the DNS name or the IP address of the iPrint Appliance Management Console. For example, https://10.0.0.1:9443 or https://iprint.example.com:9443.
- 2 Specify the Username and Password, then click *Log in*.
- **3** Click *iPrint Printer Status*.

The Health Monitor opens in a new browser window. You must log in as a user with Administrator rights or as a manager of the iPrint Manager object.

4.2 Generating Reports

The report feature of the Health Monitor lets you generate a report that can be displayed on the screen or saved as a comma-separated-value (.csv) file that can be used in a spreadsheet program.

- 1 On the iPrint Manager Health Monitor main page, click *Advanced iPrint Manager Information* > *Generate Report*.
- **2** Select the information you want included in the report by selecting the corresponding check boxes.
- 3 (Optional) If you want to save the report as a file, select the Write Results to File check box.
- 4 Click Generate Report.

The following are some common reports that you might want to generate:

Printer Configurations. To determine what features are enabled for each Printer Agent, select the following:

- SSL Required for iPrint Access
- Auditing Enabled

Printer's Current State. To view the states of the printers and any printer console messages, select the following:

- Printer Agent Status
- Printer Agent State Reasons
- Printer Console

Printing Statistics. To view statistics about your print system, select the following:

- Jobs Printed Ever
- Jobs Printed Since Load
- Jobs Printed Today
- Average Job Size Since Load
- Average Job Size Today

Gateway Information. To view information about a gateway associated with the Printer Agents including the gateway's IP address, select the following:

Gateway Load String

Printer Driver Associations. To view the printer drivers associated with each printer, select the following:

- Windows 95/98 Driver
- Windows NT4 Driver
- Windows 2000/XP Driver
- Windows Vista Driver
- Windows 7 Driver

Printer and Printer Agent Associations. Because a Printer Agent can service more than one printer, use the *Associated NDS Printers* option to view the number of printers serviced by each Printer Agent.

Creating a Baseline of Your Print System. After your print system is configured, you can create a baseline report by selecting all report items. This baseline report should be saved. Then you can use the report to periodically compare statistics, re-create a Printer Agent, and track changes to your print system.

4.3 Configuring Health Monitor Settings

You can configure settings in the Health Monitor to control the overall health indicator, Current iPrint Manager Status, displayed on the Health Monitor's home page. The default settings are sufficient for most print systems. You should modify these settings only if there is a compelling reason or if instructed by Novell Technical Support.

- 1 On the iPrint Manager Health Monitor main page, click *Advanced iPrint Manager Information* > *Configure Settings and Error Thresholds*.
- **2** Click the setting you want to adjust, then modify these settings:

Table 4-1 Confuguring Settings and Thresholds

Function	Description
Current Event Log Size	Displays the current size of the event log file in kilobytes.
Maximum Event Log File Size	Sets the maximum file size for the event log. When the indicated file size is reached, the log file is restarted. If you change the event log file size, click Apply File Size Limit for the change to take affect.
Configure Monitoring Thresholds	Displays links to configuration pages where error definitions and thresholds can be set.

4.4 Posting Administrator Messages about a Printer

Suppose a printer has been taken offline and sent to the manufacture for repairs, but you keep getting phone calls from other administrators that the printer has an error in the Health Monitor. This can quickly be corrected by leaving a message about the printer in Health Monitor. Users can see the message, but only administrators can edit it.

- 1 On the iPrint Manager Health Monitor main page, click the printer you want.
- 2 Click Message from Admin.
- 3 Type the text you want displayed for this printer in the iPrint Manager Health Monitor.
- 4 Click Apply.

To remove a message, follow the steps above but delete the text.

4.5 Viewing a Printer's Job List

You can use the printer's job list to troubleshoot printer communication problems. Users require admin rights to view a printer's job list.

- 1 On the iPrint Manager Health Monitor main page, click the printer you want.
- **2** Click *Job List*.
- **3** Select print jobs and use the buttons to take the desired action (*Refresh, Delete, Pause, Resume, Delete All Jobs*)

4.6 Using Print Auditing

When auditing is enabled for a Printer Agent, a log file is created indicating who printed how many pages to which printer on a given date. The log file is in a comma-separated format (.csv). The data from this log file can be viewed from the Health Monitor or downloaded into a spreadsheet.

Figure 4-1 Auditing Page

Pack ▼ → ▼ 🔇 🗿 🚮 🔞 Search 🔝 Favorites () Media <												
dress 🕘 https://137.65.46.24:8009/PsmStatus/Auditing/managment 🔽 🔗 Go Links » Eile Edit View Favorites Iools Help												
Auditing ManagementPHB_MANAGER.NOVELL												
Back												
Audit Log												
Name	Start Date and Time	End Date and Time	File Size	Job Count								
AUDIT.CSV	4-30-03 10:15 am	Active	738	3	Start No	ew Audit I	_og		Ge	inerate Re	port	
AUDIT004.CSV	4-29-03 1:10 pm	4-29-03 1:21 pm	729	6	Delete A	Audit Log			Ge	inerate Re	port	
AUDIT003.CSV	4-29-03 11:53 am	4-29-03 1:10 pm	999	5	Delete A	Audit Log			Ge	inerate Re	port	
AUDIT002.CSV	4-03-03 9:58 am	4-03-03 11:10 am	877 Kb	7,079	Delete A	Audit Log			Ge	inerate Re	port	
AUDIT001.CSV	4-03-03 9:47 am	4-03-03 9:58 am	40 Kb	325	Delete A	Audit Log			Ge	inerate Re	port	
Done									A	intern		

From the Internal Auditing page you can complete the following tasks:

- Viewing Auditing Information (page 38)
- Managing Audit Logs (page 40)
- Downloading an Audit Report (page 41)

4.6.1 Enabling Auditing

You can use either iManager or the iPrint Health Monitor to enable auditing.

Using iManager to Enable Auditing

- 1 In iManager, click *iPrint* > *Manage Printer*, and select the printer.
- **2** Click *Configuration* > *Auditing*.
- **3** Click the *Enable Auditing* check box.

Using the Health Monitor to Enable Auditing

- 1 On the iPrint Manager Health Monitor page, select the printer that you want to audit.
- **2** Click *Configuration Options*.
- **3** Click the *Enable Auditing* check box.

4.6.2 Viewing Auditing Information

You can generate an audit report that shows all print jobs. You can also filter the report based on a user or a printer, or both.

- 1 On the iPrint Manager Health Monitor page, click *Advanced iPrint Manager Information* > *Auditing*.
- **2** Click *Generate Report*.

If there is more than one audit log, click *Generate Report* for the audit log you want to view.

3 (Optional) Filter the search by using the *Limit Search by User* and *Limit Search by Printer* filters.

Audit File 'AUI	DIT.CSV' - Micros	soft Intern	et Explorer					_		×
🗢 Back 🔹 🔿 🚽	🛛 🔄 🖓 🔹	Q Search	🚋 Favorites	Media	3	B €) 🖃 .		1	
Address 🙆 https						-	∂°60		File	»
Audit File	AUDIT.CSV							· · · ·	2	
								Back		
								_1		
		Limit Se	earch by User							
User Name	Starts With 💌					S	learch			
	All Users							1		
	BART@00-BI	0-D0-E4-4	5-00							
		Limit Sea	arch by Printe	er						
Printer Name	Starts With 💌					S	earch	1		
	All Printers	- 1						1		
	PCLXL									
	PCL5									
	,	Gene	rate Report							
		Gene	raile riepon							
							. T.L.			
ē .							🧿 Interr	net		_//_

4 Click *Generate Report* to view the report.

Only 250 print jobs are listed at a time. To view more print jobs in the report, click Next.

Auditing Information - Micro	osoft Inte	rnet Explorer					_	
Back ▼ → ▼ 🙆 🗿 🚰 🔞 Search 📷 Favorites 🧐 Media 🍪 🖏 🖓 🛃 🗐								
dress 🗃 https://137.65.46.24:8009/PsmStatus/Auditing?audCmpUserType=1&audSearchUserNa 🗾 🔗 Go 🛛 Links 🎽 Eile 🛛 Edit 🛛 Yiev 🎙								
Auditing Information							a ?	
							Back	
		Report Summary	r					
iPrint Manager	.Print_A	ANAGER.NOVELL						
Audit Log	AUDITOC	04.CSV						
Selected User	BART@0	0-B0-D0-E4-45-00	Number of Jobs Currently Displayed 6					
Selected Printer	All Print	ers	Page Count for Displayed Jobs 12					
Audit Log Entries Scanned			6 of 6					
								1
Job Owner	Printer	Time Submitted	Time Completed	Completion Status	Page Count	Job Size	Job Name	
BART@00-B0-D0-E4-45-00	PS	4-29-03 12:37 pm	4-29-03 1:10 pm	Completed	1	26204	Document	
BART@00-B0-D0-E4-45-00	PS	4-29-03 12:37 pm	4-29-03 1:10 pm	Completed	1	25956	Document	
BART@00-B0-D0-E4-45-00	PS	4-29-03 12:55 pm	4-29-03 1:10 pm	Completed	1	28809	Document	
Done						🕑 Intern	et	

The following table describes what is displayed in the report.

Table 4-2 Report Summary Information

Field	Description
iPrint Manager	The iPrint Manager that the information is from.
Audit Log	The audit log filename that was used to create the report.
Selected User	Any user filter criteria that were used to create the report.
Selected Printer	Any printer filter criteria that were used to create the report.
Number of Jobs	The number of jobs submitted by the indicated users and printers.

The following table describes what is displayed in the body of the report.

Field	Description
Job Owner	The owner of the print job.
Printer	The printer the print job was sent to.
Time Submitted	The time the print job was submitted to the printer.
Time Completed	The time the print job was printed on the printer.
Completion Status	The completion status of the submitted print job.
	Completed, Cancelled by User, Cancelled by Operator, or Other, which indicates the job was aborted by the system.
Page Count	The number of pages printed.
Job Size	The size of the print job in bytes.
Job Name	The print job filename that was submitted and the type of print client that submitted the print job.

4.6.3 Managing Audit Logs

You can manage your audit logs by using the displayed buttons on the Auditing Management page. When audit logs are no longer needed, you can manually delete them. To automatically save and create new logs, see Section 4.6.4, "Configuring Automatic Log Rotation," on page 41.

The active audit log file (audit.csv) logs data for all printers that have been enabled for auditing. You can generate a report from this file or you can move the data to a saved file using *Start New Audit Log*. You cannot download the audit.csv file. To download a file, it must be saved as a separate audit log. When you move the data to a saved audit log using the *Start New Audit Log* button, the log file is named auditxxx.csv, where xxx is the next sequential number of the log. After a log file is saved, you can download the file to your workstation and import it into a spreadsheet program.

4.6.4 Configuring Automatic Log Rotation

Audit Log Rotation automatically creates a new log when certain criteria is met.

- 1 In the Print Manager Health Monitor, click *Advanced iPrint Manager Information > Auditing > Configure Log Rotation*.
- 2 Select Enable Audit Log Rotation.
- **3** Enter the number of logs to keep.

When the number of logs to keep is reached, the oldest log is deleted when the next log is created. When setting this number, take in to account the criteria you are using to create a new log file. If you want a years worth of logs, set the number of audit logs to keep to 12 and the select the *By Date* and *By Month* options.

4 Choose the criteria used for log rotation:

By Job Count: Enter the maximum number of print jobs that a audit log can contain before a new log is created.

By Date: Select when you want the audit logs to rotate.

- Day: The log rotates each day at midnight.
- Week: The log rotates each Sunday. If the Print Manager is not loaded on Sunday, the log is rotated the next time the Print Manager starts.
- Month: The log rotates at midnight on the first day of the month.

NOTE: If you select *Day* or *Week*, ensure that the *Maximum Number of Audit Logs to Keep* entry is large enough so that logs are not rotated before you need the data.

By File Size: Specify the maximum file size in kilobytes before a new log is created. The maximum file size is 4 gigabytes.

4.6.5 Downloading an Audit Report

- 1 On the iPrint Manager Health Monitor main page, click *Advanced iPrint Manager Information* > *Auditing*.
- 2 Right-click the name of the audit log you want to download, then click Save Target As.
- **3** Follow the prompts and save the file to your desired location.

When the file is downloaded, you can open the report in a spreadsheet application to sort, view, and format the data to meet your needs.


Troubleshooting Print System Errors

Using the iPrint Manager Health Monitor, you can determine and resolve many printing problems. This section discusses how to troubleshoot print system errors. The following flowcharts show you the basic steps you can do to quickly determine errors.

Most printer problems can be identified or localized by answering the following questions. If any answer is No, follow the link to the correct troubleshooting section.

- □ Is the iPrint Manager healthy? (page 45)
- □ Is the physical printer reporting errors? (page 46)
- Are print jobs being received by the iPrint Manager? (page 47)
- Are jobs being sent from the iPrint Manager to the printer? (page 48)
- □ Is the job printing correctly? (page 49)

Figure 5-1 Flowchart for Troubleshooting




Flowchart Target	Section Reference
Receiving	Section 5.3, "Are print jobs being received by the iPrint Manager?," on page 47
Sending	Section 5.4, "Are jobs being sent from the iPrint Manager to the printer?," on page 48
Printing	Section 5.5, "Is the job printing correctly?," on page 49

Issues not resolved by using this process might require technical support from the printer vendor or Novell.

5.1 Is the iPrint Manager healthy?

On the iPrint Manager Health Monitor home page, you can quickly determine the health of your print system and the iPrint Manager.


Figure 5-2 Flowchart to Resolve Physical Printer Errors




If the *Current iPrint Manager Status* is not green, click *Advanced iPrint Manager Information* to troubleshoot the iPrint Manager. For more information see Section 5.6, "Troubleshooting iPrint Manager Health Issues," on page 51.

5.2 Is the physical printer reporting errors?

Using the Print Services Health Monitor, you can view printer status details and printer console errors being displayed on the printer, if the printer supports SNMP. Use this information to correct any errors on the physical printer. You can also use this to help prevent printer errors. For example, you can see when a printer is low on toner and change the toner before users see the problem and cannot print.





To view printer status and printer console errors:

- **1** On the iPrint Manager Health Monitor main page, click the Printer Agent that is in a suspect (yellow) or error (red) state.
- 2 View the Printer Agent Status and Printer Console Message fields.

The *Printer Console Message* field appears only if the Health Monitor can communicate with the printer and the printer responds to SNMP requests.

- **3** Correct any errors on the printer.
- 4 Repeat Step 2 until all Printer Console errors have been resolved.

5.3 Are print jobs being received by the iPrint Manager?

When troubleshooting printing problems, you need to track the print job. By determining if the iPrint Manager is receiving the print job, you know where communication is breaking down. If the server is not receiving print jobs, you should check the communication between the client and the server. Questions to ask include: Is the servers HTTP stack communicating? Is the Web server functioning properly?




Figure 5-4 Flowchart to Determine if Print Manager Is Receiving Print Jobs

Complete the following to determine if print jobs are being received by the iPrint Manager:


- 1 On the iPrint Health Monitor main page, click the Printer Agent for the problem printer.
- 2 Review the job processing information.
- **3** Submit a print job to the printer.
- 4 Review the job processing information again.

If the *Jobs Scheduled* count increased by one, then the iPrint Manager is receiving print jobs. You can continue to Section 5.4, "Are jobs being sent from the iPrint Manager to the printer?," on page 48.

If the *Job Scheduled* count did not increase by one, then the iPrint Manager is not receiving print jobs. Check to make sure the workstation sending the print job is not receiving any errors, that the correct printer is installed, and that the user has selected the correct printer.

5.4 Are jobs being sent from the iPrint Manager to the printer?

Figure 5-5 Flowchart to Determine if Print Jobs Are Being Sent from Print Manager to the Printer



To determine if the iPrint Manager is forwarding print jobs to the printer:

- 1 On the iPrint Manager Health Monitor page, click the Printer Agent for the problem printer.
- 2 In the *Printer Information* table, review the *Gateway* string.
- **3** Ping the printer using the TCP/IP address in the *Gateway* field.

If you cannot ping the printer, check the printer's physical connections and resolve the communication issue.

You should also check to see if there is a *Message from Admin* in case the printer was taken down for maintenance or some other reason.

- **4** Determine if the printer is requesting jobs by looking at the *Job Processing Information* to see if a job has been requested.
 - 4a If jobs are being requested, check to see if data is being sent by looking at the *Job List*.

Review the submission time and started time and if any bytes have been sent. If no bytes have been sent, then continue with Step 4b; otherwise, skip to Section 5.5, "Is the job printing correctly?," on page 49.

4b To determine if data is being sent to the printer, review the Job List and compare the *Job Submission Time* and *Started Printing*.


If the job has not started printing, there is a communication issue.


- **5** Restart the Printer Agent by clicking *Shutdown Printer > Start Up Printer*.
- 6 If the issue is not resolved, power cycle the printer.

After the *Jobs Requested* count is 1, continue with Section 5.5, "Is the job printing correctly?," on page 49.

5.5 Is the job printing correctly?

By correcting issues in the preceding sections, print jobs should be reaching the printer. Now you need to look at the printer output.





If the print job is not printing correctly, first check to see if the print job is being closed—the data is sent to the printer—by checking the job list. If the print job is not closing, determine what is preventing the job from closing.

If the job is being closed correctly and the output is still unacceptable, check to ensure the correct printer driver is being used to submit the job on the workstation and that the correct printer driver is associated with the Printer Agent. You can check on the printer driver in the Printer Agent page in the Health Monitor.


The printer driver associated with a printer can have adverse effects on the print system throughput and print quality of the output. This is often manifest in the following ways:


- Corrupt characters on printed output
- Slow printing
- Print job printed but no output produced

Check the printer driver installed on the client workstation to ensure the correct driver is being used. Use the Printer Agent page in the iPrint Manager Health Monitor to view the printer drivers associated with this printer. To change a printer driver association, use iManager to reassociate the driver using the *iPrint* > *Manage Printer* > *Drivers* task.

5.6 Troubleshooting iPrint Manager Health Issues

If the iPrint Manager Health Monitor shows that the iPrint Manager is suspect (yellow) or in an error (red) state, click *Advanced iPrint Manager Information*. Use the following flow chart and the color coding in the Health Monitor to determine where the iPrint Manager health issues exist and resolve those issues.





5.6.1 Check Advanced iPrint Manager Information

Click Advanced iPrint Manager Information to display the iPrint Manager summary page.

5.6.2 Check for Problem Interfaces

Review the current status of the interfaces. If an interface has entered an error state, select the interface and determine what operations have caused it to enter the error state.

- 1. Any parameters highlighted? If yes, click and determine what statistics are irregular.
- 2. Check latest events for an Unknown Object error, which indicates the Printer object does not exist.
- 3. Check excessive time needed for events.

The key interfaces to check are the Client and eDirectory[™] interfaces. Check these to see which operations are being done and which operations are using excessive time. You can check the latest event log for more information on the events that have transpired. If you have secure printing turned on, the iPrint Manager must communicate with NDS to obtain the effective rights for a user submitting a print job to a specific printer. If NDS is not healthy, some operations fail or use excessive time.

You should also look at the iPrint Manager Internal information for operations that might be affecting the iPrint Manager database.

5.7 Quick Checks

Some other things you can quickly check to ensure the settings are correct include:

- Section 5.7.1, "Is the Printer Driver Compatible?," on page 52
- Section 5.7.2, "Is my server at capacity for handling printing?," on page 52

5.7.1 Is the Printer Driver Compatible?

The printer driver associated with a printer can have adverse effects on the print system throughput and print quality of the output. This is often manifest in the following ways:

- Corrupt characters on printed output
- Slow printing
- Print job printed but no output produced

5.7.2 Is my server at capacity for handling printing?

To determine how well your server is handling printing, generate a report of the *Average Job Size Today* and *Jobs Printed Today*. Compare this report to your baseline report. Now that you know if printing has increased or decreased, you can check your server's current statistics against any baseline statistics to determine how your server has handled your change in printing.

To generate reports, launch iManager, and click *iPrint* > *Manager Health Monitor* > *Advanced iPrint Manager Information* > *Generate Report*.

6 Examples of Troubleshooting Print Problems

Using the flowcharts and steps from Chapter 5, "Troubleshooting Print System Errors," on page 43, the following example scenarios step through the troubleshooting process.

- Section 6.1, "Example 1: No Printer Output," on page 53
- Section 6.2, "Example 2: No Printer Output," on page 54
- Section 6.3, "Example 3: Printer Output Is Not Correct," on page 56
- Section 6.4, "Example 4: Printing Is Slow," on page 56

6.1 Example 1: No Printer Output

Thomas reports that he is printing to direct_printer, but nothing is coming out of the printer.

lumber of Printer	Agents 5	i						
		Jobs	•		Jobs Printed Since			
Printer Agent Name	Current Status	Scheduled	Active	Since 07/20/2011 03:00:00 PM	Since 07/20/2011 02:39:51 PM	Since 07/20/201 02:39:51 PM	1 Pr	inter Poo Name
lirect_printer	Error Printing	0	0	0	0		0	
uditing_printer	Output Paused	5	0	0	0		0	
pr_printer	Shut Down	N/A	N/A	5	5		5	
ecure_printer	Idle	0	0	0	3		3	
est_printer	Idle	0	0	0	0		0	
Jobs				Jobs Printed Since				
cheduled Active	Since 07/20/2	2011 02:51:0	00 PM S	ince 07/20/2011 02:39:51 P	M Since 07/20/2011 02:	:39:51 PM		
5 0			8		8	8		

1 In the iPrint Manager Health Monitor, locate direct_printer in the list.

- **2** Check the status of the iPrint Manager which is listed at the bottom of the page. In this example, the iPrint Manager is not showing any errors.
- 3 Click the printer agent name and review the printers messages and status details.A printer console message shows that the printer needs black toner.
- 4 Install black toner on the printer.

Thomas is now able to print again.

6.2 Example 2: No Printer Output

Angela reports that she is printing to secure_printer, but nothing is coming out of the printer.

1 In the iPrint Manager Health Monitor, locate secure_printer in the list.

Print Manager '	psm_33.nov	re ll'					a ?
Number of Printer	Agents 5						
		Jobs	;		Jobs Printed Since		
Printer Agent Name	Current Status	Scheduled	Active	Since 07/20/2011 03:53:51 PM	Since 07/20/2011 03:53:51 PM	Since 07/20/2011 03:53:51 PM	Printer Pool Name
direct_printer	Error Printing	0	0	0	0	0	
secure_printer	Error Printing	0	0	0	0	0	
auditing_printer	Output Paused	5	0	0	0	0	
pr_printer	Shut Down	N/A	N/A	0	0	0	
test_printer	Idle	0	0	0	0	0	
Jobs				Jobs Printed Since			
Scheduled Active	Since 07/20/2	011 03:53:	51 PM S	Since 07/20/2011 03:53:51 P	M Since 07/20/2011 03:	53:51 PM	
5 0			0		0	0	
Current iPrint Manager Status GOOD							
Advanced iPrint M	lanager Informa	ation					

secure_printer shows a printing error.

2 Click the printer agent name.

Reviewing the *Printer Agent Status Details*, you determine that the iPrint Manager and the printer are not communicating.

Printer Agent 'secure_p	orinter' Information		🗠 P
Previous Printer		Next Printer	Back
Printer Agent Status Error F	Printing Shutdown Pri	nter 🔽 Apply	
Printer Console unknow	wn		
Printer Agent Status Details	Event Time	Associated Message from Printer	
LPR Communication Failed	07/20/2011 03:53:52 PM	Initializing Connection to Printer for 'secure_printer'	

3 Obtain the IP address from the *Gateway* field in the *Printer Information* table.

Printer Information					
Gateway	iprintgw PORT=LPR HOSTADDRESS=6.6.6.6 PRINTERNAME=PASSTHROUGH				
Accounting Load String	(none)				
Date Printer Agent Created	07/20/2011 02:47:12 PM				
Printer Model	HP LaserJet P3005				
Printer Manufacturer	Hewlett-Packard				
Associated NDS Printer Object	secure_printer.novell				
SSL Required	TRUE				
Printer URL	ipp://cs-dta-221.labs.blr.novell.com/ipp/secure_printer				
Spooling Location	/var/opt/novell/iprint/psm_33.novell.psm/4E269D18.PA				
Banner					

 Operating System
 Driver Name
 Driver Profile Name

 Win 7 (32-bit)
 HP LaserJet 4250 PCL6
 prof_win7

4 Ping the IP address.

Figure 6-1 Ping Command Screen

🔤 C:\WINDOWS\system32\cmd.exe	- 🗆 🗙
C:\>ping 6.6.6.6	
Pinging 6.6.6.6 with 32 bytes of data:	
Request timed out. Request timed out. Request timed out. Request timed out.	
Ping statistics for 6.6.6.6: Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),	
C:\>	
	-

You discover that you cannot ping the IP address, so the printer must be disconnected from the network or turned off.

5 Check for any messages from the administrator by clicking *Message from Admin*.

The Message from Admin shows that the printer is disconnected from the network.

6 Have Angela install and print to a different printer.

6.3 Example 3: Printer Output Is Not Correct

Thomas installed a Xerox^{*} printer on his workstation. His print jobs are not printing correctly. The printout contains different ASCII characters instead of the text in his document.

1 Complete the procedure in Section 6.1, "Example 1: No Printer Output," on page 53.

You do not see any errors. You know that the printer is healthy, print jobs are being received by the iPrint Manager, and the iPrint Manager is forwarding the jobs to the printer.

2 On the Printer Agent page of the iPrint Manager Health Monitor, scroll down and look at the printer drivers that are being used.

Printer Information			
Gateway	iprintgw PORT=LPR HOSTADDRESS=164.99.140.241 PRINTERNAME=PASSTHROUGH		
Accounting Load String	(none)		
Date Printer Agent Created	07/20/2011 02:47:12 PM		
Printer Model	Xerox WorkCentre 5632 v1 Multifunction System		
Printer Manufacturer	Xerox		
Associated NDS Printer Object	secure_printer.novell		
SSL Required	TRUE		
Printer URL	ipp://cs-dta-221.labs.blr.novell.com/ipp/secure_printer		
Spooling Location	/var/opt/novell/iprint/psm_33.novell.psm/4E269D18.PA		
Banner			

Operating System	Driver Name	Driver Profile Name
Win 7 (32-bit)	Xerox Global Print Driver PCL6	
Win 7 (64-bit)	HP LaserJet 2430 PCL 5	

Thomas is printing from a Windows 7 64-bit workstation, and you can see the wrong printer driver is installed.

3 Using iManager, associate the correct printer driver for this printer and have Thomas reinstall the printer.

6.4 Example 4: Printing Is Slow

You received several reports that printing is slow.

1 Open the iPrint Manager Health Monitor. You can access the iPrint

No Printer Agents appear in an error state, but the *Current iPrint Manager Status* is in an error state.

2 Click Advanced iPrint Manager Information.

Two of the interfaces, *Client* and *NDS*, are in an error state.

3 Click Client Interface.

Bind to Printer Agent is highlighted in yellow, showing that it has exceeded the thresholds set for this statistic.

4 Click *Bind to Printer Agent* to display the statistics.

The statistics show that in the last hour, 22 of the last 30 operations used excessive time and the average time to bind was 16 seconds.

- **5** Click *Back* > *NDS Interface*.
- 6 Under *File Server Containing Replica*, click the name of your file server.

You can see that some of the statistics are using excessive time.

7 Click *Latest NDS Events* to determine the NDS events that are using excessive time.

Because some client interface operations are dependent on eDirectory[™], you must ensure that eDirectory is healthy.

As you review the Latest NDS Events log, you see the iPrint Manager is receiving Get Effective Rights errors.

8 Use Novell Remote Manager to check the health of eDirectory.

You can use Novell Remote Manager to view if DS is loaded and open, to view the DS thread usage, and to access NDS iMonitor for more in-depth information.

7 Running iPrint Manager Health Monitor in a Virtualized Environment

iPrint Manager Health Monitor runs in a virtualized environment just as it does on a physical server running OES 2 Linux, and requires no special configuration or other changes.

To get started with Xen virtualization, see the Virtualisation with Xen documentation.