

Getting Started Guide

Novell. ZENworks® 10 Asset Management SP3

10.3

March 30, 2010

www.novell.com



Legal Notices

Novell, Inc., makes no representations or warranties with respect to the contents or use of this documentation, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to revise this publication and to make changes to its content, at any time, without obligation to notify any person or entity of such revisions or changes.

Further, Novell, Inc., makes no representations or warranties with respect to any software, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to make changes to any and all parts of Novell software, at any time, without any obligation to notify any person or entity of such changes.

Any products or technical information provided under this Agreement may be subject to U.S. export controls and the trade laws of other countries. You agree to comply with all export control regulations and to obtain any required licenses or classification to export, re-export or import deliverables. You agree not to export or re-export to entities on the current U.S. export exclusion lists or to any embargoed or terrorist countries as specified in the U.S. export laws. You agree to not use deliverables for prohibited nuclear, missile, or chemical biological weaponry end uses. See the [Novell International Trade Services Web page \(http://www.novell.com/info/exports/\)](http://www.novell.com/info/exports/) for more information on exporting Novell software. Novell assumes no responsibility for your failure to obtain any necessary export approvals.

Copyright © 2007-2010 Novell, Inc. All rights reserved. No part of this publication may be reproduced, photocopied, stored on a retrieval system, or transmitted without the express written consent of the publisher.

Novell, Inc.
404 Wyman Street, Suite 500
Waltham, MA 02451
U.S.A.
www.novell.com

Online Documentation: To access the latest online documentation for this and other Novell products, see the [Novell Documentation Web page \(http://www.novell.com/documentation\)](http://www.novell.com/documentation).

Novell Trademarks

For Novell trademarks, see [the Novell Trademark and Service Mark list \(http://www.novell.com/company/legal/trademarks/tmlist.html\)](http://www.novell.com/company/legal/trademarks/tmlist.html).

Third-Party Materials

All third-party trademarks are the property of their respective owners.

Contents

About This Guide	7
1 Product Overview	9
1.1 Management Capabilities	9
1.1.1 Discovery and Deployment	9
1.1.2 ZENworks Reporting	9
1.1.3 Inventory Collection	10
1.1.4 Software Usage	10
1.1.5 Contract Management	10
1.1.6 License Management	10
1.1.7 System Updates	10
1.2 System Architecture	11
1.2.1 Primary Server	11
1.2.2 Satellite	12
1.2.3 Managed Device	13
1.2.4 Inventoried-Only Device	13
1.2.5 Management Zone	13
1.3 System Administration	13
1.4 ZENworks Terminology	14
2 Installation and Setup Documentation	17
3 Administration Documentation	19

About This Guide

This *Novell ZENworks 10 Asset Management Getting Started Guide* introduces you to the ZENworks management system and the documentation that can help you install, configure, and use the system. The information in this guide is organized as follows:

- ♦ [Chapter 1, “Product Overview,” on page 9](#)
- ♦ [Chapter 2, “Installation and Setup Documentation,” on page 17](#)
- ♦ [Chapter 3, “Administration Documentation,” on page 19](#)

Audience

This guide is intended for ZENworks administrators.

Feedback

We want to hear your comments and suggestions about this manual and the other documentation included with this product. Please use the User Comments feature at the bottom of each page of the online documentation, or go to the [Novell Documentation Feedback site \(http://www.novell.com/documentation/feedback.html\)](http://www.novell.com/documentation/feedback.html) and enter your comments there.

Additional Documentation

ZENworks 10 Asset Management is supported by other documentation (in both PDF and HTML formats) that you can use to learn about and implement the product. For additional documentation, see the [ZENworks 10 Asset Management SP3 documentation \(http://www.novell.com/documentation/zam10/\)](http://www.novell.com/documentation/zam10/).

Documentation Conventions

In Novell documentation, a greater-than symbol (>) is used to separate actions within a step and items in a cross-reference path.

A trademark symbol (® , ™ , etc.) denotes a Novell trademark. An asterisk (*) denotes a third-party trademark.

When a single pathname can be written with a backslash for some platforms or a forward slash for other platforms, the pathname is presented with a backslash. Users of platforms that require a forward slash, such as Linux*, should use forward slashes as required by your software.

Product Overview

1

Novell® ZENworks® 10 Asset Management provides comprehensive management of software assets on Windows* servers and workstations (collectively referred to as devices), including the ability to generate hardware and software inventories of devices, track software usage, manage software contracts, and enforce software license compliance.

The following sections further introduce you to the capabilities of ZENworks Asset Management and provide a high-level overview of the ZENworks system architecture and administration.

- ♦ [Section 1.1, “Management Capabilities,” on page 9](#)
- ♦ [Section 1.2, “System Architecture,” on page 11](#)
- ♦ [Section 1.3, “System Administration,” on page 13](#)
- ♦ [Section 1.4, “ZENworks Terminology,” on page 14](#)

1.1 Management Capabilities

The ZENworks Asset Management capabilities are as follows:

- ♦ [Section 1.1.1, “Discovery and Deployment,” on page 9](#)
- ♦ [Section 1.1.2, “ZENworks Reporting,” on page 9](#)
- ♦ [Section 1.1.3, “Inventory Collection,” on page 10](#)
- ♦ [Section 1.1.4, “Software Usage,” on page 10](#)
- ♦ [Section 1.1.5, “Contract Management,” on page 10](#)
- ♦ [Section 1.1.6, “License Management,” on page 10](#)
- ♦ [Section 1.1.7, “System Updates,” on page 10](#)

1.1.1 Discovery and Deployment

The Discovery process is used to find devices in the network through querying a set of provided IP addresses and to collect inventory information by using technologies like SNMP, WMI, and SSH. Discovery process can also find devices from Novell eDirectory™ or Active Directory*, and migrate your traditional ZENworks devices from Novell eDirectory.

The Deployment process is used to distribute and install ZENworks Adaptive Agent to a collection of devices that are identified by the discovery process or by providing a list of devices explicitly. These devices then become managed devices.

For more information, see the [ZENworks 10 Discovery, Deployment, and Retirement Reference](#).

1.1.2 ZENworks Reporting

ZENworks Configuration Asset Management provides advanced reporting capabilities with ZENworks Reporting Server. ZENworks Reporting Server uses an embedded BusinessObjects Enterprise XI R3.1 engine to create customized reports. You can use the predefined reports in

ZENworks Reporting Server to report on Asset Management, Patch Management, Inventory, Discovery and Deployment, Bundles and Policies, and ZENworks Systems. You can also create custom reports, edit reports, assign rights on reports, and schedule reports to a set of users.

For more information, see the [ZENworks 10 Asset Management Reporting Server Installation Guide](#) and the [ZENworks 10 Asset Management System Reporting Reference](#).

1.1.3 Inventory Collection

ZENworks Configuration Management can gather extensive software and hardware inventory for all managed and inventoried devices, and it also enables you to create and export standard and custom reports.

For more information, see the [ZENworks 10 Asset Inventory Reference](#).

1.1.4 Software Usage

You can track usage of software applications (including run time, active time, logged in user, machine, and application used) in your existing inventory. You can also track and report on software run via Terminal Server and Citrix, as well as Web applications run through the browser. You can run a full range of predefined software usage reports, as well as create, save, and run custom reports.

For more information, see the [ZENworks 10 Asset Management Reference](#).

1.1.5 Contract Management

You can define and track IT contract details, including key dates and vendor, financial, SLA, lease, and renewal information; attach related documents; associate contracts with assets, licenses, and demographic data; and create automated e-mail notifications for specified dates. You can also run a full range of predefined contract management reports, as well as create, save, and run custom reports.

For more information, see the [ZENworks 10 Asset Management Reference](#).

1.1.6 License Management

You can import and enter software purchase records, define license entitlements, attach supporting documentation, reconcile discovered software products to entitlements, and track ongoing compliance status. You can also run a full range of predefined license management reports, as well as create, save, and run custom reports.

For more information, see the [ZENworks 10 Asset Management Reference](#).

1.1.7 System Updates


You can update your ZENworks Asset Management software on all devices in the Management Zone where the software is installed. Update downloads can be scheduled. Software updates are provided at the Interim Release level and you can choose whether to apply each update after viewing its content (interim releases are cumulative). You can also download the latest Product Recognition Update (PRU) to update your knowledgebase so that ZENworks Inventory can recognize newer software.

For more information, see the [ZENworks 10 Asset Management System Administration Reference](#).

1.2 System Architecture

The ZENworks system architecture consists of components such as Primary Servers, Satellite Servers, and managed devices. These components are organized into management domains, referred to as Management Zones.

Figure 1-1 Management Zone



A Management Zone consists of at least one Primary Server, Satellites (if needed), and one or more managed devices or inventoried-only devices. The Primary Servers and Satellites work together to manage the devices. The zone's information is stored in a database that resides on one of the Primary Servers or externally on another server that does not have ZENworks installed on it.

1.2.1 Primary Server

The Primary Server is the focal point of the ZENworks system. Depending on the number and location of the devices that you want to manage with ZENworks, you might need additional Primary Servers. The ZENworks services are added to each Primary Server (physical or virtual) during installation and configuration of the ZENworks software.

You can also set up the Primary Server by deploying ZENworks Appliance to the supported virtual infrastructure. ZENworks Appliance is built on the customized SUSE® Linux Enterprise Server 10 SP2 (SLES 10 SP2) and is preinstalled with the ZENworks Server and ZENworks Reporting Server.

The Primary Server contains the following ZENworks components:

- ♦ **ZENworks services:** The ZENworks software that provides inventory collection, asset management, and so forth. The main services are ZENworks Server Service, ZENworks Loader, and ZENworks Management Service.
- ♦ **Content repository:** Contains the update packages used to update the ZENworks system files and the Product Recognition Updates used for product recognition during inventorying of software and hardware. The content repository has limited use with ZENworks Asset

Management; however, it is used more extensively with ZENworks Configuration Management (another Novell ZENworks product) to store software files waiting to be distributed to devices.

- ♦ **ZENworks database:** Contains information about the hardware and software inventory lists collected from devices, information about the [ZENworks Control Center](#) objects (devices, users, and so on), centralized system messages, and license tracking and usage data.

You can install the embedded Sybase* SQL Anywhere* database that is included with ZENworks Asset Management, or you can use an external Sybase SQL database, Oracle* 10g Standard, or a Microsoft* SQL database. For detailed information about the supported database versions, see “[Database Requirements](#)” in the *ZENworks 10 Asset Management Installation Guide*.

If you use the embedded database, it must reside on one, and only one, Primary Server per Management Zone. If you use an external database, you can install the database on a server that is not a Primary Server. By default, all Primary Servers require access to the ZENworks database, wherever it resides, to write their data.

You can also specify that certain servers roll up their information to other servers.

If you want to use a Microsoft SQL database, you might want to consider locating a Microsoft SQL database in a Microsoft server cluster for accessibility and reliability purposes.

1.2.2 Satellite

A Satellite is a device that can perform certain roles that a ZENworks Primary Server normally performs. A Satellite can be any managed device (server or workstation) or an unmanaged Linux device (server or workstation). When you configure a Satellite device, you specify which roles it performs:

- ♦ **Collection:** If you want to improve information roll-up access for a group of devices to minimize traffic to the ZENworks Primary Server that is hosting the ZENworks database, you can enable the Collection role on a device. For example, if you have devices that are rolling up information to a Primary Server outside of their network segment, you can minimize network traffic by enabling the Collection role on a device within the network segment to accept the information from the other devices in that segment. That Collection role device is then the only device from that segment that is rolling up information to the Primary Server.
- ♦ **Content:** If you want to improve content access for a group of devices without creating another Primary Server, you can create the Content role on a device. For example, if you have devices that are accessing a Primary Server outside of their network segment, you can create the Content role on a device within the network segment to service those devices.
- ♦ **Authentication:** If you want to speed up the authentication process of the devices with the ZENworks Management Zone, you can enable the Authentication role on a device. Satellite devices with the Authentication role can now speed the authentication process by spreading the workload among various devices and by performing authentication locally to managed devices. You can have multiple Satellite devices with the Authentication role. In addition, each Satellite with the Authentication role can have multiple user sources configured and each Satellite can have multiple connections to each user source to provide failover.

For more information, see “[Satellites](#)” in the *ZENworks 10 Asset Management System Administration Reference*.

1.2.3 Managed Device

A managed device is a Windows server or workstation that you can use ZENworks to manage. The ZENworks Adaptive Agent must be installed on each device in order for it to be managed. The Adaptive Agent communicates with a Primary Server to enable management of the device.

Each managed device attempts to contact its initial Primary Server. However, if content is unavailable on that Primary Server, the managed device requests it from another Primary Server or a Satellite Server with the Content role configured in the Management Zone, and continues until it finds a server that can provide the content.

A managed device can be registered in only one Management Zone and is therefore managed only in that zone.

1.2.4 Inventoried-Only Device

You might have devices where the Adaptive Agent cannot be installed, or devices where you do not want to install the Adaptive Agent. To inventory these devices, you can either install the Inventory-Only agent or run the Portable Collector.

For more information, see the [ZENworks 10 Discovery, Deployment, and Retirement Reference](#).


1.2.5 Management Zone

A Management Zone consists of one or more Primary Servers and one or more managed devices. The Primary Servers in the zone work together to manage the devices. The zone's information is stored in a database that resides on one of the Primary Servers or externally on another server that does not have ZENworks installed on it. The zone might also contain Satellites.

1.3 System Administration

You administer the ZENworks system at the Management Zone level through ZENworks Control Center (ZCC), a task-based Web browser console. The following graphic shows the ZCC portion of the Web browser display:

Figure 1-2 ZENworks Control Center



ZCC is installed on all Primary Servers in the Management Zone. You can perform all management tasks on any Primary Server. Because it is a Web-based management console, ZCC can be accessed from any [supported workstation](#).

If you use Novell iManager to administer other Novell products in your network environment, you can enable ZCC to be launched from iManager. For more information, see the [ZENworks 10 Asset Management System Administration Reference](#).

In addition to ZCC, you can use the zman command line utility to manage the objects in your ZENworks system. The main advantage to using the command line utility is the ability to create scripts for handling repetitive or mass operations.

Like ZCC, the zman utility is installed on all Primary Servers, but it can only run from the command line on the server.

1.4 ZENworks Terminology

Table 1-1 ZENworks Configuration Asset Management Terminology

Term	Description
inventoried-only device	Device where the ZENworks Adaptive Agent is not or cannot be installed. Instead, you install the Inventory Only Module on these devices so that you can use Asset Inventory to inventory them. Optionally, you can run the Portable Collector to inventory them. For more information, see “ Adaptive Agent Versus Inventory-Only Module ” and “ Deploying the Inventory-Only Module ” in the ZENworks 10 Discovery, Deployment, and Retirement Reference .

Term	Description
Inventory Only Module	Software installed on a device that enables it to be inventoried. This is normally installed on devices running the Mac OS* X, NetWare® 5.1/6/6.5, OES (NetWare), Unix (Sun Solaris, HP UX, or IBM AIX), or Linux operating systems, which are not supported as managed devices.
managed device	A Windows server or workstation that has the Adaptive Agent installed and is registered in the Management Zone.
management console or administration workstation	The device where you run ZENworks Control Center in your Web browser.
Management Zone	Consists of at least one Primary Server. It can contain other Primary Servers and one or more workstations as managed devices. It can also contain inventoried-only devices.
Primary Server	A machine that contains the ZENworks services and content repository. Optionally, it might also contain the ZENworks database, but on only one of the Primary Servers per zone. A Management Zone can have multiple Primary Servers.
Portable Collector	A software utility that can inventory any device and create a file that is accessible in ZENworks Control Center as if it were a device. This file is then used for obtaining inventory data about the device. For more information, see “Using the Portable Collector” in the <i>ZENworks 10 Asset Inventory Reference</i> .
Satellite	A Satellite is a device that can perform certain roles that a ZENworks Primary Server normally performs. A Satellite can be any managed device (server or workstation) or an unmanaged Linux device (server or workstation). When you configure a Satellite device, you specify which roles it performs (Imaging, Collection, or Content). For more information, see “Satellites” in the <i>ZENworks 10 Asset Management System Administration Reference</i> .
ZENworks Adaptive Agent	Software installed on a Windows server or workstation that enables it to be managed by a Primary Server. The Adaptive Agent consists of modules that support software delivery, policy enforcement, imaging, remote management, inventory, and so forth. For more information, see “ZENworks Adaptive Agent Deployment” in the <i>ZENworks 10 Asset Management System Administration Reference</i> .
ZENworks Control Center	The Web-based administrative console used to manage the ZENworks Configuration Management system. For more information, see “ZENworks Control Center” in the <i>ZENworks 10 Asset Management Administration Quick Start</i> .

Term	Description
ZENworks database	<p>The database that contains information about the software available for delivery, the hardware and software inventory lists collected from devices, and the actions scheduled to take place within the system.</p> <p>The database can reside on a Primary Server, or it can reside on a remote server as an external database. By default, all Primary Servers require access to the database.</p> <p>For information on supported databases, see “Database Requirements” in the <i>ZENworks 10 Asset Management Installation Guide</i>.</p> <p>For more information on the ZENworks database, see “Database Management” in the <i>ZENworks 10 Asset Management System Administration Reference</i>.</p>
zman	<p>A command line interface for managing your ZENworks system. The zman utility is useful for automating tasks (through scripts) and performing mass management tasks that might be tedious to perform in ZENworks Control Center. For example, configuring settings for a large number of devices, or adding an action to a large number of bundles.</p> <p>zman is available on all Primary Servers.</p> <p>For more information, see “ZENworks Command Line Utilities” in the <i>ZENworks 10 Asset Management Command Line Utilities Reference</i>.</p>
zac	<p>A command line management interface for the Novell ZENworks Adaptive Agent. The zac utility performs command line management functions on the ZENworks managed device, including installing and removing software bundles, applying policies, and registering and unregistering the device.</p>

Installation and Setup Documentation

2

To install, migrate to, and set up Novell® ZENworks® 10 Asset Management,SP3 follow the applicable instructions:

- ♦ *ZENworks 10 Asset Management Installation Guide*

Provides instructions on establishing the ZENworks Management Zone with one or more ZENworks Primary Servers. Includes instructions for GUI, command line, or silent installations.

- ♦ *ZENworks 10 Asset Management Appliance Deployment and Administration Reference*

Provides instructions on how to deploy the customized SUSE® Linux Enterprise Server 10 SP2 with the ZENworks Server and ZENworks Reporting Server on the supported virtual infrastructure. It also provides instructions on how to manage ZENworks Appliance after deploying it.

- ♦ *ZENworks 10 Asset Management Reporting Server Installation Guide*

Provides instructions for installing ZENworks Reporting Server for ZENworks infrastructure reporting.

- ♦ *Novell ZENworks 10 Asset Management Migration Guide*

Provides instructions on how to migrate ZENworks Asset Management 7.5 data to ZENworks 10 Asset Management.

- ♦ *ZENworks 10 Asset Management Administration Quick Start*

ZENworks Asset Management is ready to use out of the box, but you probably want to configure it to suit your environment. The *Administration Quick Start* includes basic instructions for:

- ♦ Zone configuration
- ♦ ZENworks Adaptive Agent deployment
- ♦ Device management
- ♦ System messaging and reporting

The following references for Novell® ZENworks® 10 Asset ManagementSP3 provide overviews, setup instructions, usage instructions, ongoing management instructions, and other information:

- ♦ [*ZENworks 10 Asset Management Administration Quick Start*](#)
Provides instructions on how to set up ZENworks Asset Management for your network, including short tasks to familiarize you with the features of the product.
- ♦ [*ZENworks 10 Asset Management System Administration Reference*](#)
Provides instructions on ZENworks servers and Satellites, user sources, ZENworks administrator accounts, Management Zone configuration settings, database maintenance, and so on.
- ♦ [*ZENworks 10 Asset Management Command Line Utilities Reference*](#)
Provides instructions on the zman, zac, and zeninfocollect command line utilities.
- ♦ [*ZENworks 10 Discovery, Deployment, and Retirement Reference*](#)
Provides instructions on device registration, the ZENworks Adaptive Agent, network device discovery, device importing, inventoried-only device setup, and deployment tasks.
- ♦ [*ZENworks 10 Asset Inventory Reference*](#)
Provides instructions on software and hardware inventory collection, including how to scan, view individual device inventory information, and generate inventory reports.
- ♦ [*ZENworks 10 Asset Management Reference*](#)
Provides instructions on how to manage your software assets, including tracking software usage, managing software contracts, and enforcing software license compliance.
- ♦ [*ZENworks 10 Asset Management System Reporting Reference*](#)
Provides instructions on how to perform BusinessObjects* Enterprise XI reporting on your ZENworks infrastructure.

