

Micro Focus Service Desk - Getting Started

November 2016



The Micro Focus Service Desk Getting Started guide gives information about the basic steps that are required to quickly configure Micro Focus Service Desk solution.

This guide which is primarily intended for administrators and supervisors includes the following sections:

- ♦ [Section 1, "Editions," on page 1](#)
- ♦ [Section 2, "Installing Micro Focus Service Desk," on page 2](#)
- ♦ [Section 3, "System Requirements," on page 2](#)
- ♦ [Section 4, "User Roles," on page 2](#)
- ♦ [Section 5, "Logging In," on page 3](#)
- ♦ [Section 6, "Portal Views," on page 3](#)
- ♦ [Section 7, "System Configuration," on page 5](#)
- ♦ [Section 8, "Implementing the Processes," on page 16](#)
- ♦ [Section 9, "Legal Notices," on page 16](#)

1 Editions

Micro Focus Service includes the following editions:

- ♦ **Micro Focus Service Desk for Incident Management:** This edition includes the following features:
 - ♦ Incident,
 - ♦ Configuration,
 - ♦ Knowledge
 - ♦ Service Level Management (Basic)
- ♦ **Micro Focus Service Desk for ITIL Management:** This is a comprehensive service management solution that is fully compliant with Information Technology Infrastructure Library (ITIL) standards. This enterprise-wide solution delivers complete customer service and support for any size of organization. Micro Focus Service Desk for ITIL Management supports eleven core ITIL processes which include:
 - ♦ Request
 - ♦ Incident
 - ♦ Problem
 - ♦ Change
 - ♦ Configuration
 - ♦ Knowledge,
 - ♦ Release & Deployment

- ♦ Finance
- ♦ Service Level Management,
- ♦ Service Catalog
- ♦ Service Portfolio

NOTE: Micro Focus Service Desk differentiates between the two editions through different License Keys.

2 Installing Micro Focus Service Desk

Micro Focus Service Desk, a completely Web-based and highly scalable software solution is available as:

- ♦ A traditional installer (application) that can be deployed on Windows or Linux and supports a variety of databases. Ensure that the device on which you want to install Micro Focus Service Desk has Java installed and is up and running
- ♦ A virtual appliance that can be deployed on VMware ESX/ESXi

The system is highly scalable and supports thousands of simultaneous logins with quick response times. Installation and configuration is just as easy for a small organization as it is for a department with thousands of technicians and clients.

For more information on installation, creating schema and installing license keys, see [Micro Focus Service Desk Installation](#).

3 System Requirements

Micro Focus Service Desk provides fast, easy to use web based interface. The product supports all major operating systems, databases and application servers. Any browser can be used to access the system.

For more details on Server and database requirements, see [Micro Focus Service Desk Requirements](#).

4 User Roles

The System has several user roles (see Roles) that determine the functionality and privileges.

- ♦ **The Administrator Role:** Performs System Configuration and Setup tasks including Customizing the application, Configuring the interaction between external systems(LDAP, EMAIL, ZENworks etc), enabling Customer, User, Request and System Privileges.
- ♦ **The Supervisor Role:** Provides maximum access to the system for day-to-day management of the service desk and configuration control. Supervisor Users can create local user accounts, Assign Roles/Processes, Build workflows, Configure the CMDB, Allocate Technicians to Teams and Escalation Layers, Define Service and Operational Level Agreements (SLAs and OLAs) for the organization etc.
- ♦ **The Technician Role:** It is assigned to service desk staff who work on request. By default a supervisor is a technician.
- ♦ **The Customer Role:** It is for users who submit Service Requests, Incidents and possibly Change Requests to the service desk. Customer is your end user.

- ♦ **The Manager Role:** It is a User who can oversee the activities of the service desk or specific Processes. Managers have access to most parts of the system, primarily on a read-only basis.
- ♦ **The Partner Role:** A Partner User is assigned to a Partner Organization and has the same privileges as a Technician User, but can only view and support Customers associated with their assigned Partner Organization.
- ♦ **The Finance Role:** It is primarily for driving the service costing models and, if relevant, maintaining the Billing module that uses system Contracts and Purchase Orders.

Every Technician Role assigned also needs a Supervisor assigned. An individual can have more than one Role within the system, but only one of Supervisor, Partner or Technician can be allocated per User.

For more information on users and their privileges, see [About Roles](#).

5 Logging In

The system includes a default Supervisor and Administrator account to initially access the application. After installation, you can login to the system with these accounts to configure the system as per your organization's needs.

Use the following credentials:

- ♦ **For a Supervisor Account:** Username: super, Password: super
- ♦ **For an Administrator Account:** Username: admin, Password: admin

6 Portal Views

The system offers 3 different portal views depending on who logs into the system:


- ♦ Setup for system Administrators
- ♦ Customer
- ♦ User: This is accessible to those with the Supervisor, Technician or Partner role. It is also available to those with the Finance and the Manager role.
- ♦ [Section 6.1, "Administrator Portal," on page 3](#)
- ♦ [Section 6.2, "Customer Portal," on page 4](#)
- ♦ [Section 6.3, "User Portal," on page 4](#)

6.1 Administrator Portal

This portal is mainly for System Configuration, Setup tasks which include:

- ♦ Customizing the application
- ♦ Configuring the interaction between external systems (LDAP, EMAIL, ZENworks etc).

For more, see [Administrator View](#).



6.2 Customer Portal

This portal is for the end users or Customers. It enables Customers to easily monitor and resolve service and support issues, thus allowing them to focus on core business activities. The user-friendly interface offers an easy-to-use Knowledge Base and Request tracking system. Customers can submit requests, view knowledge base, any outages, surveys, initiate chat with technician, view status of existing requests etc.

The screenshot displays the Customer Portal interface. At the top, there is a navigation bar with links: Home, New Request, Requests, Services, Items, Self Help, and Outages [0]. Below the navigation bar, a message states: "Use the requests area to manage and communicate directly with the service desk. Raise new or add to existing requests using the menu options. You may also search historical requests using advanced search options." On the left, there is a "Search" sidebar with filters for Request Type (All Types, Service Requests, Incidents, Changes), Request #, Start Date, End Date, Item #, Type, and Status (Active, Inactive). The main area shows a table of requests with columns: Request, Date, Status, Raised By, Technician, Item Type, and Description. The table lists 13 requests with various statuses like Pending, Closed - Resolved, On Hold - Process Escalated, and Cancelled - Unpaid.

Request	Date	Status	Raised By	Technician	Item Type	Description
100073	01/13/16 02:37	Pending	Jason Blackett	Vaibhav Jain	Email Services	A
100072	01/13/16 02:34	Closed - Resolved	Jason Blackett	Vaibhav Jain	Email Services	A
100071	01/13/16 02:25	Pending	Jason Blackett	Vaibhav Jain	Email Services	A
100067	01/13/16 01:20	Pending	Jason Blackett	Vaibhav Jain	Email Services	A
100064	01/13/16 00:49	Pending	Jason Blackett	Vaibhav Jain	Email Services	A
100063	01/13/16 00:47	Pending	Jason Blackett	Vaibhav Jain	Email Services	A1
100062	01/13/16 00:41	Pending	Jason Blackett	Vaibhav Jain	Email Services	A1
100055	01/12/16 05:37	On Hold - Process Escalated	Guruprasad S	Vaibhav Jain	Website Services [Type: E-Learning]	Please enroll my name in the E-Learning Portal. Name : Department : Note: This pr...
100053	01/12/16 04:57	Cancelled - Unpaid	Jason Blackett	Kamal K	Unknown	Please resolve this issue as early as possible.
100032	01/06/16 07:23	Cancelled - Unpaid	Jason Blackett	Kamal K	Unknown	Req1
100031	01/05/16 04:01	Pending	Guruprasad S	Vaibhav Jain	Website Services [Type: E-Learning]	Please enroll my name in the E-Learning Portal. Name : Department : Note: This pr...
100020	01/05/16 03:22	Open	Sedhin Kumar	Vaibhav Jain	Website Services [Type: E-Learning]	Please enroll my name in the E-Learning Portal. Name : Department : Note: This pr...
100015	12/09/15 23:31	Closed - Resolved	Jason Blackett	Vaibhav Jain	WiFi Service	Not able to get wifi access
100014	12/09/15 20:23	Closed - Resolved	Jason Blackett	Kamal K	WiFi Service	Not able to connect to Wifi
100013	12/09/15 20:20	Closed - Resolved	Jason Blackett	Kamal K	WiFi Service	Connect to Wifi

6.3 User Portal

This portal is available to those with the following roles:

- ◆ Supervisor
- ◆ Technician
- ◆ Partner
- ◆ Finance
- ◆ Manager

Technicians use this portal to work on notes and to add notes. Supervisors use this portal to create Knowledge Base articles and to configure Workflows, Service Level Agreements and CMDB.

For more, see the following:

- ◆ [Supervisor Guide](#)
- ◆ [Technician/Partner Guide](#)
- ◆ [Manager Guide](#)
- ◆ [Finance Guide](#)

The screenshot displays the User Portal interface. At the top, there is a navigation bar with links: Home, Operations, Change, Configuration, Service, User, Knowledge, and Reports. Below the navigation bar, there is a "Tasks" section with a search bar, a "Link" button, and an "RSS" button. The main area shows a table of tasks with columns: Request #, IP, Created, Open Time, Due Date, Status, Priority, Item Type, Technician, Team, Customer, Group, and Subject. The table lists two tasks with statuses like Pending - CAB and Medium priority.

Request #	IP	Created	Open Time	Due Date	Status	Priority	Item Type	Technician	Team	Customer	Group	Subject
100092		01/19/16 12:38	00:00	01/22/16 12:38	Pending - CAB	Medium	Iphone	Ingo Engels	Change Management Team	Sankar R		Change Request - Item has been marked for creation
100091		01/19/16 12:19	00:00	01/22/16 12:20	Pending - CAB	Medium	Service Desk	Ingo Engels	Change Management Team	Sankar R		Change Request - Critically set to 'Moderate' Warranty Date changed from 5 Feb 2016 to 4 Feb 201...

As mentioned in the previous section, Individuals can be allocated more than one Role. For Users with more than one Role, you can define a Default Portal within their Information screen.

When a user has multiple Roles, the Default Role is used to log into the system and the privileges of multiple User Roles are consolidated in one view.

For example, if some Users are assigned Finance, Manager and Supervisor or Technician access, they will be able to view all functionality related to these Roles within the User view.

When the User is also assigned Admin and Customer access, the options of Setup and Customer will be displayed next to their login name.

As shown in the following screen, the user Simone is a supervisor and his default portal is User portal. He also has administrator and customer roles. He can switch to admin portal by clicking on setup or to customer portal by clicking on customer.



7 System Configuration

Before starting with the system configuration, assess your business requirement and answer the following questions. However, you can tailor them to your organization's unique landscape along with any industry methodology that you might be following, such as ITIL.

- ♦ Who are they and what business function do they have? (customers or end users)
- ♦ What do they need support for? For example, software (CMBD – Items and Services)
- ♦ What types of request they make? For example, X is broken, how do I achieve Y. I need Z.
- ♦ What response are they expecting? For example, if X is broken, then it must be fixed within Y hours (SLAs, OLAs etc).
- ♦ How do they create requests? (through email, or web portal or through phone etc)

After answering the above questions, assess your IT capabilities with some of the following questions?

- ♦ Who is the support staff? (technicians)
- ♦ What can they support? (Services, Configuration Items)
- ♦ What types of request can they deal with? (Such as Incidents, Service requests, Change, and Problem)
- ♦ What response can they deliver? (SLAs, OLAs)

For example, you might come up with something similar to the following:

Support staff	Category	Item	Request	SLA	Resolution Time	Department	Description	Request method
Keith Richards Richard Jones Ron Hipcock	Hardware	Lenovo W500	Incident	8 x 7	40 hrs	Sales	Standard laptop used by sales teams	Email
Robert Miller Daniel Porter	Hardware	Dell R710	Incident Request Change	24 x 7	8 hrs	I.T	Corporate standard server. Changes will require approval	Email, Webportal
Keith Richards Richard Jones Ron Hipcock	Printers	HP LaserJet P4015DN	Incident	8 x 5	60 hrs	Marketing	Marketing department printer	Webportal
Keith Richards Richard Jones Ron Hipcock	Software	Salesforce	Incident Change	24 x 7	24 hrs	Sales , Marketing, Corporate	Company wide CRM system. Changes would be user addition, changes to rights, and deletion. All require approval	Email, Webportal
Robert Miller Daniel Porter	Software	Email	Incident Change	24 x 7 8 x 5	24 hrs 60 hrs	All	Company wide Email system. Email is supported 24 x 7. However changes would only be actioned during business hours	Email, Webportal

These are some basic steps that you need to follow to enable your system. These steps require access to the Administrator and Supervisor views. Some of these activities are performed in the Administrator view and some in the Supervisor view.


To customize the application to suit your service environment, follow the recommended steps that are listed below:

- ♦ [Section 7.1, “Administrator \(Setup\) view,” on page 6](#)

7.1 Administrator (Setup) view

Do the following:

- 1 Review and Enable System Privileges:** As a first step in the configuration process, it is suggested that each option be reviewed in the User, Customer, Request and System tabs within the Privileges sub-menu option. However, these can be adjusted in the future.



If you are unsure about what an option refers to, select the Help button on the system User Interface, to display the relevant page of the User Guide. Ensure that you set the appropriate Time Zone within the Customers Privilege tab. Set this before importing Customers and Users through an authentication server, to ensure it is correct on all newly created accounts.

For more details, See [Setup Tab](#) and [Privileges](#).

2 Create Customers and Users: Users include Supervisor, Technician and Partner accounts. User Accounts are created within the application or imported from one or more authentication servers.

- ♦ If you are using an authentication server, move to the Setup>LDAP tab. For details, see:
 - ♦ [LDAP](#)
 - ♦ [Active Directory Integration](#)
 - ♦ [LDAP Server Integration](#)
- ♦ If you are creating accounts directly in the system (using internal authentication), go to the User tab. For details, see [Users](#) and [Customers](#).

You can import Customer details using LDAP by enabling the option, if required. When the system is setup to synchronize with LDAP, move to the [Setup>Privileges>Customer](#) tab and enable the [Include Customers](#) option.

Default Date Style	<input type="text" value="mm/dd/yy"/>
Default Timezone	<input type="text" value="(GMT +1:00) Amsterdam, Madrid, Paris, Berlin"/>
LDAP/AD	
Include Customers	<input checked="" type="button" value="Yes"/> <input type="button" value="No"/>
Mixed Mode	<input checked="" type="button" value="Yes"/> <input type="button" value="No"/>
View Shared Requests	
By Ownership	<input checked="" type="button" value="Yes"/> <input type="button" value="Limited"/> <input type="button" value="No"/>

To create Customers using LDAP and the system's internal authentication capability, enable [Mixed Mode authentication](#). After you set the Include Customers option to [Yes](#) in the Customer Privilege tab, the [Mixed Mode](#) field is displayed. Set this option to [Yes](#) to allow Customers to be created directly in the system and using LDAP.

At this stage, you can also associate Organizational Unit information with Customers or Users, within the [Supervisor>User>Organizational Unit](#) tab. If the import includes the name of the Org Unit that matches what is recorded in the system, the details from the internally recorded information will be applied to the Customer or User.

3 Configure Email Setup and Email Messages: This step allows the system to manage requests through email. After completing the information in the Server and Setup tabs, the content for automated emails sent by this system is customized. This need not be completed at this stage. However, ensure that within the last page of the Templates tab, the Signature is updated to reflect the name of the service organization.

Email

Server

Setup

Templates

SMS

Log

General Settings

Email Polling

Yes

No

Include Banner

Yes

No

Copy Type

CC

BCC

Requests

Create/Update via Email

☐

(Uses Team emails aliased to this account)

Notify Alternate Team

Yes

No

Self Mail

Yes

No

Include Request Status

Yes

No

Include Request Priority

Yes

No

Include Request Subject

Yes

No

Notes

Parse Instance Prefix

Yes

No

Default Recipients

☒ Customers

☒ Technicians

Default Locale

English

Save

- 4 Customize Banners, Welcome Page Message and CSS:** The Customize menu allows you to brand the application where system banners can be replaced with the appropriate organizational banners. Do this now if the images are available or return to this step at a later stage.

For details, see Setup>Customize, [Cascading Style Sheets \(CSS\)](#).

Banners

Portals

CSS

Use Custom ☒

- 5 Customize the default Supervisor, user access:** Include Incident, Service Level Management and if applicable, Request Fulfillment, Problem and Change Management. Adjust the User Timezone, if applicable. For details, see [User](#).

User Information

Information | Schedule | Aliases | Team | Skills | Org Unit

Edit | Email | vCard

Title

First Name Joe

Last Name K

Username joe@epm.blr.novell.com

Roles

☐ Supervisor ☒ Technician ☐ Partner

☐ Administrator ☐ Manager ☐ Finance

☐ Customer

Default Portal User Portal

Operations Processes ☒ Request ☒ Incident ☒ Problem

Change Processes ☒ Change ☒ Release ☒ Deployment

Internal Processes ☒ Service Level ☒ Configuration ☒ Knowledge

Knowledge ☒ Create ☒ Edit ☒ Delete ☐ Publish

Configuration ☒ Create ☒ Edit ☒ Delete

Primary Email joe@nsd.com

- 6 Set up Service Level Agreements:** Organizations use SLAs to manage the levels of service expected of the IT and to ensure optimal maintenance of critical business systems and services. If these are unknown at this time, the system includes a default SLA that can be used.

For details, see [Service Level Management](#).

Home | Operations | Change | Configuration | Service | User

SLAs | OLAs | Underpinning Contracts | Workflows | Breach Codes


- 7 Create Operational Level Agreements and/or Underpinning Contracts:** You can do this if applicable. This might be an advanced system configuration step at this stage, or might not be relevant to the service organization. However, if OLAs or UCs are in place in the service organization, they can be mapped into the system now. Alternatively, they may be added later.

For details, see [OLAs and UCs](#).

- 8 Customize or create Workflows:** The system includes default Workflows across all Processes. At this point, the default Workflows might be sufficient or you can customize them to suit the service organization requirements. Alternatively, you can create new Workflows if you are using ITIL edition of Micro Focus Service Desk.

For details, see:

- ♦ [Incident and Problem Workflows](#)
- ♦ [Service Request and Change Management Workflows](#)



9 Create Teams: Now that you have users, technicians, workflows and SLAs in the system, you can start creating teams. By default, the system includes one Process Team and the Unknown Team.

- ♦ You can either edit the existing Process Team or create a new one.
- ♦ Define the way the team works
- ♦ Assign the relevant Technicians
- ♦ Associate the Workflows that the Team will support
- ♦ Set the Technicians to work in the appropriate Escalation Layer(s)

Though it might be relevant to finish one Process first, and return to do the other Processes at a later date, you need to create Teams for all Processes that are to be managed by the system (such as Incident, Problem, Change, Service Request.).

For details, see [Teams](#).

Teams							
<div> Home Operations Change Configuration Service User Knowledge </div> <div> Customers Organizational Units Partner Organizations Users Teams Assignments </div>							
<div> New Search Export: Current Page </div> <div>Display: 10</div>							
Team Name	Process	Lead Technician	OLAs	Incoming Email	Phone	Workflows	Layers
BYOD-Incident-Team	Incident	Joe K				Incident Workflow	1
Change Management Team	Change Request	Ingo Engels				Standard Change Workflow	2
Device-Incident Team	Incident	Sankar R				Incident Workflow	1
KBA Team	Change Request	Craig Wilson				New Workflow	2

10 Assign Default Teams and SLAs within Request Privileges: After creating Teams and SLA's, you can set the default teams and default SLA. In the Administrator view, navigate to [Setup>Privileges>Requests](#) and set the teams.

These settings are applied to all newly created Items and Item Types that result from an AMIE import. For details, Step 11.

Default Incident Team	Device-Incident Team ▼
Default Problem Team	Problem Analysis Team ▼
Default Change Team	Change Management Team ▼
Default Request Team	Service Request Team ▼

- 11 Configure the CMDB:** You need to configure CMDB (Configuration Management Database) that you support. The objective here is to provide a logical model of the IT infrastructure. It identifies controls, maintains and verifies the versions of all Configuration Items (CIs) that form an organization's IT infrastructure. The system includes fully embedded CMDB that provides access to up-to-the-minute information regarding the state of any infrastructure item.

With the system, the CMDB comprises of Categories, Types and Configuration Items in that order.

The default templates, set at the Category level are used to cover a broad range of Item Types. Item Types are templates used to create Items. Items are specific instances of Item Types with individual asset detail information. For example, categories, Types and Items can be defined as shown in the following table:

Categories	Types	Items
Hardware	Servers	HP DL380
		IBM X3650
	Laptops	Dell 3542
		Lenovo T420
Software	Operating System	Windows 7
		Linux
	Database	Oracle
		PgSql
Mobile Devices	Apple	iphone6
		iphone7
	Samsung	Galaxy S3
		Note 4

Next, navigate to the Supervisor view and perform the following to configure the CMDB:

- 11a** Navigate to the **Configuration>Categories** tab to customize CMDB. The system includes default Categories, which are sufficient for most organizations. You might use those categories or create your own that suits your environment.

Within the category, define the attributes of an Item that are to be recorded in the system, by customizing the field labels. The stages that an Item can move through in its lifecycle are defined within the Life Cycle tab (such as Installed, Pending Configuration and Pending Test).

By default, the system is installed with some pre-defined Lifecycles. If they do not match the requirements of your organization, customize them. The types of issues reported against an Item are then created in the Classifications tab.

Do the following:

1. Configure the Category Details fields. For details, see [Configuration Categories](#).
2. Define the Category's Life Cycle. For details, see [Category Lifecycle](#).
3. Create Category Classifications. For details, see [Category Classifications](#).

11b Create Item Types. This is done in the **Configuration>Types** tab. This is where the Category template is associated with the Type template, the default Teams and SLA are set, and the Classifications are refined for issues reported against Items.

For details, see [Item Types](#).

11c Next, create Items directly within the system.

This is completed in the **Configuration>Items** tab. An Item Type template is selected for the new Item, which applies all the default information set within the Categories and Types tabs.

The ownership of the Item is assigned to the new Item. Ownership might belong to Everyone (a Global Item), one or more specific Customers or Organizational Units. The specific attributes of the Item are recorded in the **Details** ta. You can create any relationships with other Items in the system within the **Relationships** tab now or in future.

Alternatively you can populate your CMDB through AMIE or .csv import. The Types and Items are created automatically. To do this you need to be in the Administrator view and navigate to the **Admin>Setup>AMIE**.

For details, see [AMIE Import](#).

CSV Import: To import Items using a .CSV file, download and populat a .CSV template, containing all available fields. For details, see [Importing Items using a .CSV File](#).

The system uses a field mapping Wizard to match fields in the template to those in the system. To download the template go to **Setup > Item Import > Import**.

For details, see [Downloading an Item .CSV Template](#).

AMIE

Setup Import Customize

Welcome to the Import Wizard

1. Download the CSV item template and complete.
(Required fields: 'Item Type', 'Status' & 'Team').
[Download Template](#)

2. Select the Category you wish to import:

Audio Visual

Audio Visual

BYOD Devices

BYOD DevicesCopy32

Documentation

Hardware

Mobile Devices

Network Infrastructure

Peripherals

Printers & Scanners

Service

Software

ZENworks Bundle

Upload

If you are using Asset Management tools such as ZENworks, you can easily synchronize that data into system's CMDB using AMIE Import.

For details, see [AMIE Import](#).

AMIE

Setup Import Customize

New Delete

Server	Identifier	Last Updated
0 - 0 of 0 Results		

Before Importing a CSV File or Doing an AMIE Import: To successfully import an Item, you need to map the Teams and status fields correctly.

The Teams within the .csv file must be created in the system before they can be associated with an Item as part of import. Teams are created by a Supervisor as mentioned in step 9.

Items are imported based on Category (such as Hardware, Software). These categories are configured by the Supervisor within the [Configuration>Categories](#) tab, before conducting a .csv import. The Administrator must create separate .csv files based on the Categories configured and individually upload into the application.

For Items imported with owners, the Username in the .csv file must match the Username within the support system. If the owner does not exist in the system, the imported Item will become a Global Item.

For Items and Item types created through AMIE import, the default teams set in step 10 will be applied.

NOTE: Review the item status on creating an item or after an AMIE import or import via CSV file. The items or services shall be visible in the customer portal only if the item is set to a customer visible state that is defined in the Category's Life Cycle. For details, see [Category Lifecycle](#).

12 Create Service Type templates and Service Items: For service organizations that need to fast-track the capability to manage requests in the system, it is recommended to create Service Items in the Service Catalog. This allows Customers and Technicians to log and manage requests within the application.

- ♦ Create a Type, using the Service Category for each Service being offered, then create the Service Item with the newly created Type template. For the Service to be available in the Catalog, ensure that the Service Item status is set to an Active, non Pre-production State. If the Customers are to access a Service on the Customer Portal, the Service Item Lifecycle State should be set to **Customer Visible**.
- ♦ Items can be mapped to Services, if required. For details, see [Service Catalog](#).

At this stage, the users are in place, the CMDB is populated, SLAs, Workflows, teams, and Email is in place. You can review the licensing information in Administrator view in **Setup >Licenses**.

For details, see [Licenses](#).

Licensing

License

Host

Install

Users

Product
Service Manager
Version #7.2

Licensee
Novell

User Limit
20 (Licensed: 0) (Temporary: 20) (Used: 6)

Incident Roles
20 (Licensed: 0) (Temporary: 20) (Used: 6)

Request Roles
20 (Licensed: 0) (Temporary: 20) (Used: 6)

Problem Roles
20 (Licensed: 0) (Temporary: 20) (Used: 6)

Change Roles
20 (Licensed: 0) (Temporary: 20) (Used: 6)

Install Date
12/07/15 10:30

Temporary

Start Date
December 8, 2015

End Date
February 6, 2016

Status
Valid License

- ♦ Revisit step 1 (Review & enable System Privileges) and review each option in the User, Customer, Request and System tabs. For example in the Customer tab, you can define whether the Customers have Web access or access to Customer portal. You can also define whether Customers can view, create or edit Incidents, Change Requests or Service Requests.

Default Web Access	Yes	No
Generic Request	Yes	No
Generic Request Type	Change Requests ▼	
Incidents	Create And Edit ▼	
Change Requests	Create And Edit ▼	
Service Requests	Create And Edit ▼	
Service Incidents	Yes	No

- ♦ Enable customers to create requests through emails. Each process team can be configured for an incoming email address which the Customers can use directly. This is done in the Supervisor view in Teams. This address should be configured as an alternative to the system support address on the Email Server. In the Administrator view, you need to enable Email Polling (Setup>Email) and Create or Update through Email.
For details, see [Email Polling and Request Creation via Email](#).
- ♦ Define templates for common repetitive requests. For details, see [Quick Calls](#). Supervisors can define Quick Call templates by pre-populating the required fields – configuration item, process (such as Incident, Service Request, Problem or Change), SLAs, Workflows, Impact and assignee details. Examples of such requests include Unable to access email or Reset my password or Request for new hardware or Printer paper jam etc.

Whenever a technician or a customer wants to create such a request, they can pick the required Quick Call from the list. All fields for the request will be automatically filled as defined by supervisor, allowing the user to add any unique text and submit. The quickcall templates enable you to create request in fewer clicks and save time and effort.

The screenshot shows the 'Quick Calls' configuration page in the Micro Focus Service Desk. The top navigation bar includes Home, Operations, Change, Configuration, Service, and User. Below this is a sub-navigation bar with My Tasks, Dashboard, Alerts, Chat, Calendar, My Account, Quick Calls, Group Templates, and Feedback. The main content area is titled 'Quick Calls' and is divided into two columns. The left column, 'Quick Call', contains a 'Details' section with various dropdown menus and checkboxes for configuring a quick call template. The right column, 'Schedule', contains a 'Notification' section with similar dropdowns and checkboxes. At the bottom, there is a 'Description' section with a rich text editor. The quick call is configured for a 'Password Reset' incident, with a 'Warranty' SLA, 'Incident Workflow', and 'Closed - Resolved' status. The technician is set to '[System Assigned]' and the impact/urgency/priority are all 'High'. The access is configured 'By Role' with checkboxes for Supervisors, Technicians, Partners, and Customers. The schedule is set to 'Off' and the notification is configured for 'Email' to the 'Customer' and 'Technician'. The description field contains the text 'Please reset my password'.

8 Implementing the Processes

You need to implement the various processes discussed. For more details on steps for implementing the following Processes, see:

- ♦ [Request Fulfilment Overview](#)
- ♦ [Incident Management](#)
- ♦ [Problem Management](#)
- ♦ [Problem Management](#)
- ♦ [Release and Deployment Management](#)

9 Legal Notices

For information about legal notices, trademarks, disclaimers, warranties, export and other use restrictions, U.S. Government rights, patent policy, and FIPS compliance, see

<https://www.Micro Focus.com/company/legal/> (<https://www.novell.com/company/legal/>)

